



Turn on a dime thanks to the intermediate wheel drive



Even more manoeuvrability thanks to a single rear castor



300 mm scissor lift combined with 30° tilt-in-space



Lying position possible with combination of electric adjustments

Incredibly agile

COST EFFECTIVENESS

- Efficiency thanks to simple maintenance and a high degree of ease in servicing
- Little need for repairs as a result of the use of high-end and long-life components
- The modular design of the iChair family means great compatibility of components
- Multiple settings allow for individual adjustment
- Optimal user size limits such as a standard user weight of 140 kg make reuse easier

THERAPEUTIC BENEFITS

- The central leg rest permits a 90° knee angle
- Ideal for maintaining mobility at home, at the workplace and around the office
- Effective pressure relief and relaxed positioning for long periods of sitting are facilitated by the large, electrically operated adjusting areas

APPLICATIONS

- For both indoors and out suspension of drive unit standard
- Especially suitable for indoor use: turning on its own axis complemented with tight manoeuvring
- Precise manoeuvring thanks to rigidly mounted castors
- For permanent and all-day use for independent mobility, even for more advanced functional disorders
- For working and active people who require a wheelchair for varying everyday situations

1 of 12

O ORDER

○ *QUOTATION*

○ CUSTOM-MADE VERSION

Please fax your completed order form to: +49 (0) 5733 922 9311 Customer service: +49 (0) 5733 922 311

Invoice address/customer no.:
Delivery address:
Consignment/remarks:

iChair mc mid 1.617

(Price for basic model):

All prices exclude VAT at the statutory rate. Valid from 01.01.2016 to 31.12.2016. Our general terms and conditions apply, which can be found on **www.meyra.de/en/gtc**.

Technical data

Seat width ¹⁾	380 – 650
Seat depth ⁵⁾	400 - 56 / 400 - 560 / 480 - 530
Back height ⁵⁾	450 - 500 / 530 - 580 / 640
Lower leg length ²⁾	280 - 450
Armrest height ²⁾	240 - 350
Seat height at front ²⁾	450
Min. Length with footrests	910
Length without footrests	850
Width when ready for use	630-800
Height without headrest ⁴⁾	1,030–1,070
Min. transport height	630
Max. obstacle height / with H-Flex wheel	60 / 100
Turning radius (with footrests)	625
Turning radius (without footrests)	530
Ground clearance	750

¹⁾ See category seat height 01

²⁾ Up to seat unit without cushion

³⁾ Without leg rests and armrests

⁴⁾ With adjustable back

⁵⁾ Seat systems: Standard/ErgoSeat/Recaro

WEIGHT IN KG

Min. empty weight when transported ³⁾	138
Max. weight of user	140
Permitted overall weight	320
Max. additional load	10

PROPERTIES

Travel speed	6/10
Motor output W	2 x 350
Range with battery 60 Ah (20 h) max. in km	35
Range with battery 73 Ah (20 h) max. in km	40
Permissible gradients/descents	15 %
Steering method	Indirect
Electrical tilt-in-space	0° to 30°
Mechanical tilt-in-space	0°, 4°
Electrical backrest angle	-10° to 50°
Mechanical backrest angle	-10° to 30°

Dimensions in mm (1 inch = 25,4 mm), Weights in kg (1 pd = 0,45 kg), Speed in km/h (1 mph = 1,61 km/h), Tolerance ± 10 mm / 0,39 inch The specifications are subject to constructional changes.

Standard version: In case you do not make another selection we will generally deliver the standard version.

Chassis/motor

CODE	DESCRIPTION			
	Speed	Motor power	Range	
115	6 km/h	2 x 350 W	40 km	
117	10 km/h	2 x 350 W	35 km	

 * just in combination with lap belt CODE 833

01

00

Seat width (SW)

CODE	DESCR	IPTION
38	SW 38	Seat width can be adjusted progressively from 380 to 440 mm via the armrests (width of seat 380 mm)
43	SW 43	Seat width can be adjusted progressively from 430 to 520 mm via the armrests (width of seat 430 mm)
48	SW 48	Seat width can be adjusted progressively from 480 to 600 mm via the armrests (width of seat 480 mm)
53	SW 53	Seat width can be adjusted progressively from 530 to 650 mm via the armrests (width of seat 530 mm)

In combination with mySeat only SB 430 and 480 mm possible. With Recaro, the actual seat width is approx. 500 mm.



Seat depth (SD)

You can determine your desired seat depth in category 07 seat and seat system in combination with the seat system!

03 Castors and options

CODE	DESCRIPTION Ø X W
152	7"
157	8"
662	6" H-Flex, puncture-resistant, including suspension and kerb climber (max. 100 mm obstacle height)

Standard version: In case you do not make another selection we will generally deliver the standard version.

Options for 7", 8" castors

481	Pneumatic tyres
900	Puncture-resistant tyres



Drive wheels

CODE	DESCRIPTION
460	14" drive wheels with aluminium rim and splash guard

Options for drive wheels

846	Pneumatic tyres with puncture protection
904	Puncture-resistant tyres

05 Tyre colour

 CODE	COLOUR
909	Grey tyres, silver rims



Tilt-in-space / seat lift

CODE	DESCRIPTION	INCLINATION
119	Mechanical tilt-in-space 4° preset by manufacturer	0°/4°
118	Electrical tilt-in-space	0° to 30°
27	Scissor lift 300 mm lift including tilt-in-space, only in combi- nation with R-Net	0° to 30°

Standard version: In case you do not make another selection we will generally deliver the standard version.

Seat and seat system

07

Rear strapAdjusting beltErgoSeat backrest737/287736/2879494276 / 615Seat cover without cushion400 mm•4276 / 788Seat cover without cushion430 mm•4276 / 619Seat cover without cushion430 mm•4276 / 792Seat cover without cushion400 mm•4276 / 792Seat cover without cushion400 mm•4276 / 792Seat cover without cushion490 mm•4276 / 793Seat cover without cushion500 mm•4276 / 793Seat cover without cushion560 mm•4276 / 736Seat cover without cushion560 mm•4276 / 738ErgoSeat seat400 mm-948 / 615ErgoSeat seat400 mm-948 / 619ErgoSeat seat400 mm-948 / 792ErgoSeat seat400 mm-948 / 793ErgoSeat seat530 mm-948 / 793ErgoSeat seat500 mm-9007/605 2mySeat, black, breathable400 mm•9007/605 3	
4276 / 615 Seat cover without cushion 400 mm • 4276 / 788 Seat cover without cushion 430 mm • 4276 / 788 Seat cover without cushion 460 mm • 4276 / 792 Seat cover without cushion 460 mm • 4276 / 793 Seat cover without cushion 490 mm • 4276 / 793 Seat cover without cushion 530 mm • 4276 / 793 Seat cover without cushion 560 mm • 4276 / 793 Seat cover without cushion 560 mm • 948 / 615 ErgoSeat seat 400 mm - 948 / 788 ErgoSeat seat 430 mm - 948 / 619 ErgoSeat seat 430 mm - 948 / 792 ErgoSeat seat 400 mm - 948 / 793 ErgoSeat seat 400 mm - 948 / 793 ErgoSeat seat 530 mm - 948 / 793 ErgoSeat seat 530 mm - 948 / 793 ErgoSeat seat 530 mm - - 948 / 793 ErgoSeat seat 560 mm - -	
42/67/815 cushion 400 mm 4276/788 Seat cover without cushion 430 mm 4276/788 Seat cover without cushion 460 mm 4276/792 Seat cover without cushion 490 mm 4276/793 Seat cover without cushion 490 mm 4276/793 Seat cover without cushion 530 mm 4276/793 Seat cover without cushion 530 mm 4276/793 Seat cover without cushion 560 mm 4276/756 Seat cover without cushion 560 mm 948/615 ErgoSeat seat 400 mm 948/615 ErgoSeat seat 430 mm 948/788 ErgoSeat seat 430 mm 948/792 ErgoSeat seat 400 mm 948/792 ErgoSeat seat 400 mm 948/793 ErgoSeat seat 400 mm 948/793 ErgoSeat seat 530 mm 948/793 ErgoSeat seat 530 mm 948/793 ErgoSeat seat 560 mm 948/793 ErgoSeat seat 560 mm 948/793 ErgoSeat seat 560 mm 948/356 ErgoSeat seat	
4276 / 788 cushion 430 mm 4276 / 619 Seat cover without cushion 460 mm 4276 / 792 Seat cover without cushion 490 mm 4276 / 792 Seat cover without cushion 490 mm 4276 / 793 Seat cover without cushion 530 mm 4276 / 793 Seat cover without cushion 530 mm 4276 / 793 Seat cover without cushion 560 mm 948 / 615 ErgoSeat seat 400 mm 948 / 615 ErgoSeat seat 430 mm 948 / 619 ErgoSeat seat 460 mm 948 / 619 ErgoSeat seat 460 mm 948 / 792 ErgoSeat seat 490 mm 948 / 793 ErgoSeat seat 490 mm 948 / 793 ErgoSeat seat 560 mm 948 / 356 ErgoSeat seat 560 mm 2007/615 2 mySeat, black, breathable 400 mm	
4276 / 819 cushion 400 mm 4276 / 792 Seat cover without cushion 490 mm 4276 / 793 Seat cover without cushion 530 mm 4276 / 793 Seat cover without cushion 530 mm 4276 / 356 Seat cover without cushion 560 mm 948 / 615 ErgoSeat seat 400 mm 948 / 615 ErgoSeat seat 430 mm 948 / 788 ErgoSeat seat 430 mm 948 / 792 ErgoSeat seat 400 mm 948 / 792 ErgoSeat seat 490 mm 948 / 792 ErgoSeat seat 490 mm 948 / 793 ErgoSeat seat 530 mm 948 / 793 ErgoSeat seat 530 mm 948 / 793 ErgoSeat seat 560 mm 948 / 793 ErgoSeat seat 530 mm 948 / 793 ErgoSeat seat 560 mm 948 / 356 ErgoSeat seat 560 mm 948 / 356 ErgoSeat seat 560 mm 2007/615 ²⁰ mySeat, black, breathable 400 mm	
4276 / 792 cushion 490 mm 4276 / 793 Seat cover without cushion 530 mm • 4276 / 356 Seat cover without cushion 560 mm • 948 / 615 ErgoSeat seat 400 mm - 948 / 615 ErgoSeat seat 430 mm - 948 / 619 ErgoSeat seat 430 mm - 948 / 619 ErgoSeat seat 460 mm - 948 / 792 ErgoSeat seat 490 mm - 948 / 792 ErgoSeat seat 490 mm - 948 / 793 ErgoSeat seat 530 mm - 948 / 793 ErgoSeat seat 530 mm - - 948 / 793 ErgoSeat seat 530 mm - - 948 / 793 ErgoSeat seat 530 mm - - 948 / 356 ErgoSeat seat 560 mm - - 948 / 356 ErgoSeat seat 560 mm - - 1948 / 356 ErgoSeat seat 560 mm - - 1948 / 356 ErgoSeat seat 560 mm - -	
42/6/793 cushion 530 mm 4276/356 Seat cover without cushion 560 mm 948/615 ErgoSeat seat 400 mm - 948/615 ErgoSeat seat 430 mm - - 948/619 ErgoSeat seat 430 mm - - 948/619 ErgoSeat seat 460 mm - - 948/792 ErgoSeat seat 460 mm - - 948/792 ErgoSeat seat 490 mm - - 948/793 ErgoSeat seat 530 mm - - 948/793 ErgoSeat seat 530 mm - - 948/793 ErgoSeat seat 530 mm - - 948/793 ErgoSeat seat 560 mm - - 948/356 ErgoSeat seat 560 mm - - 948/356 ErgoSeat seat 560 mm - - 2007/615 ⁻²⁾ mySeat, black, break 400 mm - -	
42/07/356 cushion 500 mm • • 948/615 ErgoSeat seat 400 mm - • 948/788 ErgoSeat seat 430 mm - • 948/788 ErgoSeat seat 430 mm - • 948/619 ErgoSeat seat 460 mm - • 948/792 ErgoSeat seat 460 mm - • 948/792 ErgoSeat seat 490 mm - • 948/793 ErgoSeat seat 530 mm - • 948/356 ErgoSeat seat 560 mm - • 2007/615 ²¹ mySeat, black, breathable 400 mm • •	
948 / 788 ErgoSeat seat 430 mm - - • 948 / 619 ErgoSeat seat 460 mm - - • 948 / 619 ErgoSeat seat 460 mm - - • 948 / 792 ErgoSeat seat 490 mm - - • 948 / 793 ErgoSeat seat 530 mm - - • 948 / 793 ErgoSeat seat 560 mm - - • 948 / 356 ErgoSeat seat 560 mm - - • 2007/615 ²⁾ mySeat, black, breathable 400 mm • • •	
948 / 619 ErgoSeat seat 460 mm - - • 948 / 792 ErgoSeat seat 490 mm - - • 948 / 793 ErgoSeat seat 530 mm - - • 948 / 793 ErgoSeat seat 530 mm - - • 948 / 356 ErgoSeat seat 560 mm - • 948 / 356 ErgoSeat seat 560 mm - • 2007/615 ²⁾ mySeat, black, breathable 400 mm • •	
948 / 792 ErgoSeat seat 490 mm - - • 948 / 793 ErgoSeat seat 530 mm - - • 948 / 356 ErgoSeat seat 560 mm - • • 948 / 356 ErgoSeat seat 560 mm - • • 2007/615 ²⁾ mySeat, black, breathable 400 mm • • •	
948 / 793 ErgoSeat seat 530 mm - - • 948 / 356 ErgoSeat seat 560 mm - - • 2007/615 ²⁾ mySeat, black, breathable 400 mm • • •	
948 / 356 ErgoSeat seat 560 mm - • 2007/615 ²⁾ mySeat, black, breathable 400 mm • • mySeat, black 400 mm • • •	
2007/615 ²⁾ mySeat, black, breathable	
breathable	
mySeat, black,	
2007/788 ²⁾ Infyseat, black, 430 mm • • •	
2007/619 ²⁾ mySeat, black, breathable 460 mm • •	
2007/792 ²⁾ mySeat, black, breathable 490 mm	
561 / 615 Seat cushion, black fabric 400 mm • •	
561 / 788 Seat cushion, black fabric 430 mm • •	
561 / 619 Seat cushion, black fabric 460 mm • •	
561 / 792 Seat cushion, black fabric 490 mm • • •	
561 / 793 Seat cushion, black fabric 530 mm • •	
561 / 356 Seat cushion, black fabric 560 mm	

Standard version: In case you do not make another selection we will generally deliver the standard version.

Seat and seat system

CODE	DESCRIPTION
579	RECARO seat unit, special S with mechanical back
567	RECARO seat unit, special F with electrical back only in combination with the R-net control system
580	RECARO seat unit, special M with mechanical back
578	RECARO seat unit, special W with electrical back only in combination with the R-net control system
581	RECARO seat unit, special L with mechanical back
584	RECARO seat unit, special X with electrical back only in combination with the R-net control system

Please take note of the front height of the seat cushion: Standard seat cushion +60 mm, ErgoSeat +70 mm, mySeat +80 mm and RECARO +150 mm. Longer delivery time required for RECARO seats. ¹⁾ Seat depth adjustable to 400, 430, 460, 490, 530 mm. ²⁾ Only in combination with seat width 430 and 480 mm.

Positioning article and accessories for the mySeat seat cushion

CODE	DESCRIPTION	CODE / THICKNESS IN MM		
2009	mySeat Slouch minimising device			
	mySeat Inclination wedge	2010 25	2012	50
	muCast Dolvis / homi balanco wodao	2011 37.5		
	myseal Pelvis/nemi balance wedge	2013 25 2014 37.5	2015	50
	mySeat Abduction wedge	2016 small 2017 medium	2018	large
964	mySeat Outer leg stabilisation wedges	, pair		
	2009	2009 mySeat Slouch minimising device mySeat Inclination wedge mySeat Pelvis/hemi balance wedge mySeat Abduction wedge	2009mySeat Slouch minimising devicemySeat Inclination wedge2010201125mySeat Pelvis/hemi balance wedge2013201325201437.5mySeat Abduction wedge2016small2017medium	2009 mySeat Slouch minimising device 2010 25 2011 2012 2011 37.5 2013 25 2014 37.5 2015 2016 small 2017 medium 2018 2018 2018 2018 2018 2017 2018 2018 2018 2018 2019 2019 2018 2018 2019 2019 2018



ErgoSeat covers

CODE	DESCRIPTION
237	ErgoSeat cover, black fabric
4980	ErgoSeat cover, incontinence, black

Standard version: In case you do not make another selection we will generally deliver the standard version.

Back and back systems

09

CODE	DESCRIPTION	COMPA	TIBLE W	ITH SEAT	SYSTEM C	CODE	
		Seat cover 4276	Ergo- Seat 948	mySeat	Seat cushion 561	RECARO	
737/287	Standard back strap, black Height: 500 mm, convertible to 450 mm	•	-	•	•	-	
736/287	Black adjusting belt, height: 500 mm, convertible to 450 mm	٠	-	•	•	-	
949	ErgoSeat back, height: 530 mm, convertible to 570 mm	•	٠	٠	٠	-	
2019/ 2020	mySeat comfort back including cover cushion, black fabric, height 530 mm, convertible to 570 mm, only in combination with seat width 430 and 480 mm	•	•	•	•	-	

* Not suited for armrest CODE 24 which can be pivoted up and pad CODE 957 and 954

Positioning article and accessories for the mySeat comfort back

 CODE	DESCRIPTION	CODE / THI	CKNESS	IN MM				
2032	mySeat Pair of small thora	c pads						
2021	mySeat Pair of large thorax	a pads						
	nu Coat Lordonia quabian	2022	25			2024	50	
	mySeat Lordosis cushion			2023	37.5			
		2025	25			2027	50	
	mySeat Thoracic wedge			2026	37.5			
	mySeat Lumbar wedge	2028	25	2029	37.5	2030	50	

10 Back options (adjustments)

CODE	DESCRIPTION				
814	One-piece push bar				
2814	One-piece push bar, only in combination w	ne-piece push bar, only in combination with RECARO			
410	Separate push bars including stabilisation b	ar			
913	Headrest, faux leather black				
401	Mechanical back adjustment	-10° to 30°	10° intervals		
25	Electrical back adjustment	-10° to 50°	progressive		

Standard version: In case you do not make another selection we will generally deliver the standard version.

Side guards and armrests

Please note the indicated functional features!

1 = removable 2 = height adjustable 3 = width adjustable 4 = depth adjustable

CODE	DESCRIPTION	1	2	3	4	
106	Standard side guard with padded armrest and calendered clothes guard	•	•	•	•	
4960	Side guard with padded armrest, calendered clothes guard and slight depression in the arm rest	•	•	•	•	
21	Side guard with padded armrest, calendered clothes guard and long angled armrest	٠	•	•	•	
	Red LED lighting for clothes guard	Font size 1	2 mm (n	nax. 2 x 15	characters):	
773*	including custom engraving. Please enter your desired text:	Font size 1	8 mm (r	nax. 2 x 10	 characters):	
	Blue LED lighting for clothes guard	Font size 1	2 mm (n	nax. 2 x 15	characters):	
774*	including custom engraving. Please enter your desired text:	Font size 1	8 mm (r	nax. 2 x 10	characters):	

* not in combination with seat width 380, crutch holder CODE 970 and scissor lift CODE 27

12

Divided leg rests

Leg rests

 CODE	DESCRIPTION	54	805	808	
93*	Leg rests, removable and swing-away	•	•	•	
92*	Leg rests, fold-up, removable and swing-away	-	•	•	
86*	Leg rests, can fold up electrically, can only swing away with the R-net control system	-	•	•	

* not in combination with 8" castors

Central leg rest with footrest

Please note that the central leg rests are not removable. The angle of the footrests can be adjusted and folded up. The length compensation for the electric leg rests amounts to 200 mm.

CODE	DESCRIPTION	LEG REST ANGLE	LOWER LEG LENGTH*
5100	Central leg rest, angle can be adjusted mechanically, including small footplate	95°	300–420 mm
5101 ³⁾	Central leg rest, angle can be adjusted mechanically, including large footplate	95°	
4935	Central leg rest, angle electrically adjustable, including small footplate and calf plates	90°–175°	300–420 mm
5104 1) 3)	Central leg rest, angle electrically adjustable, including large footplate and calf plates	90°–175°	

Please take note of the height of the seat cushion: Standard seat cushion +60 mm, ErgoSeat +70 mm

*Attention! Maximum length of lower leg with front seat height (FSH): FSH 440 mm, lower leg length max. 380 mm; FSH 480 mm, lower leg length max. 420 mm; FSH 510 mm, lower leg length max. 450 mm

¹⁾ Only in combination with R-Net with the adjustment module CODE 702/678, not in combination with RECARO and Basic

²⁾ Only in combination with R-Net with the adjustment module and LCD Display CODE 702/416/678

³⁾ not in combination with 8" castors

13

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Footrests for divided leg rests

					PATIBLE RESTS C			
CODE	DESCRIPTION	DEPTH	LOWER LEG LENGTH	92	93	86		
54	One-piece footrest, 60 mm depth-adjust- able (in 4 intervals), fold-up, height and angle adjustable	150 mm	280–430 mm	-	•	_		
805	Separate footrests adjustable height, fold-up	150 mm	280–430 mm	•	•	•		
808	Separate footrests, adjustable height and angle, fold-up	150 mm	280–430 mm	•	•	•		
822	Shoe positioning straps (pair)							
823	Heel loops (pair)							

Please note that with the different seat units, the lower leg length increases accordingly: Standard seat cushion +60 mm, ErgoSeat +70 mm, RECARO +150 mm

14 Battery and battery chargers

CODE	DESCRIPTION	
513	Maintenance-free batteries	60 Ah (20 h)
5158	Maintenance-free batteries	73 Ah (20 h)
732	8 A battery charger	
733	12 A battery charger	



ODE DESCRIPTION

932	Active LED lighting

16

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Control modules and accessories

 CODE	DESCRIPTION	CONTROL FUNCTION			
408	VR2 power/control module, 90A	None*			
682	VR2 adjustment module for electrical tilt-in-space and electrical back adjustment	2 adjustment motors			
702/415/ 678	R-net power/adjustment/control module with LED display, 90A	6 adjustment motors			
702/416/ 678	R-net power/adjustment/control module with LCD colour display, 90A	6 adjustment motors			
4795	Immobiliser system, key only in combination with R-Net				
903	power modul 120A , only in combination with R-Net				
4571	OMNI environmental control for special controls (only in combination with R-net)	6 adjustment motors			

*Control of two adjustment motors in combination with adjustment module CODE 682 Software for programming VR2 and R-NET on request

Options for control module

CODE	DESCRIPTION
74	Right-handed assembly
60	Left-handed assembly

*Control of two adjustment motors in combination with the adjustment module CODE 682 Software for programming VR2 and R-NET on request

Control module holder

17

CODE	DESCRIPTION			
4859	Control module holder with adjustable length			
A566 Control module holder, length and height adjustable, not in combination with CODE 24 side guard				
851	Control module holder for accompanying person (control module can be removed from the front and plugged into the back) Only in combination with the one-piece push bar CODE 814			
4860	Control module holder with adjustable length and height, swing-away to the side (e.g. on the table), not in combination with CODE 24 side guard			
4874	Protective bracket for VR2 and R-net control module			

18

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

Special control modules and special controls

CODE	DESCRIPTION						
4789	Additional control module with priority circuit for the accompanying person including mounting on the rear tube (only in combination with CODE 814)						
4660	Tabletop with gap (in the middle) for the control module, mounted to swing away to the right, not in combination with CODE 24 side guard						
4661	Tabletop with gap (in the middle) for the control module, mounted to swing away to the left, not in combination with CODE 24 side guard						
813	Table control, can be swung both to the left and right Only in combination with the R-net control module with LED display CODE 702/415, not in combination with CODE 24 side guard						
543 External On/Off button, green, diameter of 63 mm, for users with difficulty using the con- trol module buttons or as an emergency/off function for the accompanying person Only in combination with the R-net control module with an LCD colour display CODE 702/416 or OMNI environmental control CODE 4571							
596	As with CODE 543, yellow, diameter 63 mm						
778	As with CODE 543, green, diameter 30 mm						
779	As with CODE 543, yellow, diameter 30 mm						
565	Chin control, can be electronically swung away to the side, only in combination with R-net control module CODE 702 and OMNI environmental control CODE 4571						
810	Chin control, can be mechanically swung away to the side, only in combination with R-net control module CODE 702 environmental control CODE 4571						
657	External adjustment buttons for direct activation of six electrical seat adjustment functions, only in combination with R-net CODE 702/416						
794	Bluetooth PC mouse control						
4611	MicroPilot zero-displacement joystick, only in combination with OMNI, CODE 4571						
4600	MicroPilot zero-displacement joystick including holding fixture and hand rest, only in com- bination with OMNI, CODE 4571						
4612	MicroGuide minor displacement joystick, only in combination with OMNI, CODE 4571						
4601	MicroGuide minor displacement joystick including holding fixture and hand rest, only in combination with OMNI, CODE 4571						
4940	Neckband holder in combination with 4611 or 4612						

Special control modules and special controls often require further adjustment, which is why they generally cannot be considered a finished product. Positioning and programming are performed on-site with the participation of the user and a technician.

Standard version: In case you do not make another selection we will generally deliver the standard version.

Joystick attachments

	CODE	DESCRIPTION
	553	Tetra fork, vertical
	556	Tetra fork, horizontal
	734	Horizontal tetra fork adjustable to hand width
	4589	Mushroom grip
	4590	Ball grip
	4591	T-shaped grip
	4593	Stick grip
	4594	Knob
	4595	Softball
	4602	Joystick attachment MicroPilot cork, with spring, soft
	4603	Joystick attachment MicroPilot cork, with spring, medium
	4604	Joystick attachment MicroPilot colourful, with spring, soft
	4605	Joystick attachment MicroPilot colourful, with spring, medium
	4606	Joystick attachment MicroPilot blue, with spring, soft
	4607	Joystick attachment MicroPilot blue, with spring, medium
	4608	Joystick attachment MicroGuide/MicroPilot cork, without spring
	4609	Joystick attachment MicroGuide/MicroPilot colourful, without spring
	4610	Joystick attachment MicroGuide/MicroPilot blue, without spring
_		

Frame colours

19

 CODE	FRONT DECORATI- ON PARTS		REAR DECORATION PARTS		SEAT FRAME		SIDE STICKER	
4023	4023	signal white	4023	signal white	4023	signal white	4023	signal white
4001	4001	carmine red	4001	carmine red	4001	carmine red	4001	carmine red
186	186	magic blue	186	magic blue	186	magic blue	186	magic blue
5216	180	lemon reflective	180	lemon reflective	207	matte black	180	lemon reflective
5217	4915	gold	4915	gold	207	matte black	4915	gold
5218	4013	moss green	4013	moss green	207	matte black	4013	moss green
5219	230	burgundy red	230	burgundy red	207	matte black	230	burgundy red
5221	179	orange reflective	216	deep black	207	matte black	216	deep black

Further frame colours can be selected on request subject to an extra charge. See the colour chart in the catalogue.

Standard version: In case you do not make another selection we will generally deliver the standard version.

Wheelchair accessories

20

CODE	DESCRIPTION
906	Right rear-view mirror
927	Left rear-view mirror
2676	High-visibility film at the rear, just in combination with ErgoSeat / mySeat
676	Rear reflector
970	Crutch holder
833	Safety belt with lock
4646	Therapy table can be swung away to the side
590	Abduction wedge, not in combination with central leg rest
260	Memory function for headrest
957	Rigid pads (pair)
954	Swivel-away pads (pair), not in combination with CODE 24
781	USB charging slot
782	Tube for mobile phone holder, not in combination with OMNI, CODE 4571

Order remarks:

Signature:

iCHAiR MC MID 1.617



CODE 662





CODE 27



CODE 118



CODE 580/578



CODE 948/949



CODE 237



CODE 737/287



CODE 736/287



CODE 2032/2021



CODE 25



CODE 106



CODE 21

16



CODE 4960



CODE 774



CODE 773

CODE 4860

18



CODE 86/808





CODE 4001



CODE 702/416/678



CODE 408/4860





CODE 186

19



CODE 5216



CODE 4023









CODE 5221



CODE 782



CODE 5218

CODE 5219





CODE 781

1. GENERAL – SCOPE

1.1. The following General Terms and Conditions of Delivery and Trade (GTC) for MEYRA GmbH shall apply to all contracts concluded with customers of the company. They shall also apply to all future transactions with the customer, even in the absence of a separate new agreement.

1.2. The customer shall accept that the General Terms and Conditions of MEYRA GmbH are binding on the present contract and also on all future contracts. Terms and conditions of the customer or third party shall not apply. MEYRA GmbH shall not be subject to such terms and conditions, even if they are not expressly excluded in individual cases.

1.3. These General Terms and Conditions shall only apply if the customer is an entrepreneur (s. 14 of the German Civil CODE), a legal entity under public law or a separate fund under public law.

2. OFFER, CONCLUSION OF CONTRACT

2.1. Offers from MEYRA GmbH are subject to confirmation and non-binding unless expressly designated as binding.

2.2. MEYRA GmbH may accept orders or commissions from the customer within 14 days of receipt with an offer confirmation in text form.
2.3. The contract shall be concluded by means of the offer confirmation in text form; this shall also apply to any changes or additions to the orders.
2.4. We retain our rights of ownership and copyright with respect to all documents delivered to the customer in association with placing of the order. These documents may not be disclosed to third parties without our express written consent. Should we not accept the customer's offer within the period stipulated in section 2.2, these documents are to be returned to us without delay.

3. PRICES

3.1. Prices are calculated exclusively in euros.
All prices are net prices. Value added tax at the respective statutory rate is to be paid in addition.
3.2. Unless otherwise stated to the contrary in writing, our prices are ex works, excluding packing and shipping. The costs of packing and shipping shall be invoiced separately.

3.3. Insofar as list prices are used as a basis, the price list valid at the time the order is placed shall apply. Price changes shall be permitted if there is a gap of more than four months between conclusion of the contract and the agreed delivery date. Should salaries or material costs increase in the period up to completion, we shall be entitled to increase the price appropriately in accordance with the cost increases. The customer shall be entitled to withdraw from the contract only if the price increase significantly exceeds the increase in the general cost of living between the time of the order and of delivery.

3.4. In follow-up orders, MEYRA GmbH shall not be held to the prices in a previous contract. **3.5.** Should the order value fall below a limit of \in 150.00 net goods value, a minimum-order surcharge of \in 9.50 including freight component shall be levied.

4. SHIPMENT, PASSING OF RISK

4.1. The place of delivery shall be the registered premises of MEYRA GmbH insofar as nothing has been expressly agreed to the contrary.
4.2. If the goods are shipped to the customer at this location, the risk of accidental loss or

accidental deterioration of the goods shall transfer to the customer as soon as the goods (including partial deliveries) have been handed over to the charge of the third party responsible for shipping. This shall apply irrespective of whether the goods are shipped from the place of performance or who bears the freight costs.

4.3. Should claims for transport damage or losses be asserted against MEYRA GmbH, the customer must note the damage on the shipping documents or, in the event of losses, create a record without delay which is to be shown to us within one week.

4.4. Insurance against transport damage shall only be taken out at the express request and expense of the customer.

4.5. In the event of delayed handover or shipping for which the customer is responsible, the risk shall pass to the customer upon notification of the shipment's readiness for shipping.

4.6. Should there by no special instructions from the customer, the choice of transport route and means of transport shall be made by MEYRA GmbH without warranty and liability for the cheapest and fastest shipping method.

5. DATE OF DELIVERY / SCOPE OF DELIVERY

5.1. Proposed delivery periods shall be understood to be probable delivery dates, unless a particular date has been expressly established in writing.

5.2. If the parties have agreed a delivery period, this shall commence from the date of the order confirmation. The delivery period shall be deemed to have been observed if, prior to its expiration, the goods have left the plant or their readiness for shipping has been communicated.

5.3. Compliance with agreed delivery and performance dates requires the timely receipt of all documentation to be provided by the customer as well as the timely provision of all necessary information and the fulfilment of all other obligations by the customer. Should these conditions not be fulfilled in good time, the periods shall be extended appropriately.

5.4. MEYRA GmbH shall not be liable for delays in delivery due to force majeure or other events which, at the time the contract was concluded, were unforeseeable (e.g. strike, operational breakdown, delayed internal supply, transport delay, unfavourable weather, etc.) for which it is not responsible. The delivery period shall be extended for the duration of the obstacle to performance for which MEYRA GmbH is not

responsible, plus a reasonable recovery period. **5.5.** Should the resulting delay exceed a period of six weeks, both parties shall have the right to withdraw from the contract with regard to the scope of performance.

5.6. MEYRA GmbH shall be entitled to make partial deliveries provided that the partial delivery can be used by the customer within the scope of the contractual provision, the delivery of the remaining goods is guaranteed and the customer does not incur any additional costs as a result.

6. PAYMENT

6.1. Invoice amounts shall be paid in full within 30 days of receipt of the invoice into one of the bank accounts stipulated by us. However, where the invoice is not for the delivery of spare parts or repairs, the customer shall be entitled to a

discount of 2% if payment is made within eight days of receipt of the invoice.

6.2. Cheques and bills shall only be accepted with express agreement. Acceptance is conditional on performance. Invoice corrections via cheques and bills are subject to payment. Values are taken on the day on which we finally have the proceeds at our disposal.

6.3. Should the customer fail to make the payment on the due date, any outstanding amounts shall be subject to interest at 8% above the respective base rate per annum. We reserve the right to enforce higher damages due to a delay in payment.

6.4. Should the customer default on payment, then all other receivables arising from the same legal relationship shall immediately become payable without the need for a separate communication.

6.5. The customer shall only be entitled to offset in the event that its counterclaims have been legally established or are undisputed. The customer shall only be entitled to exercise a right of retention insofar as its counterclaim is based on the same contractual relationship.

6.6. MEYRA GmbH shall be entitled to assign its claims from deliveries and services.

7. RETENTION OF TITLE

7.1. The goods supplied by MEYRA GmbH shall remain the property of MEYRA GmbH until full payment of all present and future claims against the customer.

7.2. The customer may sell the reserved goods in the ordinary course of business. It is not entitled to make other disposals, in particular chattel mortgages and pledges. The claims of the customer arising from the resale of the reserved goods (including other receivables such as insurance claims or tort claims for loss or damage) shall be assigned to MEYRA GmbH by way of security. MEYRA GmbH shall accept the assignment. The customer shall be entitled to collect the assigned claim as long as it fulfils its payment obligations. In the event that it defaults on payment, we shall be entitled to revoke the collection authorisation.

7.3. Should the reserved goods be processed by the customer, it is hereby agreed that the processing shall take place in the name of and at the cost of MEYRA GmbH as the manufacturer and that it shall immediately acquire ownership or - if the processing is carried out using or in connection with materials from several owners or the value of the processed item is greater than the value of the delivered goods - co-ownership (fractional ownership) of the newly created item in the ratio of the value of the delivered goods to the value of the newly created item. Should MEYRA GmbH lose its ownership through consolidation or commingling or if, in the case of processing, it is not the owner of the delivered goods, the customer shall transfer to MEYRA GmbH in advance an appropriate co-ownership share in the new item equivalent to the proportionate value of the delivered item. MEYRA GmbH shall hereby accept the offer. The delivery shall be replaced by a gratuitous deposit.

7.4. The customer shall be obliged to notify us immediately of access by third parties to the goods delivered under retention of title and to provide us with the information and hand over

the documentation required to enforce our rights. At the same time, the customer is to inform the third party without being asked of MEYRA GmbH's ownership. Any costs incurred from this shall be borne by the customer.

7.5. MEYRA GmbH shall be obliged to release the securities due to it at the request of the customer insofar as they exceed the value of the secured claims by more than 20%. The selection of the securities to be released is incumbent upon MEYRA GmbH.

7.6. In the event of a bankruptcy petition relating to the customer, we shall now prohibit the resale or processing of our reserved goods and shall revoke our collection authorisation with respect to the claims assigned to us.

7.7. In the event of delayed payment by the customer, we shall be entitled to demand the immediate return of the reserved goods.

8. WARRANTY / LIABILITY

8.1. The customer must inspect the delivered goods immediately upon delivery. Insofar as it relates to obvious defects or defects that would have been found during a thorough inspection, the customer must notify us in writing of any complaints within one week of receipt of delivery. After expiry of this period, any liability for such defects is excluded. In the event of concealed defects, warranty claims shall only be valid if we are notified in writing within one week of discovery.

8.2. In cases of defective delivery, we shall have the right to choose to repair the defective item or to replace the defective item with a new delivery. The customer is obliged to provide us the defective product delivered free for inspection and repair. Should the repair or replacement delivery be unsuccessful, should they not be undertaken with a reasonable period or should we refuse to undertake them, the customer may withdraw from the contract or reduce the purchase price. A deadline shall not be required in those cases where it is not required by law.
8.3. The warranty shall be void if the customer

modifies the delivery item without our consent or it is changed by a third party and it therefore becomes impossible or unreasonably difficult to rectify the defect. However, in each case, the customer must bear the additional costs resulting from the rectification of the defect.

8.4. The above regulations shall not affect any warranty that we assume on the part of the first user of the rehabilitation equipment.

8.5. Excluded from the warranty is the functionrelated wear of all items, modules, batteries and spare parts supplied by us as well as the inappropriate or improper storage, use or handling of the products.

8.6. Further claims by the customer, in particular for damages instead of performance and for reparation of any direct or indirect damage – including incidental or consequential damages, irrespective of the legal grounds – shall be excluded. This shall not be the case if MEYRA GmbH has concealed a legal or material defect maliciously or the damage is due to intent or gross negligence on the part of MEYRA GmbH, its legal representatives or vicarious agents or to any negligent breach of essential contractual obligations. Essential contractual obligations are understood to be those where their fulfilment enables the proper execution of the contract

and on compliance with which the contracting parties regularly rely or may rely. In the case of damage to property and assets due to negligence, the liability of MEYRA GmbH shall however be restricted to an amount foreseeable in a typical contract. Furthermore, personal injury or damage to health caused by a breach of duty on the part of MEYRA GmbH, its legal representatives or vicarious agents are not excluded. **8.7.** Liability under the *Produkthaftungsgesetz*

[German Product Liability Act] is unaffected.

9. STATUTE OF LIMITATIONS

Claims by the customer relating to defects shall have a limitation period of two years from handover / delivery of the goods to the customer. With respect to replacement items and repairs, the limitation period shall be one year from handover / delivery of the goods to the customer. Excluded from this are claims for damages due to endangerment of life, personal injury or health and / or claims arising out of damages caused by gross negligence or intent on the part of MEYRA GmbH or its vicarious agents. In such instances, the statutory limitation periods shall apply.

9.1. REPLACEMENT PRODUCT SERVICE

Independent of the warranty, MEYRA GmbH offers customers the opportunity to exchange a defective product for a refurbished product. The following provisions shall apply to the products offered as replacements:

- Replacement products are refurbished and technically in order.
- The defective product must be returned free of charge to MEYRA GmbH within 15 working days. The returned item shall become our property.
 Should the defective product not be returned, we shall invoice the customer for the replacement item at 95% of the sales price for a
- new product. - The returned item must correspond to the
- replacement product in model and design. The product must also be reusable and may only show wear and tear commensurate with normal use.
- MEYRA GmbH shall determine whether the returned item fulfils the requirements specified above. Should these requirements not be fulfilled, we shall also issue the customer with an invoice for the amount specified above for the replacement product delivered less the residual value of the returned item.

10. LIABILITY FOR DESIGN CHANGES

It is important to note that more stringent legal provisions shall apply in the case of custom orders. Design changes to MEYRA GmbH products by the customer or a third party contracted by the customer shall only be permitted if they are in line with the safety requirements and our management has declared its consent in writing in advance. To this end, if requested, a modified model and design drawings are to be made available to us. Should design changes be undertaken without the prior written consent of our management and damage due to the changes is caused to a third party for which we are liable in the external relationship, the customer shall be required to release us in the internal relationship from claims by the third party.

11A. RETURN OF FINISHED PRODUCTS AND MODULES

Goods returned without an accompanying delivery note or invoice copy shall not be accepted. Credit equivalent to 80% of the net value of the goods shall be granted for goods returned in their original packaging and in mint condition. Excluded from return are items delivered more than three months ago, custom orders, sanitary items, filled batteries and products with a net value of less than \in 100.00. Also excluded are custom-made wheelchairs (e.g.: wheelchairs for children or adaptive wheelchairs). The transport risk shall be borne by the sender.

11B. ORDER CANCELLATIONS FOR FINISHED PRODUCTS

11B.1. Order cancellations without the prior agreement of MEYRA GmbH shall not be permitted.

11B.2. Cancellations shall be made in writing. **11B.3.** Should an agreement be reached regarding the cancellation of finished products which are ready for delivery, the following shall apply:

- Rehabilitation products shall be credited in full. In principle, orders for custom wheelchairs and sports wheelchairs cannot be cancelled.
- In the event of the cancellation of an order for adaptive wheelchairs, 20% of the net value shall be retained to cover costs.

The cancellation fee for electric wheelchairs and scooters is 5%. The cancellation fee for standard and lightweight wheelchairs is 10%.

11C. COLLECTION / DISPOSAL

Our prices do not include the costs for collection and disposal of complete old equipment from users other than private households. On request, and against reimbursement of the costs incurred, we are able to organise the collection and recycling / disposal of such equipment, provided it was purchased from us. Returns without the prior agreement of MEYRA GmbH are not possible.

12. USE OF PERSONAL DATA

We shall be entitled to save and process internally any personal data of the customer falling within the scope of the statutory provisions, in particular the *Bundesdatenschutzgesetz* [German Data Protection Act].

13. JURISDICTION, APPLICABLE LAW, SEVERABILITY CLAUSE

13.1. Unless expressly agreed to the contrary, the place of performance shall be the premises of MEYRA GmbH in Kalletal-Kalldorf.
13.2. The jurisdiction for all disputes arising out of the contractual relationship shall be determined by our headquarters in Kalletal-Kalldorf. We shall also be entitled to take action against the customer within its jurisdiction.
13.3. The law of the Federal Republic of Germany

shall apply excluding the UN Convention on Contracts for the International Sale of Goods.
13.4. Should individual provisions of these General Terms and Conditions be wholly or partially void or ineffective, the validity of the remaining provisions shall remain unaffected.