



Jump beta DLS*

All prices valid until March 31st, 2016



*Detachable Leg Support (Swing away and completely detachable leg support)

German Aid Index° 18.50.03.1083

Base price 2.415,- Euro

Activity wheelchair, foldable frame, straight or abducted, double crossbrace, weight capacity max. 120 kg, standard back cover, standard seat cover with storage bag, standard knee lever brake, pneumatic or solid tyres



Quotation



Order

User/ID number	Delivery address/company stamp	Billing address
(Please fill in with block letters)	(Please fill in with block letters)	<input type="checkbox"/> same as delivery address
First and surname	Contact person	
Health insurance company	Date/Signature	

Information For correct assembling, we need the following information from you:

1. Frame shape: straight **OR** abducted,
2. Frame version: standard frame height **OR** XL-frame height,
3. User measures (seat width, seat depth and back height)

Frame data
User data
Please note: At SD 34 and 36 cm only an internal mounting of the leg support is possible. The seat depths 34/36 cm are only possible with a 90° leg support . You can find all possible combinations of seat depth and wheel size on p. 16.



DLS-frame Standard height
<input type="checkbox"/> Frame height = 210 mm N° 597592 AC 120,- €
Frame shape
<input type="checkbox"/> straight N° 597496 0,- € <input type="checkbox"/> abducted 6 cm N° 597597 AC 190,- €
Seat width (N° 10..)
<input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 0,- € <input type="checkbox"/> 48 <input type="checkbox"/> 50 AC 175,- €
Seat depth (N° 11..)
Leg support angle 90° (results in a shorter total length) <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 0,- € <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48 <input type="checkbox"/> 50
Back height (N° 12..)
<input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40 <input type="checkbox"/> 45 <input type="checkbox"/> 50 0,- € Back tubes can be moved vertically in 2.5 cm steps up to max. 5 cm.

DLS-frame XL height
<input type="checkbox"/> XL frame height = 250 mm N° 597593 AC 370,- €
Frame shape
<input type="checkbox"/> straight N° 597496 0,- € <input type="checkbox"/> abducted 6 cm N° 597597 AC 190,- €
Seat width (N° 10..)
<input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48 0,- € <input type="checkbox"/> 50
Seat depth (N° 11..)
<input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48 <input type="checkbox"/> 50 <input type="checkbox"/> 52 <input type="checkbox"/> 54 0,- €
Back height (N° 12..)
<input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40 <input type="checkbox"/> 45 <input type="checkbox"/> 50 0,- € Back tubes can be moved vertically in 2.5 cm steps up to max. 5 cm.

Abbreviations

piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD



Measuring the lower leg length

Manufacturer data

Our data for the possible lower leg length are:
The maximum or rather minimal possible distance between the **top edge of the seat to the top edge of the foot plate MEASURED VERTICALLY (90°)**.


User data

You are measuring at the user:
The distance between the **hollow of the knee to the floor (=LLL)**, measured at a vertical leg position of 90°

Retailer data

When ordering, please indicate **TWO** measures:

- **1. the real LLL of the user AND**
- **2. the thickness of the cushion used by you**



Example

Our data

In the order form, we are indicating e.g.:
„possible distance from top edge seat to top edge foot plate at internal mounting of leg support = min. 3.5 up to max. 30 cm“.

Your data

The real lower leg length of the user amounts e.g.: **„LLL = 31 cm“**;
The thickness of the cushion used by you amounts e.g.: **„CT = 5 cm“.**

We are assembling

Using your data, our technicians are calculating a distance of 26 cm between the top edge of the seat to the top edge of the foot plate. Therefore, the foot plate will be mounted to the position of 26 cm, **measured vertically**.

At a cushion thickness of only 3 cm, our technicians would mount the foot plate to a distance of 28 cm from the top edge of the seat to the top edge of the footplate instead.

Seat system

Seat cover



SeatFix





Jump beta DLS

All prices valid until March 31st, 2016

User measures for DLS-frame Detailed table of sizes (seat heights front/back etc.) on p.16.				
For measuring the lower leg length please pay attention to the example on the left side			Degree of activity	Possible wheel sizes
Lower leg length (LLL)	Distance foot plate to seat standard frame	Seat height	Frame standard height	Recommendation in bold
Please indicate: Real lower leg length of the user: _____ cm	Internal mounting of foot plate • 4.5 cm - 32 cm External mounting of foot plate • 31.5 cm - 48 cm	front: _____ cm	Position of axle plate <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 Position 1 = very passive Position 3 = very active	up to SD 46 cm from SD 48 cm 22"/24" wheel 24"/26" wheel
Please indicate: Cushion thickness: _____ cm	Distance foot plate to seat XL-frame Internal mounting of foot plate • 8.5 cm - 36 cm External mounting of foot plate • 35.5 cm - 52 cm	back: _____ cm	Frame XL height Position of axle plate <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 Position 1 = very passive Position 4 = very active	

Colours		
Finish alternatives	Moderate metallic effect (except for black)	Special colours
<input type="checkbox"/> shiny _____ 0,- € <input type="checkbox"/> matt (not possible with special colours!)	<input type="checkbox"/> Zinc Yellow (02) <input type="checkbox"/> Chrome Yellow (06) <input type="checkbox"/> Pure Orange (21) <input type="checkbox"/> Crimson (04) <input type="checkbox"/> Pastel Blue (20) <input type="checkbox"/> Dark Blue (16) <input type="checkbox"/> Brilliant Blue (08) <input type="checkbox"/> Dark Green (15) <input type="checkbox"/> Cream White (17) <input type="checkbox"/> Marrakesch Brown (29) <input type="checkbox"/> Girly Pink (19) <input type="checkbox"/> Black (not metallic) (31)	strong Metallic Effect: <input type="checkbox"/> Silver Metallic (36) <input type="checkbox"/> Anthracite Metallic (22) coarse structured: <input type="checkbox"/> Coarse Black (27) Dormant colours: <input type="checkbox"/> Firered dormant (45) <input type="checkbox"/> Nightblue dormant (47) AC 59,- € <input type="checkbox"/> Violett dormant (50) <input type="checkbox"/> Apple Green dormant (18) <input type="checkbox"/> Ultramarine Blue
N° 1561 59,- €		







Frame extension by 4 cm backwards	
Shifting of the center of gravity	Frame construction for seat shells
Frame extension by 4 cm backwards for the adjustment of a VERY ACTIVE center of gravity. The complete seat moves backwards by 4 cm. <input type="checkbox"/> incl. frame extension by 4 cm backwards incl. shifting of the back tubes by 4 cm backwards incl. shifting of the seat plate (SeatFix) by 4 cm backwards at constant seat depth Please indicate the actual seat depth of the user in the field „seat depth“.	Frame extension by 4 cm backwards for the installation of a seat shell. With this, you can compensate the installation depth of a seat shell back. <input type="checkbox"/> without nylon seat cover without back cover incl. stabilizer bar incl. extension of the frame by 4 cm backwards incl. shifting of the seat tubes by 4 cm backwards In the field „seat depth“ please indicate the sum of: SD user PLUS installation depth of the seat shell back! e.g.: seat depth user = 34 cm install. depth back of seat shell = 12 cm your seat depth specification = 46 cm
N° 597498 AC 79,- €	N° 597499 ./ 50,- €







Seat		Seat extension		
Nylon seat cover	SeatFix	for nylon seat cover	for seat plate	SeatFix Lock
with storage bag Colours: <input type="checkbox"/> black <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> grey	<input type="checkbox"/> Firm aluminium seat plate, plugged 	<input type="checkbox"/> Conversion set for nylon seat cover, growable up to 4 cm	<input type="checkbox"/> Seat extension for SeatFix, steplessly growable up to 4 cm	<input type="checkbox"/> Locking device for SeatFix, double-sided mounting under the seat 
N° 1914 0,- €	N° 1926 139,- €	N° 191407 95,- €	N° 191107 110,- €	N° 192021 196,- €/P











Abbreviations

piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD

Back angle				Cover
			Gas pressure spring	
Back angle standard 90°	Back angle firmly adjustable by screwing	Back angle adjustable by raster		Standard cover 
				Adjustable cover 

Curved back plate			Retractable back extension		Tarta [®] back system
Model 1	Model 2	Model 3			Example Tarta [®] back rest
					 <p>Tarta[®] is an ergonomic back rest that offers best solutions in terms of adaptability. With the SORG adaptation holder you can adapt a Tarta[®] back rest easily.</p> <p>Order information for Tarta[®] back systems at www.tartadesign.it/en/distributori/</p>
Straight upper edge, 2 cm higher than back height	Straight upper edge, 10 or 20 cm higher than back height	Curved upper edge, 5, 10 or 15 cm higher than back height			

Seat and back cushions				
Standard cushion	Anatomical cushion	Cushion without cover	Breathable cover black	Breathable cover red
				
Breathable cover grey	Breathable cover green	Breathable cover yellow	Breathable cover orange	Breathable cover blue
				


As of: 13/Okt/2015. Technical alterations and misprints excluded.

SORG Rollstuhltechnik GmbH + Co. KG, Benzstraße 3-5, D 68794 Oberhausen-Rheinhausen, fon +49 7254-9279-0, fax +49 7254-9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de

Jump beta DLS

All prices valid until March 31st, 2016

Back unit					
Back angle			Back cover		
<input type="checkbox"/> Standard back angle 90°, back tubes adjustable in height (max. 5 cm), screwed into the frame tube.	<input type="checkbox"/> Back angle firmly adjustable with screwing from 80°-105°, incl. stabilizer bar	<input type="checkbox"/> Back angle steplessly adjustable by 30° with gas pressure spring and completely stowable, incl. stabilizer bar (from BH 35).	Standard cover <input type="checkbox"/> black <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> grey	Adjustable cover with strap system, incl. back cushion (thickness 2 cm) Breathable Betex cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27) The Betex colours yellow, green and orange will be combined with GREY nylon, the colours black and grey with BLACK nylon.	
N° 6237 0,- €	N° 6231 129,- €				
<input type="checkbox"/> Stabilizer bar For stabilization when using a back cover	<input type="checkbox"/> Back angle adjustable with raster and completely stowable, incl. stabilizer bar	Extendable push handles and anti tipper required! Not with N° 597498 (shifting of the gravity center) Not approved for transport in a disabled person transport vehicle!			
N° 6400 105,- €	N° 6109 224,- €	N° 6107 499,- €	N° 6710 0,- €	N° 6700.. 218,- €	

Curved back plate			Retractable back extension	Tarta® back system
Model 1	Model 2	Model 3		
Firm curved back plate, BH+2 cm; cavity: <input type="checkbox"/> 15 mm (...115) <input type="checkbox"/> 30 mm (...130) <input type="checkbox"/> 50 mm (...150)	Firm curved back plate, BH+10 cm; cavity: <input type="checkbox"/> 15 mm (...315) <input type="checkbox"/> 30 mm (...330) <input type="checkbox"/> 50 mm (...350) BH+20 cm; cavity: <input type="checkbox"/> 15 mm (...415) <input type="checkbox"/> 30 mm (...430) <input type="checkbox"/> 50 mm (...450)	Firm curved back plate, BH+5 cm; cavity: <input type="checkbox"/> 15 mm (...715) <input type="checkbox"/> 30 mm (...730) <input type="checkbox"/> 50 mm (...750) BH+10 cm; cavity: <input type="checkbox"/> 15 mm (...515) <input type="checkbox"/> 30 mm (...530) <input type="checkbox"/> 50 mm (...550) BH+15 cm; cavity: <input type="checkbox"/> 15 mm (...615) <input type="checkbox"/> 30 mm (...630) <input type="checkbox"/> 50 mm (...650)	<input type="checkbox"/> with detachable head pad; weight saving in comparison to a head rest ca. 1000 g Only in combination with curved back plate, not possible with head rest (N° 6861..) and foil for curved back plate (N° 2527). Unsuitable as a head-rest in a disabled person transport vehicle!	<input type="checkbox"/> Adaptation holder for dynamic back system of the Tarta®-company.  Only in combination with stabilizer bar N° 6400 Order information for Tarta® back systems at www.tartadesign.it/en/distributori/
N° 699.. 299,- €	N° 699.. 379,- €	N° 699.. 379,- €	N° 686069 285,- €	N° 611703 80,- €

Seat cushions (all covers with zippers and changeable)				
	Standard cushion	Anatomical cushion	Cover design	Incontinence cover
<input type="checkbox"/> No seat cushion (please tick if no cushion is required)	Synthetic foam for firm and comfortable seating <input type="checkbox"/> 3 cm (...03) <input type="checkbox"/> 5 cm (...05)	<input type="checkbox"/> Anatomically formed, with slight abduction, changeable cover, thickness of cushion measured at slightest point: front 5 cm, back 3 cm	Breathable cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27)	<input type="checkbox"/> For standard cushion as configured on the left
<input type="checkbox"/> Seat cushion WITHOUT COVER				
N° 998001 ./- 30,- €	N° 80.. 90,- €			N° 86.. 74,- €
ADDITIONAL COVERS for cushions as configured on the right <input type="checkbox"/> 1 cover (...01) <input type="checkbox"/> 2 cover (...02)	Pressure relief cushion for medium-soft seating <input type="checkbox"/> 3 cm (...03) <input type="checkbox"/> 5 cm (...05)	Customized product	The Betex colours yellow, green and orange will be combined with GREY nylon, the colours black and grey with BLACK nylon.	<input type="checkbox"/> For anatomical cushion as configured on the left
N° 82.. 75,- €/St	N° 81.. 125,- €	N° 891002 CPD 449,- €	N° 80..	N° 891004 135,- €

Abbreviations

piece - pcs

pair - P

net price - NP

additional charge - AC

lower leg length - LLL

cf. - configuration






seat width - SW

seat depth - SD

back height - BH

customized product discount - CPD






Side guards

Standard side guard	Clothes guard	Desk side guard with arm rest	Desk side guard with raster arm rest	Long side guard with long arm rest
				

Desk side guard foldable backwards, inward swivelling and detachable



Leg support options for DLS frame, swing-away and detachable with foot plate(s)

Model 1	Model 2	Model 3	Model 4	Model 6
		ATTENTION: not suitable for patients with spasticity 	ATTENTION: not suitable for patients with spasticity 	

Jump beta DLS

All prices valid until March 31st, 2016

Back cushions (all covers with zippers and changeable)					
	Standard cushion	Standard cushion	Anat. back cushion	Cover design	
<input type="checkbox"/> No back cushion (please tick if no cushion is required) <input type="checkbox"/> Back cushion WITHOUT COVER N° 998501 /, 30,- € ADDITIONAL COVERS for cushions as configured on the right <input type="checkbox"/> 1 cover (..01) <input type="checkbox"/> 2 covers (..02)	<input type="checkbox"/> Standard cushion for curved back plate , 3 cm thick, with zipper, breathable cover (see options on the right)	<input type="checkbox"/> Standard cushion for back cover N° 6710, 3 cm thick, with zipper and straps, Betex cover	Anatomically formed, incl. changeable cover (see options on the right) cavity <input type="checkbox"/> 3 cm (..04) <input type="checkbox"/> 5 cm (..06) Not possible with adjustable sling system N° 6705 Customized product	Breathable cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27) The Betex colours yellow, green and orange will be combined with GREY nylon, the colours black and grey with BLACK nylon.	
N° 85.. 75,- €/St	N° 8517 125,- €	N° 8514 125,- €	N° 8911.. CPD 249,- €	N° 8517../8911..	

Side guards and arm rests			
Standard	Clothes guard	Desk side guard	Long side guard
<input type="checkbox"/> Corrugated aluminium, screwed, adjustable in height <i>incl. insulation protection pads</i>	<input type="checkbox"/> Corrugated aluminium, screwed, adjustable in height, with synthetic clothes guard <i>incl. insulation protection pads</i>	<input type="checkbox"/> for driving under tables etc., foldable backwards, inward swivelling and detachable, aluminium From back height 30cm in combination with gas pressure spring back angle (6107), screwed side guards	<input type="checkbox"/> Foldable backwards, swingable backwards and detachable, aluminium From back height 30cm in combination with gas pressure spring back angle (6107), screwed side guards
N° 4525 0,- €/P	N° 5024 85,- €/P	N° 4610 90,- €/P	N° 4611 90,- €/P
Arm rest	Clothes guard	Raster arm rest	Long arm rest
<input type="checkbox"/> with pad, 24 cm long, screwed, adjustable in height. Suitable for all side guards (except for long side guard)	<input type="checkbox"/> Clothes guard, black, for desk side guard, screwed Only for N° 4610 and 4611, not with arm rests	<input type="checkbox"/> with pad, 24 cm long, with raster adjustable in height. Only suitable for desk side guard and long side guard	<input type="checkbox"/> with pad, 37 cm long, screwed, adjustable in height. Only suitable for long side guard N° 4611
N° 452600 120,- €/P	N° 461001 120,- €/P	N° 452506 168,- €/P	N° 452507 120,- €/P

Leg support with foot plate for DLS-frame Standard and XL height (incl. calf belt, adjustable in height-, depth- and angle)				
Model 1 undivided	Model 2 undivided	Model 3 divided	Model 4 divided	Model 6 swivelling
<input type="checkbox"/> Internal mounting , undivided foot rest, hinged sideways Distance 'Seat/Foot rest' measured WITHOUT SEAT CUSHION : • Standard height 4.5-32 cm • XL height 8.5-36 cm	<input type="checkbox"/> External mounting , undivided foot rest, hinged sideways Distance 'Seat/Foot rest' measured WITHOUT SEAT CUSHION : • Standard height 31.5-48 cm • XL height 35.5-52 cm	<input type="checkbox"/> Internal mounting , divided foot rest, hinged sideways Straight frame from SW 30 cm Distance 'Seat/Foot rest' measured WITHOUT SEAT CUSHION : • Standard height 4.5-32 cm • XL height 8.5-36 cm	<input type="checkbox"/> External mounting , divided foot rest, hinged sideways Distance 'Seat/Foot rest' measured WITHOUT SEAT CUSHION : • Standard height 31.5-48 cm • XL height 35.5-52 cm	<input type="checkbox"/> with divided foot plates, Swivelling and detachable with physiological pivotal point, hinged upwards from 93° to 180°, swivelling outwards Only possible with abducted frame Distance 'Seat/Foot rest' measured WITHOUT SEAT CUSHION : • Standard height 16-41 cm • XL height 20-45 cm
N° 403601 0,- €	N° 403610 0,- €	N° 403602 150,- €	N° 403612 150,- €	N° 403705 295,- €

Calf rest	Leg support options	
	Heel cups	Locking mechanism
for the leg support N° 403705 Mounting: <input type="checkbox"/> right <input type="checkbox"/> left <input type="checkbox"/> pair (2 pcs.) Possible distance top edge seat to top edge footplate: from 20cm	for self-assembly, black <input type="checkbox"/> Size 1 (..01) 7 x 11.5 cm <input type="checkbox"/> Size 2 (..02) 9 x 12.5 cm <input type="checkbox"/> Size 3 (..03) 10 x 15.5 cm	<input type="checkbox"/> Locking mechanism for leg support models with undivided foot rest
N° 403006 125,- €/St	N° 4020.. 52,- €/P	N° 400902 70,- €








Abbreviations





piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD

Push handles

Standard		Extendable		Push bar
short handle (5 cm)	long handle (11 cm)	short handle (5 cm)	long handle (11 cm)	foldable
				

Brakes

Knee lever brakes	Bowden cable brake	Roll-back blocking	Single-hand brake
 Standard lockable Pull to Lock			

Brake lever extension

Cover	Ball knob	Golf ball knob
		

Jump beta DLS

All prices valid until March 31st, 2016

Push handles			
Standard push handles	Extendable push handles		Push bar
<input type="checkbox"/> long handle (cf. on the left) firm, 4 cm above back height N° 623701 0,- €	Shape: Straight <input type="checkbox"/> 15 cm (..01) <input type="checkbox"/> 25 cm (..02) Cranked <input type="checkbox"/> 15 cm (..05) <input type="checkbox"/> 25 cm (..06)	<input type="checkbox"/> with long handle (cf. on the left) N° 65.. 240,- €/P <input type="checkbox"/> with short handle (cf. on the left) Not in combination with a drum brake! N° 65..+ 623702 265,- €/P	<input type="checkbox"/> Push bar between extendable push handles with long handles (cf. on the left) Incl. extendable push handles N° 6550 360,- €
<input type="checkbox"/> short handle (cf. on the left) 4 cm above back height Not in combination with a drum brake! N° 623703 25,- €/P			

Brakes				
Knee lever brake	Bowden cable brake		Drum brake	Single-hand brake
<input type="checkbox"/> Standard N° 3525 0,- € <input type="checkbox"/> lockable in activated or deactivated position	<input type="checkbox"/> Pull to lock	<input type="checkbox"/> Bowden cable brake, integrated in activity side guards Only with activity side guards N° 5024 N° 3531 156,- €/P Roll-back blocking <input type="checkbox"/> Averts automatically the risk of rolling backwards without affecting forward movements Recommended for a user weight up to max. 90 kg	<input type="checkbox"/> for standard-, profile- or lightweight wheels (N° 21..30/31/81), incl. brake lever for the attendant	Knee lever brake with single hand control Mounting <input type="checkbox"/> left (..01) <input type="checkbox"/> right (..02)
N° 3513 122,- €/P	N° 3529 52,- €/P	N° 3526 CPD 310,- €/P	N° 220036 310,- €	N° 3509.. 298,- €

Brake lever extension	
Straight 6 cm	Cranked 12 cm
Straight, 6 cm <input type="checkbox"/> with top cover N° 3510 42,- €/P	Cranked, 12 cm <input type="checkbox"/> with top cover N° 3515 50,- €/P
Straight, 6 cm <input type="checkbox"/> with ball knob <input type="checkbox"/> with golf ball knob N° 3512 56,- €/P	Cranked, 12 cm <input type="checkbox"/> with ball knob <input type="checkbox"/> with golf ball knob N° 3516 66,- €/P

Wheel size and wheel camber		
Wheel size	Wheel camber	
Size in inches <input type="checkbox"/> 22" <input type="checkbox"/> 24" <input type="checkbox"/> 26" (N° 212601) AC 160,- €/pair	Camber (Standard wheels) <input type="checkbox"/> 0° <input type="checkbox"/> 2° <input type="checkbox"/> 5° <input type="checkbox"/> 8°	Camber (drum brake wheels) <input type="checkbox"/> 2° (not recommended) <input type="checkbox"/> 5° <input type="checkbox"/> 8°
0,- €	0,- €	0,- €

As of: 13/Okt/2015. Technical alterations and misprints excluded.

SORG Rollstuhltechnik GmbH + Co. KG, Benzstraße 3-5, D 68794 Oberhausen-Rheinhausen, fon +49 7254-9279-0, fax +49 7254-9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de

Abbreviations

piece - pcs

pair - P

net price - NP

additional charge - AC

lower leg length - LLL

cf. - configuration

seat width - SW

seat depth - SD

back height - BH

customized product discount - CPD





Wheels

Standard wheel	Profile wheel	Lightweight wheel	Double handrim	Distance double handrim
				

Tyres

Schwalbe Right Run	Pneumatic Standard	Flat free Standard	Schwalbe Marathon Plus
			

Mounting of handrims For standard wheels please indicate the desired kind of mounting!

Standard tight	Standard wide	High tight	High wide
			

Handrim options

Silicone	Ergo rubber inlay	Maxgrepp handrim	Handrim with knobs	The Surge LT handrim
				



Jump beta DLS

All prices valid until March 31st, 2016

Wheels				
Standard wheel	Profile wheel	Lightweight wheel with standard hub	Lightweight wheel with drum brake hub	Double handrim
<input type="checkbox"/> All-round wheel Additional weight of approx. 900g/pair compared to lightweight wheels	<input type="checkbox"/> Unity of handrim and rim, reduces the risk of finger injuries Additional weight of approx. 800g/pair compared to lightweight wheels	<input type="checkbox"/> with standard hub Very lightweight, incl. aluminium handrim Weight reduction of approx. 900g/pair compared to standard wheels THE STANDARD HUB IS INCOMPATIBLE WITH THE DRUM BRAKE (N° 220036)!	<input type="checkbox"/> with drum brake hub, incl. black aluminium handrim Only in combination with drum brake (N° 220036) (Additional charge 310,-€) Weight reduction of up to 1.1 kg/pair compared to standard drum brake wheels Package price for lightweight wheels incl. drum brakes and brake lever for the attendant 410,- €/pair Not with solid tyres and not with wheel size 26"	with standard hub and double handrim, Only up to 5° camber Mounting <input type="checkbox"/> left <input type="checkbox"/> right N° 2614 915,- € with drum brake hub and double handrim Mounting <input type="checkbox"/> left <input type="checkbox"/> right N° 2615 1.049,- € <input type="checkbox"/> Handrim for opposite site N° 261435 136,- € Distance of handrims <input type="checkbox"/> standard 18mm (...11) <input type="checkbox"/> tight 9mm (...12)
N° 21..30 0,- €	N° 21..31 0,- €	N° 21..76 150,- €/P	N° 21..81 100,- €/P	

Tyres			
Pneumatic	Flat free	Design	Performance
<input type="checkbox"/> Schwalbe Right Run, 1" (grey/black) (...13) <input type="checkbox"/> Standard tyres 1 3/8" (grey) (...21)	Not for lightweight wheels! <input type="checkbox"/> Standard tyres 1" (grey) (...11) <input type="checkbox"/> Standard tyres 1 3/8" (grey) (...21)	<input type="checkbox"/> Schwalbe Right Run 1" pneumatic (blue/black) (...14) <input type="checkbox"/> Schwalbe Right Run 1" pneumatic (red/black) (...15) Only for 24" wheels	<input type="checkbox"/> Schwalbe Marathon Plus 1", pneumatic (black), pneumatic flat free tyres Only for 22" und 24" wheels
N° 20.. 0,- €	N° 23.. 0,- €	N° 2024.. 24,- €/P	N° 20..12 65,- €/P

Handrims			
Mounting (standard wheels)	Mounting (lightweight wheels)	The Surge LT handrim	Design handrim
<input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> standard <input type="checkbox"/> high Only for 22"-26" wheels Material: <input type="checkbox"/> Stainless steel (30..01) <input type="checkbox"/> Alu, silver anodized(30..75)	<input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> standard <input type="checkbox"/> high Material: Alu, silver anodized. combination standard/high not possible with lightweight wheel drum brake. Not with 26" wheels	<input type="checkbox"/> all-in-one oval handrim with a Gription strip that improves traction on every push only for 24" wheels	<input type="checkbox"/> Aluminium handrims coated in frame colour
N° 30.. 0,- €	N° 30..75 0,- €	N° 342405 392,- €/P	N° 303000 NP 39,- €/P



Handrim options				
Silicone	PVC	Ergo rubber inlay	Maxgrepp handrim	Handrim with knobs
Detachable silicone cover, black (soft surface) <input type="checkbox"/> for standard wheel (20-24) <input type="checkbox"/> for profile wheel (...02) <input type="checkbox"/> for lightweight wheel (...05)	<input type="checkbox"/> Handrim coated with black PVC, (Tetra Grip) Only for standard and lightweight wheels	<input type="checkbox"/> Rubber inlay, 13 mm wide, Only for profile wheels	<input type="checkbox"/> Allows pushing with the heel of hands (soft surface), Only for standard and lightweight wheels, not for 26" wheels	<input type="checkbox"/> With 8 knobs, stainless steel Only for standard wheels <input type="checkbox"/> Additional knobs on request (price on request) requested number: _____
N° 32.. 140,- €/P	N° 33.. 298,- €/P			
For double handrim	For double handrim			
Detachable silicone cover, black <input type="checkbox"/> for inside rim <input type="checkbox"/> for outside rim <input type="checkbox"/> for opposing side	<input type="checkbox"/> Handrim cover for double handrim, both handrims (inside and outside), coated with black PVC N° 262402 290,- € <input type="checkbox"/> Handrim cover for opposing side of the double handrim, coated with black PVC			
N° 3205 70,- €/St	N° 262401 179,- €	N° 32..01 198,- €/P	N° 34.. 338,- €/P	N° 31..11 240,- €/P

Abbreviations





piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD



Caster wheels

Standard PU	Standard solid rubber	Standard pneumatic	Design PU	Design solid rubber
				

Caster forks

Standard synthetic	Standard aluminium	Design aluminium	Quick release axle	Additional set
				

Steering options

Single-hand aid	Locking mechanism
	

Frame options



Outdoor Front End	Anti-tipper	Transit-Safety-Wheel	Water bottle	Caddy
				

Jump beta DLS


All prices valid until March 31st, 2016

Spoke cover	Design Decors (Net prices are not discountable)			
Transparent	Please specify the desired model of the corresponding manufacturer:			
<input type="checkbox"/> transparent (...00)	<input type="checkbox"/> www.blueprince.de	<input type="checkbox"/> www.Rehafachhandel-Heinrich.de	<input type="checkbox"/> www.wheelchairgadgets.com	<input type="checkbox"/> Optional: child's name on spoke cover:
N° 25.. 158,- €/P				
<input type="checkbox"/> blue (...53) <input type="checkbox"/> red (...52) <input type="checkbox"/> yellow (...51) not with 26"-wheels!				Only for Design Decor <input type="checkbox"/> Foil for curved back plate with the corresponding design as chosen below Only with curved back plate
N° 25.. 174,- €/P	N° 25..25 NP 198,- €	N° 25..26 NP 160,- €	N° 25..27 NP 140,- €	N° 2527 NP 98,- €/pcs

Caster wheels				
Standard PU	Standard solid rubber	Standard pneumatic	Design PU	Design solid rubber
Polyurethane, grey: <input type="checkbox"/> 4" (2812) <input type="checkbox"/> 5" (2805) <input type="checkbox"/> 6" (2803)	Solid rubber, grey: <input type="checkbox"/> 4" (2804) <input type="checkbox"/> 5" (2809) <input type="checkbox"/> 5.5" (2802) <input type="checkbox"/> 6" (2811) <input type="checkbox"/> 7" (2813)	Pneumatic, grey: <input type="checkbox"/> 6" (2808) <input type="checkbox"/> 7" (2807)	Polyurethane, transparent, with LEDs: <input type="checkbox"/> 4" (2820) <input type="checkbox"/> 5" (2834)	Solid rubber black, with alu rim <input type="checkbox"/> 4" (2835) <input type="checkbox"/> 5" (2836)
0,- €	0,- €	0,- €	0,- €	0,- €

Caster forks				
Standard aluminium	Standard synthetic	Design aluminium	Quick-release axle	Change set
<input type="checkbox"/> Alu fork, black anodized 	<input type="checkbox"/> Synthetic caster fork, to protect your furniture 	<input type="checkbox"/> Alu fork, coated in frame colour Requested colour: _____ Not possible with track fixation and locking (N° 2850/51)	<input type="checkbox"/> Alu caster fork with quick-release axle (see left side) Not possible with Outdoor Front End, track fixation or locking (N° 2850/2851)	<input type="checkbox"/> Additional set of changeable caster wheels for N° 2721, incl. caster wheels and caster forks (see left side) Please indicate the desired wheel N°: Wheel N° _____ Only possible with N° 2721 Not possible with Outdoor Front End, track fixation or locking (N° 2850/2851)
N° 2826 0,- €	N° 2827 0,- €	N° 2829 NP 29,- €/P	N° 2721 176,- €/P	N° 2830 240,- €/P

Steering options		
Single-hand aid	Track fixation	Locking
Mounting <input type="checkbox"/> left (...51) <input type="checkbox"/> right (...52) Not with bowden cable brake N° 3531, desk side guard N° 4610 and long side guard N° 4611	<input type="checkbox"/> Caster wheel track fixation, straight Not with caster fork with quick-release axle N° 2721 and N° 2830	<input type="checkbox"/> Locking mechanism for track fixation Not with caster fork with quick-release axle N° 2721 and N° 2830
N° 26.. 464,- €	N° 2851 156,- €/P	N° 2850 196,- €/P







Frame options				
Anti tipper	Transit-Safety Wheel	Wheel base extension	Outdoor-Front-End	Splash guard
Swingaway installation Mounting <input type="checkbox"/> right <input type="checkbox"/> left <input type="checkbox"/> pair	<input type="checkbox"/> Combination of anti tipper and transit wheel, pair Not possible with tipping lever N° 7400	<input type="checkbox"/> Wheel base extension approx. 10 cm to the back	<input type="checkbox"/> Outdoor Front End, adjustable in width and length, facilitates significantly active and passive driving on soft or rough surfaces, incl. mounting aid	<input type="checkbox"/> Splash guard for Outdoor Front End, made of plastic 
N° 7215 110,- €/pcs	N° 7207 CPD 360,- €/P	N° 7601 180,- €	N° 599520 CPD 398,- €	N° 59951212 CPD 41,- €

Abbreviations

piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD

Head rests Measures in mm

Model 1	Model 3	Model 5
		
Model 2	Model 4	Model 6
		
shell-shaped	curved	x-shaped


Abduction wedge

Mounting	Sizes S, M and L
	



Belt systems

Hip belt Standard	Hip belt	Butterfly vest
		

Lateral support by Stealth

Swing-away laterals, large
<p>Holder adjustable in three dimensions, size 2, incl. linkage and ball-and-socket joint (without pad)</p> 
<p>Pad, incl. removable cover black (only for holder of size 2) 15x10 cm (..04) 18x13 cm (..06)</p>

Holder

Square-cut	Round profile
	

Therapy tables

Transparent	Beech wood (varnished)	Design (example)
		

Jump beta DLS

All prices valid until March 31st, 2016

Frame options			
Water bottle	Step tube	Crutch holder	Baggage holders
<input type="checkbox"/> Water bottle 750 ml light PET-bottle, incl. holder	Mounting <input type="checkbox"/> right <input type="checkbox"/> left <input type="checkbox"/> pair	Mounting <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> pair	<input type="checkbox"/> Transport aid, aluminium, mounted on leg support
N° 790101 NP 16,- €	N° 7400 48,- €/pcs	N° 7101 30,- €/pcs	N° 910110 88,- €

Positioning aids				
Head rests	Holder	Abduction wedge	Belt systems	
All models incl. stabilizer bar <input type="checkbox"/> Modell 1 (..21) shell-shaped small <input type="checkbox"/> Modell 2 (..22) shell-shaped large <input type="checkbox"/> Modell 3 (..23) curved small <input type="checkbox"/> Modell 4 (..24) curved large <input type="checkbox"/> Modell 5 (..25) x-shaped small <input type="checkbox"/> Modell 6 (..26) x-shaped large	Holder for head rest (see options on the left), mounted to stabilizer bar <input type="checkbox"/> Square-cut 15x15 (..04) <input type="checkbox"/> Round profile (..06)	Incl. holder and pad <input type="checkbox"/> Size S (..52) 94 x 65 x 90 mm (L x W x H) <input type="checkbox"/> Size M (..53) 110 x 82 x 95 mm (L x W x H) <input type="checkbox"/> Size L (..54) 125 x 90 x 100 mm (L x W x H) Not with nylon seat cover! N° 19.. 186,- € <input type="checkbox"/> Only holder (without pad)	Hip belt standard velcro and lock Abdominal girth: <input type="checkbox"/> Length 1 (85 - 110 cm) <input type="checkbox"/> Length 2 (110 - 140 cm)	<input type="checkbox"/> Hip belt Safety- and positioning belt with buckle and clip collars N° 7805 158,- € Butterfly vest 4-point strap system with mounting set Size <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L N° 7810 278,- €
N° 6861.. 325,- €	N° 6860.. 55,- €	N° 1951 139,- €	N° 7800 104,- €	N° 7810 278,- €

Lateral support by Stealth		
Swing-away laterals, large (from BH 35 cm)		
Holder adjustable in three dimensions, size 2, incl. linkage and ball-and-socket joint (without pad) <input type="checkbox"/> for left side (..01) <input type="checkbox"/> for right side (..02)	Additional joint extension (5.5 cm) for large truss pads 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/>	Pad, incl. removable cover black (only for holder of size 2) 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/> 15x10 cm (..04) <input type="checkbox"/> <input type="checkbox"/> 18x13 cm (..05)
N° 6858.. CPD 210,- €/pcs	N° 685803 CPD 70,- €/pcs	N° 6858.. CPD 50,- €/pcs

Therapy tables			
Mounting	Transparent	Beech wood (varnished)	Design
Adjustable in height and distance, plugged under arm rests on both sides Arm pads required!	<input type="checkbox"/> Size 1 45 x 36 cm N° ..10 310,- € <input type="checkbox"/> Size 2 59 x 45 cm N° ..11 330,- € <input type="checkbox"/> Size 3 70 x 50 cm	<input type="checkbox"/> Size 1, 50 x 40 cm N° ..13 335,- € <input type="checkbox"/> Size 2, 60 x 50 cm	<input type="checkbox"/> Number of design for plexiglas therapy table according to wheelchairgadgets.com
N° 9207..	N° ..12 350,- €	N° ..14 375,- €	N° 920099 CPD 89,- €

Abbreviations

piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD

Configuration and Adjustments



Axle plate bore holes alter the seat height by ± 2 cm each

All specifications measured WITHOUT cushions!

The mounting of a short or a long caster fork depends on the desired measures indicated above.

Lower leg length: The maximal LLL possible results from the formula „chosen seat height front minus steering wheel diameter“. Larger LLL are possible dependent on the chosen seat depth, the size and position of the rear wheel and the depth adjustment of the foot rest. The setting range for the „internal mounting“ of the leg support is - at a distance from the top edge of the seat to the foot rest (corresponding to LLL minus cushion thickness) - 2.5-30 cm, for „external mounting“ 29.5-48 cm.

All measures ± 5 %



Seat height front	DLS frame version		DLS frame version XL	
Alu fork	Min.	Max.	Min.	Max.
4" AF/m	41.5	45.5	45.5	49.5
4" AF/l	45.5	49.5	49.5	53.5
5" AF/m	43	47	47	51
5" AF/l	47	51	51	55
5.5" AF/m	45	47.5	49	51.5
5.5" AF/l	47.5	51.5	51.5	55.5
6" AF/m	45.5	48	49.5	52
6" AF/l	48	52	52	56
7" AF/m	48	49.5	52	53.5
7" AF/l	49.5	53.5	53.5	57.5

Seat height front	DLS frame version version		DLS frame version XL	
Synthetic fork	Min.	Max.	Min.	Max.
4" SF	41.5	43	45.5	47
4" SF/l	42.5	44.5	46.5	48.5
5" SF	44.5	44.5	48.5	48.5
5" SF/l	45.5	47.5	49.5	51.5
5.5" SF	45	45	49	49
5.5" SF/l	44.5	46.5	48.5	50.5
6" KG	45.5	45.5	49.5	49.5
6" SF/l	47	47	51	51
7" SF/l	48.5	48.5	52.5	52.5


	DLS frame version		DLS frame version XL	
Seat height back	Min.	Max.	Min.	Max.
22"x1"	36	48	40	52
22"x1 3/8"	37	49	41	53
24"x1"	38.5	50.5	42.5	54.5
24"x1 3/8"	39.5	51.5	43.5	55.5
26"x1"	40.5	52.5	44.5	56.5
26"x1 3/8"	42	54	46	58

As of: 13/Okt/2015. Technical alterations and misprints excluded.

SORG Rollstuhltechnik GmbH + Co. KG, Benzstraße 3-5, D 68794 Oberhausen-Rheinhausen, fon +49 7254-9279-0, fax +49 7254-9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de

Jump beta DLS

All prices valid until March 31st, 2016

Electric drives and systems				
Recommendations	AAT systems	Alber systems	Restraint systems	
<p>1. For all listed electric aids we recommend casters of 6" or higher</p> <p>2. Please regard the respective mounting specifications given on the homepages indicated on the right</p>	<p>Jump beta is suitable for the following AAT systems:</p> <ol style="list-style-type: none"> 1. max-e (electric drive) 2. v-max (pushing and braking aid) 3. s-max (stair aid) <p>More information on www.aat-online.de</p>	<p>Jump beta is suitable for the following Alber systems:</p> <ol style="list-style-type: none"> 1. scalamobil (stair aid) 2. viamobil (pushing and braking aid) 3. viamobil eco (pushing and braking aid) 4. e-fix (electric drive) 5. e-motion (power assisting driving aid) <p>More information on www.alber.de</p>	<p>The mounting of restraint systems according to DIN 75078-2 and ISO 7176-19 is possible. The mounting is carried out by the manufacturer. Please contact us for more information!</p> 	<p>Information: The direct linkage of hooks/straps to the frame is possible</p> <p>Additionally you need an extended hip belt as well as matching restraint systems from specialized trade.</p>

Configurations and Adjustments

All measures ±5 %

	DLS-frame	DLS-frame XL
Possible distances 'top edge of seat to top edge of foot plate(s)' at mounting of leg support <i>(possible lower leg lengths = top edge of seat to top edge of foot plate(s) PLUS seat cushion)</i>		
LS int.	4.5 - 32	8.5 - 36
LS ext.	31.5 - 48	35.5 - 52
Possible wheel sizes		
	22" - 24"	24" - 26"
Possible combination 'wheels/caster wheels'		
22"x1"	4"-7"	
22"x1 3/8"	4"-6", 7"*	
24"x1"	4"-6", 7"*	4"-7"
24"x1 3/8"	4"-6", 7"*	4"-7"
26"x1"		4"-7"
26"x1 3/8"		4"-7"***
	* Up to incl. SD 46 cm only at wheel position 1 or 2, from SD 48 possible without restrictions.	** Up to incl. SD 50 cm only at wheel position 1, 2 or 3, from SD 52 possible without restrictions.

Terms and conditions

1. Preface and Scope

(1) Our terms and conditions apply exclusively. Any deviating, opposing, or complementing terms and conditions on the part of the business partner do not form integral part of contract unless explicitly approved of by us. There are no exceptions to the consent requirement, which also applies in cases where we conduct deliveries without restrictions while aware of the business partner's terms and conditions.

(2) Agreements made in the individual case with the purchaser (including side-agreements, supplements, and alterations) always take priority over these terms and conditions. A contract or our confirmation - both in written form - are authoritative for the content of such arrangements.

(3) Any legally relevant declarations and notifications the purchaser submits to us after conclusion of the contract (e.g. setting of deadlines, notice of defects, declarations of rescission or abatement) require the written form to be valid.

(4) Any information on the application of legal regulations serves the mere purpose of clarification. All regulations are legally binding without any such clarifications unless explicitly altered or excluded in these terms and conditions.

2. Prices

All prices are ex works, excluding insurance and packaging. The prices are net prices; the value-added tax is stated and charged separately according to the legally binding rate at the time of invoicing. The prices valid on the day of delivery are binding unless explicitly arranged otherwise.

3. Conclusion of Contract

SORG's offers are invitatio ad offerendum (invitations to treat). Ordering goods counts as an obligatory offer of contract on the part of the purchaser. Unless the order suggests otherwise, we have the right to accept this contract offer within two weeks time after reception. The acceptance of an offer of contract is effected by the confirmation of the order.

4. Terms of Payment

(1) Provided that no other agreements exist, payment is to be made by paying in advance - 50% at placing of order, 50% pre-delivery of goods. The purchaser bears any costs arising from transactions or discounting.

(2) If a 30-day payment deadline is exceeded, a delay rate of 8% on top of the respective base rate of the European Central Bank falls due without the need for prior notices. Beyond that, the purchaser is charged 3,- € for any reminder sent. We reserve the right to make use of the commercial rate of rate according to § 353 HGB. A higher damage for delay may be enforced via a suitable verification.

5. Offers and Validity

All current price lists are generally valid until March 31 of the respective year, or until new price lists are published. The latest version of the price list will always be provided on our homepage. Offers older than 3 months at that point expire and must be replaced with new offers and prices.

6. Time of Delivery and Delay

We state the terms of delivery when accepting the order. The delivery date is non-binding and has mere guideline value - especially with regard to customised products. The terms for delay in delivery are defined by legal regulations. In any case, a writing notice issued by the purchaser is necessary for them to take effect.

7. Force Majeure (Act of God)

(1) SORG is not to be held responsible for the following delays of delivery. This also applies if these causes occur with respect to legal representatives, auxiliary persons, or deliverers of SORG: Circumstances of force majeure as well as other extraordinary events that are unpredictable and unavoidable for, and not caused by, SORG, and that only occur after ordering or reserving, and that SORG could not have known about. Moreover, this applies in case of strikes, fire, floods, labour disputes, business disruptions, altered magisterial approbation and legal situation, and magisterial orders which are not due to operational risks.

(2) In the cases of paragraph 1, SORG is eligible to delay delivery/performance for the time of hindrance as well as an appropriate start-up time. If SORG thus causes unacceptable complications for the purchaser, both SORG and the purchaser are eligible to withdraw from the contract. Circumstances that only lead to a temporal and hence acceptable delay of delivery and performance are excluded from this right. The legal rights of the client remain unaffected.

8. Dispatch

We generally dispatch uncovered by insurance and at the recipient's risk. We transfer the risk of coincidental loss or deterioration of the goods as well as delay on to the client at the moment of passing the goods on to the forwarder, bearer, or any other person/institute responsible for delivery. SORG will make any effort to respect the client's wishes in terms of path and kind of delivery. Any costs caused by this (including agreed carriage free delivery) are to be covered by the client.

In the case of carriage free delivery conducted by SORG, the recipient is required to put forward any carriage costs for a refund. If the client wishes the dispatch to be delayed, any risk of loss or deterioration of the goods is carried by the recipient from the first day of readiness for dispatch. The goods dispatched are only insured upon special demand and at the cost of the recipient.

9. Damage through Delivery Angelieferte Gegenstände sind, auch wenn sie unwesentliche Mängel. Upon delivery, the goods need to be checked for obvious damage in the presence of the bearer. Any damage is to be documented in a written form and co-signed by the bearer. This protocol is to be forwarded to us immediately. Delayed reclamations, or reclamations not signed by the bearer, cannot be taken into account.

10. Warranted Features, Receipt, and Technical Alterations

Delivered objects, even with minor damage, are to be accepted by the client, even if §433 paragraph 1 BGB is not fulfilled. Partial deliveries are permissible. Features only count as warranted if explicitly designated as such. A warranty of condition can only be asserted explicitly and in a written form. SORG reserves the right for technical alterations, especially for solutions of equal or higher value.

11. Warranty for Defects

(1) SORG warrants for any defects of delivered new goods for 12 months and for 6 months in case they are used.

(2) The purchaser's claim for defects presuppose that he has attended his obligation to give notice of defects on the legal grounds for his reasons of inquiry (§§ 377, 381 HGB). If defects are found during the inspection or at a later point, we are to be notified in writing without delay. The notice counts as not delayed if issued within two weeks. Posting the notice on time suffices for the keeping of the term. Independently from this obligation to inspect and give notice, the purchaser

is to report obvious defects (including wrong and short delivery) within two weeks upon delivery (again, posting the notice on time suffices). If the purchaser misses the proper inspection and/or notice of defects, we do not warrant for the reported defects. If the delivered good is defective, we may choose to conduct supplementary performance either by repairing the defect (subsequent improvement) or by delivering flawless goods (compensation delivery). Our right to refuse the chosen method of supplementary performance on the respective legal grounds remains untouched.

(3) Our liability for defects expires when alteration or maintenance works are done by the client or a third-person-party without our prior written permission. Consequences of excessive strain, negligent or incorrect handling, and violent damage are excluded from the warranty for defects.

12. Further Liability

(1) With respect to compensation - regardless of the legal cause - SORG is only liable in case of malice and act of gross negligence. In case of slight negligence, SORG is only liable for damage of life, body, health, and for damage caused by the negligence of an essential contractual obligation (an obligation whose fulfilment make the proper realisation of the contract possible in the first place and in whose fulfilment the contract partner regularly trusts and can trust). In this case, however, our liability does not exceed the covering of predictable, typically occurring damage.

(2) A free right to termination on the part of the purchaser (acc. to § 651, 649 BGB in particular) is precluded. Otherwise, the usual prerequisites and legal consequences apply.

13. Costs of Supplementary Performance

Costs of supplementary performance cannot be charged on SORG's account.

14. Voluntary Withdrawal of Goods

SORG is not obliged to take back any delivered end products or parts thereof. If SORG voluntarily decides otherwise in individual cases (especially for therapeutically altered requirements or deaths), SORG refunds a maximum of 75% of the delivery costs for unused parts whose delivery does not date back more than three months. There is no legal obligation concerning withdrawal in this respect. Deliveries which date back more than three months as well as sewed parts and customised products are not returnable. A copy of the delivery note or the bill serves as proof of age of delivery.

15. Reservation of Ownership

Goods delivered by SORG remain the property of SORG until any obligations from the parties' business contract on the part of the purchaser have been redeemed. This also applies if SORG has adapted individual or all claims into a running account which has been balanced and acknowledged. The purchaser has the right to dispose of the goods in the proper course of business. The purchaser hereby yields all claims to SORG which arise from the resale against the purchaser or third parties. The purchaser is authorised to withdraw these claims even upon conveyance. SORG's right to withdraw the claims remains untouched. However, SORG is obliged not to withdraw the claims as long as the purchaser complies with his duty of payment and any other duties. SORG has the right to demand that the purchaser makes known the yielded claims and their debtors, that he provides all information necessary for conveyance, and that he hands in all associated documents. As long and insofar the reservation of ownership is intact, the purchaser must not transfer any goods for securing or bailment without SORG's permission. The purchaser may process or alter the goods for the benefit of SORG exclusively. If processed with other goods which do not belong to SORG, SORG obtains co-ownership of these new goods in relation to the invoice value to the cost price of the other processed goods. If a third party interferes with SORG's ownership, the purchaser is to notify SORG immediately. The purchaser must not make any agreements with other purchasers which may exclude or limit SORG's rights. In particular, the purchaser must not make any agreements which destroy or limit the advance assignments to SORG. If the estimated value of the existing guarantees exceeds the claims to be ensured by more than 20%, SORG is insofar obliged to release by request of the purchaser.

16. Copyright Protection

If SORG conveys any images, drawings, indications of weight or measurements, technical documentations, or other product descriptions and documents (including electronic ones), the respective indications only apply if explicitly stated that they do. SORG reserves ownership and copyright of all these documents. They may only be made available to third parties upon SORG's explicit permission.

17. Place of Fulfilment, Place of Jurisdiction, and Severability Clause

(1) The law of the Federal Republic of Germany applies for these Terms and Conditions and all legal relations between us and our business partners. All international and supranational (contractual) legal systems, the UN Convention on Contracts for the International Sale of Goods in particular, are hereby excluded. Prerequisites and effects of the reservation of ownership acc. to no. 15 are subject to the right of the respective storage location of the good if the choice of law made in favour of the German law is illegitimate or ineffective. The only place of jurisdiction (also on an international basis) for any disputes arising directly or indirectly from the contractual relationship is, according to German Commercial Code, our office in Oberhausen-Rheinhausen, Germany. However, we also have the right to file a suit concerning the general jurisdiction of the purchaser.

(2) If any clause in these Terms of Conditions should turn out to be ineffective, this does not affect the effectiveness of all other clauses.

Technical alterations and misprints reserved. As of: March 2012

SORG Rollstuhltechnik GmbH + Co. KG
Benzstr. 3-5, 68794 Oberhausen-Rheinhausen
Phone +49 7254 / 9279-0
Fax +49 7254 / 9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de