



Kika

All prices valid until March 31st, 2016



S.ORG
Rollstuhltechnik

German Aid Index N° 18.99.02.1009
Base price 3.180,- €

The perfect combination of buggy and activity wheelchair: Small and lightweight activity wheelchair with seat tilt function, rigid frame and fixed camber, 10 cm abduction, steplessly tiltable by gas pressure spring, back unit adjustable in angle (optionally growable), suitable for children from an age of 12 months, weight capacity max. 40 kg, back-seat-unit tiltable by 30°, back unit additionally adjustable in angle from 80-120° and completely stowable, back height growable by 2.5 cm, stabilizer bar, anti tipper on both sides (2 pcs.), lightweight wheels, clothes guard



☐ **Quotation**

☐ **Order**

User/ID number	Delivery address/company stamp	Billing address
(Please fill in with block letters)		<input type="checkbox"/> same as delivery address
First and surname	Contact person	
Health insurance company	Date and signature	

Frame- and user measures			Please indicate both measures for the adjustment of the leg support. Possible combinations and measures: cf. following table!	
Seat width 10.. (in cm)	Seat depth 11.. (in cm)	Back height 12.. (in cm)	Lower leg length (LLL)	Required seat height
<input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30	<input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30	<input type="checkbox"/> 20 <input type="checkbox"/> 25 <input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40 <input type="checkbox"/> 45 Back height growable by +2.5 cm each	LLL _____ cm Cushion thickness _____ cm 	In horizontal position _____ cm cf. table below






Combination	Bore	Seat height standard	LLL max	Seat height high	LLL max	caster / caster fork	Bore positions
20" x 4"	2	35,0 cm	29,5 cm	37,5 cm	32,0 cm	4"= Ø 100 mm	Fork 1 = 100 mm, bore position 1+2 Fork 2 = 126 mm, bore position 1+2+3+4 Fork 3 = 164 mm, bore position 4+5+6+7
20" x 5"	1	35,0 cm	29,5 cm	37,5 cm	32,0 cm	5"= Ø 125 mm	
22" x 4"	4	37,5 cm	30,0 cm	40,0 cm	32,0 cm	4"= Ø 100 mm	
22" x 5"	3	37,5 cm	28,0 cm	40,0 cm	31,0 cm	5"= Ø 125 mm	All specifications are measured WITHOUT seat cushion and in horizontal seat position!
22" x 5,5"	2	37,0 cm	27,0 cm	39,5 cm	29,0 cm	5,5"= Ø 140 mm	
22" x 6"	2	37,5 cm	26,0 cm	40,0 cm	28,0 cm	6"= Ø 150 mm	
24" x 4"	6	40,0 cm	32,0 cm	42,5 cm	34,0 cm	4"= Ø 100 mm	80 mm, _____ 93 mm, _____ 106 mm, _____ 119 mm, _____ 132 mm, _____ 144,5 mm, _____ 157 mm, _____
24" x 5"	5	40,0 cm	31,0 cm	42,5 cm	33,0 cm	5"= Ø 125 mm	
24" x 5,5"	4	40,0 cm	30,0 cm	42,5 cm	32,0 cm	5,5"= Ø 140 mm	
24" x 6"	4	40,5 cm	29,0 cm	42,5 cm	31,0 cm	6"= Ø 150 mm	











Colours		
Finish alternatives	Moderate metallic effect (except for black)	Special colours
<input type="checkbox"/> Shiny 0,- € <input type="checkbox"/> Matt (not possible with special colours!) N° 1561 59,- €	<input type="checkbox"/> Zinc Yellow (02) <input type="checkbox"/> Chrome Yellow (06) <input type="checkbox"/> Pure Orange (21) <input type="checkbox"/> Crimson (04) <input type="checkbox"/> Pastel Blue (20) <input type="checkbox"/> Dark Blue (16) <input type="checkbox"/> Brilliant Blue (08) <input type="checkbox"/> Dark Green (15) <input type="checkbox"/> Cream White (17) <input type="checkbox"/> Marrakech Brown (29) <input type="checkbox"/> Girly Pink (19) <input type="checkbox"/> Black (not metallic) (31)	Strong metallic effect: <input type="checkbox"/> Silver Metallic (36) <input type="checkbox"/> Fire Red Dormant (45) <input type="checkbox"/> Anthracite Metallic (22) <input type="checkbox"/> Night Blue Dormant (47) AC 59,-€ <input type="checkbox"/> Violet Dormant (50) <input type="checkbox"/> Apple Green Dormant (18) Coarse structured surface: <input type="checkbox"/> Coarse Black (27) <input type="checkbox"/> Ultramarine Blue (37)



Frame options			
Anti-tipper	Seat support frame	Adaption set	Wheel base extension
<input checked="" type="checkbox"/> (2 pieces), swing-away installation on both sides, adjustable in height	<input checked="" type="checkbox"/> Steplessly tiltable by gas pressure device from 90°-120°	<input type="checkbox"/> Modification set for growable seat width + 2 cm and seat depth up to 3 cm	<input type="checkbox"/> Wheel base extension by 7cm to the back, adjustment of axis, side guards and brake Attention: Return to standard configuration only possible by new side guards!
N° 7212 0,- €	N° 192101 0,- €	N° 597299 215,- €	N° 760172 145,- €

As of: 20. April 2015, 3:09 nachm.. Technical alterations and misprints excluded.
 SORG Rollstuhltechnik GmbH & Co. KG, Benzstraße 3-5, D 68794 Oberhausen-Rheinhausen, fon +49 7254-9279-0, fax +49 7254-9279-10
 info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/downloads

Curved back plate		Tarta [®] back system	Back extension	
Model 1	Model 3	Example Tarta [®] back rest	Extended	Retracted
		 <p>Tarta[®] is an ergonomic back rest that offers best solutions in terms of adaptability. With the SORG adaptation holder you can adapt a Tarta[®] back rest easily.</p> <p>Order information for Tarta[®] back systems at www.tartadesign.it/en/distributori/</p>		
Straight upper edge, 2 cm higher than back height	Curved upper edge, 5 cm higher than back height		Back extended	Retracted back extension (back view)

Seat and back cushions				
Standard cushion	Anatomical cushion	Cushion without cover	Breathable cover black	Breathable cover red
				
Breathable cover grey	Breathable cover green	Breathable cover yellow	Breathable cover orange	Breathable cover blue
				


Side guards	
Activity side guard	Arm pad
	

Seat system	
Alu seat plate	
<input checked="" type="checkbox"/> Made of Aluminium, bolt-on, adjustable in height by seat support frame	
N° 1921	0,- €

Back system				
Model 1	Model 3	Back extension	Back angle	Tarta® back system
<input type="checkbox"/> Model 1 , curved back plate, 20-30 mm curve depth, BH +2 cm	<input type="checkbox"/> Model 3 , curved back plate, 20-30 mm curve depth, BH +5 cm	<input type="checkbox"/> Retractable, with detachable head cushion Weight reduction of approx. 1000 g compared to a head rest Not possible with head rest (N° 6860..) Possible from BH 35 cm (Model 1) or BH 30 cm (Model 3)	<input checked="" type="checkbox"/> Adjustable in angle by Tarta® from 80°-120°, completely stowable N° 6112 0,- € <input checked="" type="checkbox"/> Stabilizer bar	<input type="checkbox"/> Adaptation holder for dynamic back system of the Tarta®-company. Only in combination with stabilizer bar N° 6405 Order information for Tarta® back systems at www.tartadesign.it/en/distributor/
N° 697000 0,- €	N° 697100 80,- €	N° 686072 285,- €	N° 6405 0,- €	N° 611703 80,- €

Seat cushions (All covers with zippers and changeable)				
	Standard cushion	Anatomical cushion	Cover design	Incontinence cover
<input type="checkbox"/> No seat cushion (please tick if no cushion is required)	Synthetic foam for firm and comfortable seating <input type="checkbox"/> 3 cm (...03) <input type="checkbox"/> 5 cm (...05)	<input type="checkbox"/> Anatomically formed, with slight abduction, changeable cover, thickness of cushion measured at slightest point: front 5 cm, back 3 cm	Breathable cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow(25) <input type="checkbox"/> orange (27)	<input type="checkbox"/> For standard cushion as chosen on the left
	N° 80.. 90,- €		N° 80..	N° 86.. 74,- €
Additional covers for cushions as chosen on the right <input type="checkbox"/> 1 cover (...01) <input type="checkbox"/> 2 covers (...02)	Pressure relief cushion for medium-soft seating <input type="checkbox"/> 3 cm (...03) <input type="checkbox"/> 5 cm (...05)	Customized product	<input type="checkbox"/> Seat cushion as chosen, without cover	<input type="checkbox"/> For anatomical cushion as chosen on the left
N° 82.. 75,- €/St	N° 81.. 125,- €	N° 891002 CPD 449,- €	N° 998001 ./ 30,- €	N° 891004 135,- €




Back cushions (All covers with zippers and changeable)			
	Standard cushion	Anatomical back cushion	Cover design
<input type="checkbox"/> No back cushion (please tick if no cushion is required)	<input type="checkbox"/> Standard cushion for curved back plate , 3 cm thick, with zipper, breathable cover (see options on the right)	<input type="checkbox"/> Anatomically formed, curve depth 3 cm, incl. changeable cover (see options on the right)	Breathable cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow(25) <input type="checkbox"/> orange (27)
			N° 8517../8911..
Additional covers for cushions as chosen on the right <input type="checkbox"/> 1 cover (...01) <input type="checkbox"/> 2 covers (...02)		Customized product	<input type="checkbox"/> Back cushion as chosen, without cover
N° 85.. 75,- €/St	N° 8517 125,- €	N° 891104 CPD 249,- €	N° 998501 ./ 30,- €

Side guards	
Activity side guard	Arm pad
<input checked="" type="checkbox"/> Component of synthetic and aluminium parts with wheel cover	<input type="checkbox"/> Bolted on side guard, with arm support of 160 mm length
	
N° 5022 0,- €/P	N° 452211 188,- €/P

Leg support

Model 1	Model 2	Leg support pads
		




Push handles

Single-hand push handle	Single-hand push handle	Push bow
foldable 	not foldable 	adjustable in angle and foldable 





Brakes

Bowden cable brake


Wheels

Standard wheel	Profile wheel	Lightweight wheel
		

Tyres

Schwalbe Right Run	Pneumatic tyres	Solid tyres	Schwalbe Marathon Plus
			

Leg support with foot rest (incl. calf belt, adjustable in height-, depth- and angle)					
Model 1	Model 2	Leg support pads	Heel edge	Heel cups	
<input type="checkbox"/> Foot rest undivided, hinged backwards, adjustable in distance, angle and height,	<input type="checkbox"/> Foot rest divided, adjustable in distance and height, steplessly hinged upwards up to 180° From SW 22 cm and LLL 23 cm, max. LLL 35 cm	With support for lower leg, steplessly hinged upwards up to 180°, no foot plate. Mounting leg support: <input type="checkbox"/> right <input type="checkbox"/> left <input type="checkbox"/> double-sided From SW/SD 26 cm, max LLL 35 cm By choice of only one side the opposite side will be complemented with leg support Model 2 (N° 401905)	<input type="checkbox"/> for foot plate	Heel cups, self installation, black <input type="checkbox"/> Size 1 (..01) 7 x 11.5 cm <input type="checkbox"/> Size 2 (..02) 9 x 12.5 cm <input type="checkbox"/> Size 3 (..03) 10 x 15.5 cm	
N° 401901	0,- €/P	N° 401905	80,- €/P	N° 4020..	52,- €/P
<input type="checkbox"/> Locking mechanism at 90° for hinged foot rest Model 1 N° 401901	<input type="checkbox"/> Locking mechanism at 90° for hinged foot rest Model 2 N° 401905			Calf rest for leg support 401905, Mounting <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> left and right Possible from LLL 25 cm, foot plates are no longer hingeable backwards	
N° 4009	60,- €	N° 4009	60,- €	N° 401906	70,- €
				N° 401904	56,- €
				N° 403106	125,- €/pcs





Push handles		
Single-hand push handle	Single-hand push handle	Push bow
<input type="checkbox"/> Fixed, extendable by 20 cm	<input type="checkbox"/> Foldable with steel joint, extendable by 20 cm	<input type="checkbox"/> Adjustable in angle 205°, with synthetic joint, extendable by 20 cm
<i>Possible from SW 22 cm</i>		
N° 6605	175,- €	N° 660202
		275,- €
		N° 6536
		380,- €

Brakes	
Bowden cable brake	Drum brake
<input type="checkbox"/> Bowden cable brake, integrated in activity side guards	<input type="checkbox"/> Drum brake for standard-,profile- or lightweight wheels (N° 21..30/31/82),incl. brake if Bowden cable brake for the user is additionally required please tick also Article N°3532.
N° 3532 0,- €	N° 220036 310,- €





Wheels							
Standard wheel		Profile wheel		Lightweight wheel		Lightweight wheel	
☐ All-round wheel		☐ Unity of handrim and rim, reduces the risk of finger injuries		☐ with standard hub , very lightweight, incl. aluminium handrim, not with solid tyres		☐ with drum brake hub , very lightweight, incl. black aluminium handrim, not with solid tyres	
<i>Additional weight of approx. 900g/wheel compared to lightweight wheels</i>		<i>Additional weight of approx. 800g/wheel compared to lightweight wheels</i>		<i>Weight reduction of approx. 900g/Rad compared to standard wheel</i>		<i>Weight reduction of up to 1,1 kg/wheel compared to stan- dard drum brake wheels Package price for light- weight wheels incl. drum brake 310,- €/pair</i>	
N° 21...30	0,- €	N° 21...31	0,- €	N° 21...77	0,- €/P	N° 21...82	0,- €

Tyres			
Standard	Standard	Design	Performance
Pneumatic: <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (grey/black) (..13)	Solid tyres: <input type="checkbox"/> Standard tyres 1" (grey) (..11) <i>Not for lightweight wheels</i>	Pneumatic: <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (blue/black) (..14) <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (red/black) (..15) <i>Only for 24" wheels</i>	Pneumatic: <input type="checkbox"/> Schwalbe <i>Marathon Plus</i> , black, pneumatic flat free tyres 1" <i>Only for 22" and 24" wheels</i>
N° 20... 0.- €	N° 23... 0.- €	N° 2024.. 24.- €/P	N° 20..12 65.- €/P

Mounting of handrims For standard wheels please indicate the desired kind of mounting!

Standard tight	Standard wide	High tight	High wide
			



Handrim options


Silicone cover	Ergo rubber inlay	Maxgrepp handrim	The Surge LT handrim
			

Caster wheels



Standard PU	Standard solid rubber	Standard pneumatic	Design PU	Design solid rubber
				

Caster forks

Standard Aluminium	Design Aluminium
	

Wheel size and wheel camber	
Wheel size	Wheel camber
Size in inches <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24"	Camber  9°
0,- €	0,- €

Handrims / Handrim options			
Mounting at standard wheel	Mounting at lightweight wheel	The Surge LT handrim	Design handrims
<input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> standard <input type="checkbox"/> high 20" only with mounting „high“ (with stainless steel) Material: <input type="checkbox"/> Stainless steel (30..01) <input type="checkbox"/> Aluminium (30..75)	<input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> standard <input type="checkbox"/> high Material: Aluminium, silver anodized combination standard/high not possible with lightweight wheel drum brake	<input type="checkbox"/> all-in-one oval handrim with a Gription strip that improves traction on every push. only for 24" wheels	<input type="checkbox"/> Aluminium handrims coated in frame colour
0,- €	N° 30..75 0,- €	N° 342405 392,- €/P	N° 303000 NP 39,- €/P

Handrim options			
Silicone	PVC	Ergo rubber inlay	Maxgrepp handrims
Detachable silicone cover, black (soft surface) <input type="checkbox"/> for standard wheel(20-24) <input type="checkbox"/> for profile wheel(..02) <input type="checkbox"/> for lightweight wheel(..05)	<input type="checkbox"/> Handrim coated with black PVC, (Tetra Grip) Not for profile wheels	<input type="checkbox"/> Rubber inlay, 13mm wide Only for profile wheels 	<input type="checkbox"/> Allows pushing with the heel of hand (soft surface) Only for standard wheels and lightweight wheels 
N° 32.. 140,- €/P	N° 33.. 298,- €/P	N° 32..01 198,- €/P	N° 34.. 338,- €/P

Spoke cover	Design Decors (Net prices are not discountable)		
Transparent	Please specify the desired model of the corresponding manufacturer:		
<input type="checkbox"/> transparent(..00) N° 25.. 158,- €/P <input type="checkbox"/> blue(..53) <input type="checkbox"/> red(..52) <input type="checkbox"/> yellow(..51) N° 25.. 174,- €/P	<input type="checkbox"/> www.blueprince.de N° 25..25 NP 198,- €	<input type="checkbox"/> www.Rehafachhandel-Heinrich.de N° 25..26 NP 160,- €	<input type="checkbox"/> www.wheelchairgadgets.com N° 25..27 NP 140,- €
<input type="checkbox"/> Optional: child's name on spoke cover Only for Design Decor			







<input type="checkbox"/> Foil for curved back plate with the corresponding design as chosen Only with curved back plate N° 2527 NP 98,- €/pcs

Caster wheels				
Standard PU	Standard solid rubber	Standard pneumatic	Design PU	Design solid rubber
Polyurethane, grey: <input type="checkbox"/> 4" (2812) <input type="checkbox"/> 5" (2805) <input type="checkbox"/> 6" (2803)	Solid rubber, grey: <input type="checkbox"/> 4" (2804) <input type="checkbox"/> 5" (2809) <input type="checkbox"/> 5.5" (2806) <input type="checkbox"/> 6" (2811)	Pneumatic, grey: <input type="checkbox"/> 6" (2808)	Polyurethane, transparent, with LEDs: <input type="checkbox"/> 4" (2820) <input type="checkbox"/> 5" (2834)	Solid rubber, black, with alu rim <input type="checkbox"/> 4" (2835) <input type="checkbox"/> 5" (2836)
0,- €	0,- €	0,- €	0,- €	0,- €



Caster forks		Steering options	
Standard Aluminium	Design Aluminium	Track fixation	Locking mechanism
<input type="checkbox"/> Alu fork, black anodized	<input type="checkbox"/> Alu fork, coated in frame colour	<input type="checkbox"/> Caster wheel track fixation (straight)	<input type="checkbox"/> Locking mechanism for track fixation
N° 2826 0,- €	N° 2829 NP 29,- €/P	N° 2851 156,- €/P	N° 2850 196,- €/P


Frame options		Belt systems		
Outdoor Front End	Water bottle	Hip belt Standard	Hip belt	Butterfly vest
				

Therapy tables			Abduction wedge	
Acrylic glass	Beech wood	Design (example)	Mounting	Sizes S, M and L
				

Head rests <i>Measures in mm</i>					
Model 1		Model 3		Model 5	
					
Model 2		Model 4		Model 6	
					
shell-shaped		curved		x-shaped	


Lateral support by Stealth	
Swing-away laterals, small, up to max 35kg	
Holder adjustable Size 1, incl. linkage (without pad)	Pad, incl. removable cover black (only for holder size 1) 16.5x4.5 cm (..04) 10x7 cm (..05) 10x9 cm (..06)
	

Holder	
Square-cut	Round profile
	

Frame options			
Outdoor Front End	Splash guard	Water bottle	Retaining eyelets
<input type="checkbox"/> Outdoor Front End, facilitates significantly active and passive driving on soft or rough surfaces, incl. mounting aid Not in combination mit 6" caster wheels	<input type="checkbox"/> Splash guard for Outdoor Front End, made of plastic 	<input type="checkbox"/> Water bottle 750ml, light PET-bottle, incl. holder Stabilizer bar required!	<input type="checkbox"/> Retaining eyelets for front frame during transport in a passenger vehicle. Additionally you need an extended hip belt as well as matching restraint systems from specialized trade. In this case, no additional eyelets are required at the rear frame.
N° 599519 CPD 398,- €	N° 59951212 CPD 41,- €	N° 790101 NP 16,- €	N° 58507201 CPD 140,- €

Therapy tables	
Acrylic glass	Design
Central installation, plugged under seat plate, adjustable in height and distance <input type="checkbox"/> Size 0 (..10) (39 cm width, recommended for SW 18-24) <input type="checkbox"/> Size 1 (..11) (46 cm width, recommended for SB 26-30) Not possible in combination with abduction wedge	<input type="checkbox"/> Number of design for plexiglas therapy table according to wheelchairgadgets.com
N° 9209.. 315,- €	N° 920099 CPD 89,- €

Positioning aids				
Head rests		Abduction wedges	Belt systems	Butterfly vest
All models incl. stabilizer bar <input type="checkbox"/> Model 1, (..21) shell-shaped small <input type="checkbox"/> Model 2, (..22) shell-shaped large <input type="checkbox"/> Model 3, (..23) curved small <input type="checkbox"/> Model 4, (..24) curved large <input type="checkbox"/> Model 5, (..25) x-shaped small <input type="checkbox"/> Model 6, (..26) x-shaped large	Holder for head rest, mounted to stabilizer bar <input type="checkbox"/> Square-cut 15x15 (..04) <input type="checkbox"/> Round profile (..06)	Incl. holder and pad <input type="checkbox"/> Size S (..52) 94 x 65 x 90 mm (L x W x H) <input type="checkbox"/> Size M (..53) 110 x 82 x 95 mm (L x W x H) <input type="checkbox"/> Size L (..54) 125 x 90 x 100 mm (L x W x H) Not in combination with therapy table N° 19.. 186,- € <input type="checkbox"/> Only holder (without pad)	Hip belt standard with velcro and lock Abdominal girth: <input type="checkbox"/> Length 1 (85 - 110 cm) <input type="checkbox"/> Length 2 (110 - 140 cm) N° 7800 104,- € <input type="checkbox"/> Hip belt Safety- and positioning belt with buckle and clip collars	4-point strap system with mounting set, Size: <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L
N° 6861.. 325,- €	N° 6860.. 55,- €	N° 1951 139,- €	N° 7805 158,- €	N° 7810 278,- €

Lateral support by Stealth		Electric drives and systems		
Swing-away laterals, small, up to max 35kg		Recommendations	AAT systems	Alber systems
Holder adjustable Size 1, incl. linkage (without pad) <input type="checkbox"/> for left side (..01) <input type="checkbox"/> for right side (..02)	Pad, incl. removable cover black (only for holder of size 1) 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/> 16.5 x 4.5 cm (..04) <input type="checkbox"/> <input type="checkbox"/> 10x7cm (..05) <input type="checkbox"/> <input type="checkbox"/> 10x9 cm (..06) N° 6857.. CPD 50,- €/pcs Additional extension of joint (3.8 cm) for small pads 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/>	1. For all electric aids we recommend casters of 5" or higher 2. Please regard the respective mounting specifications given on the homepages indicated on the right	Please get in touch with the manufacturer to clarify mounting options More information on www.aat-online.de	Please get in touch with the manufacturer to clarify mounting options More information on www.alber.de 
N° 6857.. CPD 210,- €/pcs.	N° 685703 CPD 70,- €/pcs			

Terms and conditions

1. Preface and Scope

(1) Our terms and conditions apply exclusively. Any deviating, opposing, or complementing terms and conditions on the part of the business partner do not form integral part of contract unless explicitly approved of by us. There are no exceptions to the consent requirement, which also applies in cases where we conduct deliveries without restrictions while aware of the business partner's terms and conditions.

(2) Agreements made in the individual case with the purchaser (including side-agreements, supplements, and alterations) always take priority over these terms and conditions. A contract or our confirmation - both in written form - are authoritative for the content of such arrangements.

(3) Any legally relevant declarations and notifications the purchaser submits to us after conclusion of the contract (e.g. setting of deadlines, notice of defects, declarations of rescission or abatement) require the written form to be valid.

(4) Any information on the application of legal regulations serves the mere purpose of clarification. All regulations are legally binding without any such clarifications unless explicitly altered or excluded in these terms and conditions.

2. Prices

All prices are ex works, excluding insurance and packaging. The prices are net prices; the value-added tax is stated and charged separately according to the legally binding rate at the time of invoicing. The prices valid on the day of delivery are binding unless explicitly arranged otherwise.

3. Conclusion of Contract

SORG's offers are invitatio ad offerendum (invitations to treat). Ordering goods counts as an obligatory offer of contract on the part of the purchaser. Unless the order suggests otherwise, we have the right to accept this contract offer within two weeks time after reception. The acceptance of an offer of contract is effected by the confirmation of the order.

4. Terms of Payment

(1) Provided that no other agreements exist, payment is to be made by paying in advance - 50% at placing of order, 50% pre-delivery of goods. The purchaser bears any costs arising from transactions or discounting.

(2) If a 30-day payment deadline is exceeded, a delay rate of 8% on top of the respective base rate of the European Central Bank falls due without the need for prior notices. Beyond that, the purchaser is charged 3,- € for any reminder sent. We reserve the right to make use of the commercial due rate according to § 353 HGB. A higher damage for delay may be enforced via a suitable verification.

5. Offers and Validity

All current price lists are generally valid until March 31 of the respective year, or until new price lists are published. The latest version of the price list will always be provided on our homepage. Offers older than 3 months at that point expire and must be replaced with new offers and prices.

6. Time of Delivery and Delay

We state the terms of delivery when accepting the order. The delivery date is non-binding and has mere guideline value - especially with regard to customised products. The terms for delay in delivery are defined by legal regulations. In any case, a writing notice issued by the purchaser is necessary for them to take effect.

7. Force Majeure (Act of God)

(1) SORG is not to be held responsible for the following delays of delivery. This also applies if these causes occur with respect to legal representatives, auxiliary persons, or deliverers of SORG: Circumstances of force majeure as well as other extraordinary events that are unpredictable and unavoidable for, and not caused by, SORG, and that only occur after ordering or reserving, and that SORG could not have known about. Moreover, this applies in case of strikes, fire, floods, labour disputes, business disruptions, altered magisterial approbation and legal situation, and magisterial orders which are not due to operational risks.

(2) In the cases of paragraph 1, SORG is eligible to delay delivery/performance for the time of hindrance as well as an appropriate start-up time. If SORG thus causes unacceptable complications for the purchaser, both SORG and the purchaser are eligible to withdraw from the contract. Circumstances that only lead to a temporal and hence acceptable delay of delivery and performance are excluded from this right. The legal rights of the client remain unaffected.

8. Dispatch

We generally dispatch uncovered by insurance and at the recipient's risk. We transfer the risk of coincidental loss or deterioration of the goods as well as delay on to the client at the moment of passing the goods on to the forwarder, bearer, or any other person/institute responsible for delivery. SORG will make any effort to respect the client's wishes in terms of path and kind of delivery. Any costs caused by this (including agreed carriage free delivery) are to be covered by the client.

In the case of carriage free delivery conducted by SORG, the recipient is required to put forward any carriage costs for a refund. If the client wishes the dispatch to be delayed, any risk of loss or deterioration of the goods is carried by the recipient from the first day of readiness for dispatch. The goods dispatched are only insured upon special demand and at the cost of the recipient.

9. Damage through Delivery Angelieferte Gegenstände sind, auch wenn sie unwesentliche Mängel Upon delivery, the goods need to be checked for obvious damage in the presence of the bearer. Any damage is to be documented in a written form and co-signed by the bearer. This protocol is to be forwarded to us immediately. Delayed reclamations, or reclamations not signed by the bearer, cannot be taken into account.

10. Warranted Features, Receipt, and Technical Alterations

Delivered objects, even with minor damage, are to be accepted by the client, even if § 433 paragraph 1 BGB is not fulfilled. Partial deliveries are permissible. Features only count as warranted if explicitly designated as such. A warranty of condition can only be asserted explicitly and in a written form. SORG reserves the right for technical alterations, especially for solutions of equal or higher value.

11. Warranty for Defects

(1) SORG warrants for any defects of delivered new goods for 12 months and for 6 months in case they are used.

(2) The purchaser's claim for defects presuppose that he has attended his obligation to give notice of defects on the legal grounds for his reasons of inquiry (§§ 377, 381 HGB). If defects are found during the inspection or at a later point, we are to be notified in writing without delay. The notice counts as not delayed if issued within two weeks. Posting the notice on time suffices for the keeping of the term. Independently from this obligation to inspect and give notice, the purchaser

is to report obvious defects (including wrong and short delivery) within two weeks upon delivery (again, posting the notice on time suffices). If the purchaser misses the proper inspection and/or notice of defects, we do not warrant for the reported defects. If the delivered good is defective, we may choose to conduct supplementary performance either by repairing the defect (subsequent improvement) or by delivering flawless goods (compensation delivery). Our right to refuse the chosen method of supplementary performance on the respective legal grounds remains untouched.

(3) Our liability for defects expires when alteration or maintenance works are done by the client or a third-person-party without our prior written permission. Consequences of excessive strain, negligent or incorrect handling, and violent damage are excluded from the warranty for defects.

12. Further Liability

(1) With respect to compensation - regardless of the legal cause - SORG is only liable in case of malice and act of gross negligence. In case of slight negligence, SORG is only liable for damage of life, body, health, and for damage caused by the negligence of an essential contractual obligation (an obligation whose fulfilment make the proper realisation of the contract possible in the first place and in whose fulfilment the contract partner regularly trusts and can trust). In this case, however, our liability does not exceed the covering of predictable, typically occurring damage.

(2) A free right to termination on the part of the purchaser (acc. to § 651, 649 BGB in particular) is precluded. Otherwise, the usual prerequisites and legal consequences apply.

13. Costs of Supplementary Performance

Costs of supplementary performance cannot be charged on SORG's account.

14. Voluntary Withdrawal of Goods

SORG is not obliged to take back any delivered end products or parts thereof. If SORG voluntarily decides otherwise in individual cases (especially for therapeutically altered requirements or deaths), SORG refunds a maximum of 75% of the delivery costs for unused parts whose delivery does not date back more than three months. There is no legal obligation concerning withdrawal in this respect. Deliveries which date back more than three months as well as sewed parts and customised products are not returnable. A copy of the delivery note or the bill serves as proof of age of delivery.

15. Reservation of Ownership

Goods delivered by SORG remain the property of SORG until any obligations from the parties' business contract on the part of the purchaser have been redeemed. This also applies if SORG has adapted individual or all claims into a running account which has been balanced and acknowledged. The purchaser has the right to dispose of the goods in the proper course of business. The purchaser hereby yields all claims to SORG which arise from the resale against the purchaser or third parties. The purchaser is authorised to withdraw these claims even upon conveyance. SORG's right to withdraw the claims remains untouched. However, SORG is obliged not to withdraw the claims as long as the purchaser complies with his duty of payment and any other duties. SORG has the right to demand that the purchaser makes known the yielded claims and their debtors, that he provides all information necessary for conveyance, and that he hands in all associated documents. As long and insofar the reservation of ownership is intact, the purchaser must not transfer any goods for securing or bailment without SORG's permission. The purchaser may process or alter the goods for the benefit of SORG exclusively. If processed with other goods which do not belong to SORG, SORG obtains co-ownership of these new goods in relation to the invoice value to the cost price of the other processed goods. If a third party interferes with SORG's ownership, the purchaser is to notify SORG immediately. The purchaser must not make any agreements with other purchasers which may exclude or limit SORG's rights. In particular, the purchaser must not make any agreements which destroy or limit the advance assignments to SORG. If the estimated value of the existing guarantees exceeds the claims to be ensured by more than 20%, SORG is insofar obliged to release by request of the purchaser.

16. Copyright Protection

If SORG conveys any images, drawings, indications of weight or measurements, technical documentations, or other product descriptions and documents (including electronic ones), the respective indications only apply if explicitly stated that they do. SORG reserves ownership and copyright of all these documents. They may only be made available to third parties upon SORG's explicit permission.

17. Place of Fulfilment, Place of Jurisdiction, and Severability Clause

(1) The law of the Federal Republic of Germany applies for these Terms and Conditions and all legal relations between us and our business partners. All international and supranational (contractual) legal systems, the UN Convention on Contracts for the International Sale of Goods in particular, are hereby excluded. Prerequisites and effects of the reservation of ownership acc. to no. 15 are subject to the right of the respective storage location of the good if the choice of law made in favour of the German law is illegitimate or ineffective. The only place of jurisdiction (also on an international basis) for any disputes arising directly or indirectly from the contractual relationship is, according to German Commercial Code, our office in Oberhausen-Rheinhausen, Germany. However, we also have the right to file a suit concerning the general jurisdiction of the purchaser.

(2) If any clause in these Terms of Conditions should turn out to be ineffective, this does not affect the effectiveness of all other clauses.

Technical alterations and misprints reserved. As of: March 2012

SORG Rollstuhltechnik GmbH + Co. KG
Benzstr. 3-5, 68794 Oberhausen-Rheinhausen
Phone +49 7254 / 9279-0
Fax +49 7254 / 9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de