



Mio Move

All prices valid until March 31st, 2016



S.ORG
Rollstuhltechnik

German Aid Index No. 18.99.02.1020

Base price 3.250,- €

Light wheelchair for children and adolescents with mechanical seat tilting from -5° to +35° in the physiological turning point, optional in 2 frame forms (Retro and Taurus) and 2 differently strong V-formed abductions, back adjustable in angle of 78°-126° and folds down to the front, firm wheel base, back height grows + 5 cm (optional: seat width + 2 cm, seat depth + 4 cm), stabilising rod, low friction wheels, cable brake built in to the side guard, nominal load max. 60kg.



☐ **Quotation**

☐ **Order**






User/ID number	Delivery address/company stamp	Billing address
(Please fill in with block letters)		<input type="checkbox"/> same as delivery address
First and surname	Contact person	
Health insurance company	Date and signature	

Frame versions				
Retro frame N° 597301 (for LLL 15 cm - 30 cm)		Taurus frame N° 597304 (for LLL 20 cm - 37 cm)		
<input type="checkbox"/> Strong abduction	 casters on one line with rear wheels	<input type="checkbox"/> Slight abduction	 casters narrower than rear wheels	 Retro frame
N° 597305	0,- €	N° 597306	0,- €	 Taurus frame


Frame- and user measures			cf. example on p.6
Seat width in cm (10..)	Seat depth in cm (11..)	Back height in cm (12..)	
<input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34	<input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36	<input type="checkbox"/> 25 <input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40 <input type="checkbox"/> 45 AC 175,- € (Back height growable by +5 cm each)	1. Real lower leg length of the user (LLL): _____ cm 2. Cushion thickness (CT): _____ cm
we measure: inner distance side guard to side guard 	we measure: front edge seat to front edge back rod 	we measure: top edge seat board to top edge back rod 	

Colours		
Finish alternatives	Moderate metallic effect (except for black an Ultramarine)	Special colours
<input type="checkbox"/> Shiny 0,- € <input type="checkbox"/> Matt Not possible with special colours!	<input type="checkbox"/> Zinc Yellow (02) <input type="checkbox"/> Dark Green (15) <input type="checkbox"/> Pure Orange (21) <input type="checkbox"/> Crimson (04) <input type="checkbox"/> Pastel Blue (20) <input type="checkbox"/> Dark Blue (16) <input type="checkbox"/> Brilliant Blue (08) <input type="checkbox"/> Cream White (17) <input type="checkbox"/> Marrakech Brown (29) not metallic: <input type="checkbox"/> Girly Pink (19) <input type="checkbox"/> Black (31) <input type="checkbox"/> Chrome Yellow (06) <input type="checkbox"/> Ultramarine Blue (37)	Strong metallic effect: <input type="checkbox"/> Silver Metallic (36) <input type="checkbox"/> Apple Green Dormant (18) <input type="checkbox"/> Anthracite Metallic (22) <input type="checkbox"/> Fire Red Dormant (45) Coarse structured surface: <input type="checkbox"/> Coarse Black (27) <input type="checkbox"/> Nightblue Dorm. (47) AC59,- € <input type="checkbox"/> Violet Dormant (50)
N° 1561	59,- €	











Frame options			
Adaption set	Wheel base extension	Anti-tipper	Step tube
<input type="checkbox"/> Modification set for growable seat width + 2 cm and seat depth up to 4 cm WITHOUT back depression (when extending in width, the back depression needs to be replaced by a new one).	<input type="checkbox"/> by 7cm to the back, and adjustment of axis, side guards and brake Attention: Return to standard configuration only possible by new side guards!	<input checked="" type="checkbox"/> left and right, swing away installation adjustable in height 	<input type="checkbox"/> Step tube
N° 597799	195,- €	N° 760177	165,- €
		N° 7214	0,- €
		N° 7408	48,- €

Curved back plate			Back extension	
Model 1	Model 2	Model 3	Extended	Retracted
				
Straight upper edge, 2 cm higher than back height	Straight upper edge, 10 cm higher than back height	Curved upper edge, 5, 10 or 15 cm higher than back height	Back extended (back view)	Retracted back extension (back view)

Back


Tarta® - Back system	Fitting set for curved back
 <p>Tarta® is an ergonomic back rest that offers best solutions in terms of adaptability. With the SORG adaptation holder you can adapt a Tarta® back rest easily. Not suitable for transport in a vehicle.</p> <p>Order information at www.tartadesign.it/en/distributori/</p>	

Seat and back cushions

Standard cushion	Anatomical cushion	Cushion without cover	Breathable cover black	Breathable cover red
				
Breathable cover grey	Breathable cover green	Breathable cover yellow	Breathable cover orange	Breathable cover blue
				

You can find the colours under www.sorgrollstuhltechnik.de. The pictures of the fabrics are

Side guard

side guard standard	Arm pad
	

Mio Move

All prices valid until March 31st, 2016

Seat system	
Alu seat plate	Blocking set
<input checked="" type="checkbox"/> screwed on, in the physiological turning point tiltable from -5° to +35°	Mounting set to limit tilting: towards the front to max.: <input type="checkbox"/> 0° tilting towards the back to max.: <input type="checkbox"/> +30°, <input type="checkbox"/> +25°, <input type="checkbox"/> +20°, <input type="checkbox"/> +15° tilting
N° 192800 0,- €	N° 192810 58,- €

Back system			
Back angle	Model 1	Model 2	Model 3
<input checked="" type="checkbox"/> Adjustable in angle by raster from 81°, 90°, 102°, 114° oder 126°, folds down forward, incl. stabilising rod	BH+2 cm; curve depth: <input type="checkbox"/> 15 mm (...015) <input type="checkbox"/> 30 mm (...030) <input type="checkbox"/> 50 mm (...050) Attention: curve depth 50mm only from seat width 26cm	BH+10 cm; curve depth: <input type="checkbox"/> 15 mm (...115) <input type="checkbox"/> 30 mm (...130) <input type="checkbox"/> 50 mm (...150) BH+20 cm; curve depth: <input type="checkbox"/> 15 mm (...215) <input type="checkbox"/> 30 mm (...230) <input type="checkbox"/> 50 mm (...250) Attention: curve depth 50mm only from seat width 26cm	BH+5 cm; curve depth: <input type="checkbox"/> 15 mm (...315) <input type="checkbox"/> 30 mm (...330) <input type="checkbox"/> 50 mm (...350) BH+10cm; curve depth: <input type="checkbox"/> 15 mm (...415) <input type="checkbox"/> 30 mm (...430) <input type="checkbox"/> 50 mm (...450) BH+15 cm; curve depth: <input type="checkbox"/> 15 mm (...515) <input type="checkbox"/> 30 mm (...530) <input type="checkbox"/> 50 mm (...550) Attention: curve depth 50mm only from seat width 26cm
N° 612105 0,- €	N° 693.. 299,- €	N° 693... 379,- €	N° 693... 379,- €

Fitting set	Back extension	Back cover	Tarta® back system
for curved back	for curved back	Adjustable	Adaptation
<input type="checkbox"/> one set of clamps for mounting the back unit on the back rods. Is required when you are planning to bolster up the back plate yourself	<input type="checkbox"/> Retractable, with detachable head cushion from SW 22 cm, weight reduction of approx. 1000g compared to a head rest, not possible with head rest (N° 6860..)	incl. back cushion (thickness 2 cm) Breathable Betex cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27)	<input type="checkbox"/> holder for dynamic back system of the Tarta® company. Order information for Tarta® back systems at www.tartadesign.it/distributori/
N° 692598 130,- €	N° 686077 285,- €	N° 6703.. 0,- €	N° 611703 80,- €





Seat cushions (All covers with zippers and changeable)				
	Standard cushion	Anatomical cushion	Cover design	Incontinence cover
<input type="checkbox"/> No seat cushion (please tick if no cushion is required)	Synthetic foam for firm and comfortable seating <input type="checkbox"/> 3 cm (...03) <input type="checkbox"/> 5 cm (...05) N° 80.. 90,- €	<input type="checkbox"/> Anatomically formed, with slight abduction, changeable cover, thickness of cushion measured at slightest point: front 5 cm, back 3 cm Customized product	Breathable cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27) N° 80.. <input type="checkbox"/> Seat cushion as chosen, without cover	<input type="checkbox"/> For standard cushion as chosen on the left N° 86.. 74,- € <input type="checkbox"/> For anatomical cushion as chosen on the left
Additional covers for cushions as chosen on the right <input type="checkbox"/> 1 cover (...01) <input type="checkbox"/> 2 covers (...02)	Pressure relief cushion for medium-soft seating <input type="checkbox"/> 3 cm (...03) <input type="checkbox"/> 5 cm (...05)			
N° 82.. 75,- €/St	N° 81.. 125,- €	N° 891002 CPD 449,- €	N° 998001 ./ 30,- €	N° 891004 135,- €

Back cushions (All covers with zippers and changeable)			
	Standard cushion	Anatomical back cushion	Cover design
<input type="checkbox"/> No back cushion (please tick if no cushion is required)	<input type="checkbox"/> Standard cushion for curved back plate , 3 cm thick, with zipper, breathable cover (see options on the right)	Anatomically formed, including cover changeable depression depth <input type="checkbox"/> 3 cm (...04) <input type="checkbox"/> 5 cm (...06) <i>Only in association with back depression.</i>	Breathable cover <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27) N° 8517../8911.. <input type="checkbox"/> Back cushion as chosen, without cover
Additional covers for cushions as chosen on the right <input type="checkbox"/> 1 cover (...01) <input type="checkbox"/> 2 covers (...02)			
N° 85.. 75,- €/St	N° 8517 125,- €	N° 891104 CPD 249,- €	N° 998501 ./ 30,- €

Leg support

Model 1	Model 2	Leg support pads
		

Push handles

Standard	one hand push handles	push bail	
height adjustable	angle and height adjustable, additionally can be folded	angle and height adjustable with synthetic hinge	angle and height adjustable with metal hinge
			





Wheels

Standard wheel	Profile wheel	Lightweight wheel	LWW with drum brake
			

Brake

Bowden cable brake


Tyres

Schwalbe Right Run	Pneumatic tyres	Solid tyres	Schwalbe Marathon Plus
			

Side guards	
Standard	Arm pad
<input checked="" type="checkbox"/> Component of synthetic and aluminium parts with wheel cover	<input type="checkbox"/> Bolted on side guard, with arm support of 160 mm length
N° 5025 0,- €/P	N° 452211 188,- €/P

Leg support with foot rest (incl. calf belt, adjustable in height-, depth- and angle)				
Model 1	Model 2	Leg support angle	Calf rest	Heel cups
<input type="checkbox"/> Foot rest undivided, hinged backwards, adjustable in distance, angle and height,	<input type="checkbox"/> Foot rest divided, adjustable in distance and height, steplessly hinged upwards up to 180° From SW 22 cm and LLL 23 cm, max. LLL 35 cm	With support for lower leg, steplessly hinged upwards up to 180°, no foot plate . Mounting leg support: <input type="checkbox"/> right <input type="checkbox"/> left <input type="checkbox"/> double-sided	for leg support 401905, Mounting calf rest <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> double-sided	Heel cups, self installation, black <input type="checkbox"/> Size 1 (..01) 7 x 11.5 cm <input type="checkbox"/> Size 2 (..02) 9 x 12.5 cm <input type="checkbox"/> Size 3 (..03) 10 x 15.5 cm
N° 401901 0,- €/P	N° 401905 80,- €/P			N° 4020.. 54,- €/P
<input type="checkbox"/> Locking mechanism at 90° for foot plate Model 1 (N° 401901)	<input type="checkbox"/> Locking mechanism at 90° for foot plate Model 2 (N° 401905)	By choice of only one side the opposite side will be complemented with leg support Model 2 (N° 401905)	Possible from LLL 25 cm, foot plates are no longer hingeable backwards. From SW 28 cm	Heel edge <input type="checkbox"/> for foot plate/s
N° 4009 60,- €	N° 4009 60,- €	N° 401906 60,- €	N° 403106 125,- €/pcs	N° 401904 56,- €/pcs


Push handles			
Standard	Single hand push handle	Push bow made of plastic or metal	
extendable, cranked: <input type="checkbox"/> 15 cm (..0704) <input type="checkbox"/> 25 cm (..0804)	<input type="checkbox"/> Foldable with steel joint, extendable by 20 cm	<input type="checkbox"/> extendable by 20 cm, adjustable in angle made of plastic up to SW 30cm at SW20/22 and BH25/30 only limited height adjustment possible	<input type="checkbox"/> extendable by 20 cm, adjustable in angle made of metal, from SW 32cm at BH25/30 only limited height adjustment possible
N° 65.. 105,- €	N° 660202 170,- €	N° 6534 270,- €	N° 6532 380,- €

Brakes	
Bowden cable brake	Drum brake
<input type="checkbox"/> Bowden cable brake, integrated in activity side guards	<input type="checkbox"/> Drum brake for standard-, profile- or lightweight wheels (N° 21..30/31/82), incl. brake lever for the accompanying person If Bowden cable brake for the user is additionally required please tick also Article N° 3532. Only at a wheel camber of 11° (N° 201516)
N° 3532 0,- €	N° 220036 310,- €

Wheels			
Standard wheel	Profile wheel	Lightweight wheel	Lightweight wheel
<input type="checkbox"/> All-round wheel Additional weight of approx. 900g/wheel compared to lightweight wheels	<input type="checkbox"/> Unity of handrim and rim, reduces the risk of finger injuries Additional weight of approx. 800g/wheel compared to lightweight wheels	<input type="checkbox"/> with standard hub , very lightweight, incl. aluminium handrim, not with solid tyres Weight reduction of approx. 900g/Rad compared to standard wheel	<input type="checkbox"/> with drum brake hub , very lightweight, incl. aluminium handrim, not with solid tyres Weight reduction of up to 1,1 kg/wheel compared to standard drum brake wheels.
N° 21..30 0,- €	N° 21..31 0,- €	N° 21..77 0,- €/P	N° 21..82 0,- €


Tyres			
Standard	Standard	Design	Performance
Pneumatic: <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (grey/black) (..13)	Solid tyres: <input type="checkbox"/> Standard tyres 1" (grey) (..11) Not for lightweight wheels	Pneumatic: <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (blue/black) (..14) <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (red/black) (..15) Only for 24" wheels	Pneumatic: <input type="checkbox"/> Schwalbe <i>Marathon Plus</i> , black, pneumatic flat free tyres 1" Only for 22" and 24" wheels
N° 20.. 0,- €	N° 23.. 0,- €	N° 2024.. 20,- €/P	N° 20..12 65,- €/P

Mounting hand rims (Please always state the desired mounting with standard wheels)



Handrim options



Combination	Bore	Seat height	LLL max	caster / caster fork	Bore positions
20" x 4"	2	37,0 cm	29,5 cm	4"= Ø 100 mm	<p>Fork 1 = 100 mm, bore position 1+2 Fork 2 = 126 mm, bore position 1+2+3+4 Fork 3 = 164 mm, bore position 4+5+6+7</p>  <p>80 mm, _____ 1 93 mm, _____ 2 106 mm, _____ 3 119 mm, _____ 4 132 mm, _____ 5 144,5 mm, _____ 6 157 mm, _____ 7</p> <p>All specifications are measured WITHOUT seat cushion and in horizontal seat position!</p>
20" x 5"	1	37,0 cm	29,5 cm	5"= Ø 125 mm	
22" x 4"	4	39,5 cm	30,0 cm	4"= Ø 100 mm	
22" x 5"	3	39,5 cm	28,0 cm	5"= Ø 125 mm	
22" x 5,5"	2	39,0 cm	27,0 cm	5,5"= Ø 140 mm	
22" x 6"	2	39,5 cm	26,0 cm	6"= Ø 150 mm	
24" x 4"	6	42,0 cm	32,0 cm	4"= Ø 100 mm	
24" x 5"	5	42,0 cm	31,0 cm	5"= Ø 125 mm	
24" x 5,5"	4	42,0 cm	30,0 cm	5,5"= Ø 140 mm	
24" x 6"	4	42,5 cm	29,0 cm	6"= Ø 150 mm	

Caster wheels



Caster forks





Mio Move

All prices valid until March 31st, 2016

Wheel size and wheel camber		Handrims Mounting		
Wheel size	Wheel camber	at standard wheel	at lightweight wheel	Surge Handrims LT
Size in inches <input type="checkbox"/> 20" recommended for SD 18-28 <input type="checkbox"/> 22" recommended for SD 22-32 <input type="checkbox"/> 24" recommended for SD 26-36	Camber <input type="checkbox"/> 9° Montageset Radsturz 7°/11°, vormontiert auf <input type="checkbox"/> 7° <input type="checkbox"/> 11°	Mounting <input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> high <input type="checkbox"/> standard 20" only with mounting „high“ Material: <input type="checkbox"/> Stainless steel (30..01) <input type="checkbox"/> Aluminium (30..02)	Mounting <input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> standard <input type="checkbox"/> high Material: Alu, silver anodized. combination standard/high not possible with lightweight wheel drum brake	ergonomic handrims with rubber inlay <input type="checkbox"/> 24" (6 connection flaps) only for lightweight wheels
0,- €	N° 201516 60,- €/P	0,- €	N° 30..75 0,- €	N° 342405 392,- €/P

Double handrim			
with standard hub	with drum brake hub	Opposite side	Distance
with standard hub and double handrim Only up to 9° camber Mounting <input type="checkbox"/> left <input type="checkbox"/> right	with drum brake hub and double handrim Mounting <input type="checkbox"/> left <input type="checkbox"/> right	<input type="checkbox"/> Handrim for the opposite side	Distance of double handrim <input type="checkbox"/> standard 18mm (...11) <input type="checkbox"/> tight 9mm (...12)
N° 2614 885,- €	N° 2615 1.049,- €	N° 261435 139,- €	N° 26.. 0,- €

Handrim options			
Silicone	PVC	Ergo rubber inlay	Maxgrepp handrims
Detachable silicone cover, black (soft surface) <input type="checkbox"/> for standard wheel(20-24) <input type="checkbox"/> for profile wheel (...02) <input type="checkbox"/> for lightweight wheel(...05)	<input type="checkbox"/> Handrim coated with black PVC, (Tetra Grip) Not for profile wheels	<input type="checkbox"/> Rubber inlay, 13mm wide Only for profile wheels 	<input type="checkbox"/> Allows pushing with the palm of hand (soft surface) Only for standard wheels and lightweight wheels 
N° 32.. 140,- €/P	N° 33.. 298,- €/P	N° 32..01 198,- €/P	N° 34.. 333,- €/P

Spoke cover	Design Decors (Net prices are not discountable)			
Transparent	Please specify the desired model of the corresponding manufacturer:			
<input type="checkbox"/> transparent (...00) N° 25.. 158,- €/P <input type="checkbox"/> blue (...53) <input type="checkbox"/> red (...52) <input type="checkbox"/> yellow (...51)	<input type="checkbox"/> www.blueprince.de child's name on spoke cover	<input type="checkbox"/> www.Rehafachhandel-Heinrich.de child's name on spoke cover	<input type="checkbox"/> www.wheelchairgadgets.com child's name on spoke cover	<input type="checkbox"/> Foil for curved back plate with the corresponding design as chosen Only with curved back plate
N° 25.. 174,- €/P	N° 25..25 NP 198,- €	N° 25..26 NP 160,- €	N° 25..27 NP 140,- €	N° 2527 NP 98,- €/pcs

Caster wheels			
Standard PU	Standard solid rubber	Design PU	Design solid rubber
Polyurethane: <input type="checkbox"/> 4" (2812) <input type="checkbox"/> 5" (2805)	Solid rubber, grey: <input type="checkbox"/> 4" (2804) <input type="checkbox"/> 5" (2809)	Polyurethane, transparent, with LEDs: <input type="checkbox"/> 4" (2820) <input type="checkbox"/> 5" (2834)	Solid rubber, black, with alu rim <input type="checkbox"/> 4" (2835) <input type="checkbox"/> 5" (2836)
0,- €	0,- €	0,- €	0,- €

Caster forks		Steering options	
Standard Aluminium	Design Aluminium	Track fixation	Locking mechanism
<input type="checkbox"/> Alu fork, black anodized	<input type="checkbox"/> Alu fork, coated in frame colour	<input type="checkbox"/> track fixation (straight) (Not in combination with shock protection N° 9102)	<input type="checkbox"/> Locking mechanism for track fixation
N° 2826 0,- €	N° 2829 NP 29,- €/P	N° 2851 156,- €/P	N° 2850 196,- €/P









Options

Outdoor Front End	Water bottle	Hip belt Standard	Hip belt	Butterfly vest
				


Therapy tables



Transparent	Design (example)
	

Head rests *Measures in mm*

			Holder
Model 1	Model 3	Model 5	Square-cut
			
Model 2	Model 4	Model 6	Round profile
			
shell-shaped	curved	x-shaped	


Lateral support (swing-away)

<ol style="list-style-type: none"> 1. Connection to back 2. Bottom to swing away 3. Adjustable joint 4. Support for pads 5. Pads 	
Measures for pads, size 1 16,5 x 4,5 cm 10 x 7 cm 10 x 9 cm	Measures for pads, size 2 15 x 10 cm 18 x 13 cm

Frame options				Electric systems
Outdoor Front End	Splash guard	Water bottle	Bumper	For all electric aids we recommend casters of 5" or higher. Please regard the respective mounting specifications of the manufacturer. AAT Systeme www.aat-online.de Alber Systeme www.alber.de
<input type="checkbox"/> facilitates significantly active and passive driving on soft or rough surfaces, incl. jack up aid.	<input type="checkbox"/> Splash guard for Outdoor Front End, made of black plastic 	<input type="checkbox"/> light PET water bottle 750 ml, incl. holder	<input type="checkbox"/> Half ring made of rubber to protect furniture, doors, etc. Not possible with Restraint system. 	
N° 599516 CPD 398,- €	N° 59951212 CPD 41,- €	N° 790101 NP 16,- €	N° 9102 45,- €	

Therapy tables	
Transparent	Design
Central installation, plugged under seat plate, adjustable in height and distance <input type="checkbox"/> Size 0 (..10) (39 cm width, recommended for SW 18-24) <input type="checkbox"/> Size 1 (..11) (46 cm width, recommended for 4 SW 26-30) <input type="checkbox"/> Size 2 (..12) (59 cm width, recommended for SW 32-36) Possible in combination with abduction wedge	<input type="checkbox"/> Number of design for Plexiglas therapy table according to wheelchairgadgets.com
N° 9209.. 315,- €	N° 920099 CPD 89,- €

Positioning aids			
Head rests	Head rest holder	Belt systems	
All models incl. stabilizer bar <input type="checkbox"/> Model 1, (..21) shell-shaped small <input type="checkbox"/> Model 2, (..22) shell-shaped large <input type="checkbox"/> Model 3, (..23) curved small <input type="checkbox"/> Model 4, (..24) curved large <input type="checkbox"/> Model 5, (..25) x-shaped small <input type="checkbox"/> Model 6, (..26) x-shaped large	Holder for head rest, mounted to stabilizer bar <input type="checkbox"/> Square-cut 15x15 (..04) <input type="checkbox"/> Round profile (..06) Holder for head rest with square-cut profile just from seat width 28cm.	Hip belt standard with velcro and lock Abdominal girth: <input type="checkbox"/> Length 1 (85 - 110 cm) <input type="checkbox"/> Length 2 (110 - 140 cm)	Butterfly vest, 4-point strap system with mounting set, Size: <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L
N° 6860.. 270,- €	N° 6860.. 55,- €	N° 7800 104,- €	N° 7810 278,- €
		N° 7805 157,- €	

Transport brackets
<input type="checkbox"/> Transport brackets (4 pieces) for transportation in a handicapped accessible passenger car 
N° 58507710 CPD 230,- €

Lateral support			
Holder	Pad		Extensions
Holder adjustable, size 1, incl. linkage, without pad <input type="checkbox"/> left side (..01) <input type="checkbox"/> right side (..02)	for truss pad size 1 Attention: Cushions for size 1 can only be mounted on truss pads size 1. 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/> 10x7cm (..05) <input type="checkbox"/> <input type="checkbox"/> 10x9 cm (..06)	for truss pad size 2 Attention: Cushions for size 2 can only be mounted on truss pads size 2. 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/> 15 x 10 cm (..04) <input type="checkbox"/> <input type="checkbox"/> 18 x 13 cm (..06)	Additional extension of joint for size 1 (3,8 cm) 1 St. 2 St. <input type="checkbox"/> <input type="checkbox"/> for size 2 (5,5 cm) 1 pos. 2 pos. <input type="checkbox"/> <input type="checkbox"/>
N° 6857.. CPD 210,- €/pcs	N° 6857.. CPD 50,- €/pcs	N° 6858.. CPD 50,- €/pcs	CPD 70,- €/pcs
Holder adjustable, size 2, incl. linkage, without pad <input type="checkbox"/> left side (..01) <input type="checkbox"/> right side (..02)			
N° 6858.. CPD 210,- €/pcs			

Terms and conditions

1. Preface and Scope

(1) Our terms and conditions apply exclusively. Any deviating, opposing, or complementing terms and conditions on the part of the business partner do not form an integral part of the contract unless explicitly approved by us. There are no exceptions to the consent requirement, which also applies in cases where we conduct deliveries without restrictions while aware of the business partner's terms and conditions.

(2) Agreements made in the individual case with the purchaser (including side-agreements, supplements, and alterations) always take priority over these terms and conditions. A contract or our confirmation - both in written form - are authoritative for the content of such arrangements.

(3) Any legally relevant declarations and notifications the purchaser submits to us after conclusion of the contract (e.g. setting of deadlines, notice of defects, declarations of rescission or abatement) require the written form to be valid.

(4) Any information on the application of legal regulations serves the mere purpose of clarification. All regulations are legally binding without any such clarifications unless explicitly altered or excluded in these terms and conditions.

2. Prices

All prices are ex works, excluding insurance and packaging. The prices are net prices; the value-added tax is stated and charged separately according to the legally binding rate at the time of invoicing. The prices valid on the day of delivery are binding unless explicitly arranged otherwise.

3. Conclusion of Contract

SORG's offers are invitatio ad offerendum (invitations to treat). Ordering goods counts as an obligatory offer of contract on the part of the purchaser. Unless the order suggests otherwise, we have the right to accept this contract offer within two weeks time after reception. The acceptance of an offer of contract is effected by the confirmation of the order.

4. Terms of Payment

(1) Invoices are to be paid within 8 days from the invoice date with a 2% discount, otherwise within 30 days without a discount. If checks are accepted by SORG then the payment is then fulfilled when the checks have been cashed. The purchaser bears the costs of bank transactions and discounting.

(2) If a 30-day payment deadline is exceeded, a delay rate of 8% on top of the respective base rate of the European Central Bank falls due without the need for prior notices. Beyond that, the purchaser is charged 3,- € for any reminder sent. We reserve the right to make use of the commercial due rate according to § 353 HGB. A higher damage for delay may be enforced via a suitable verification.

5. Offers and Validity

All current price lists are generally valid until March 31 of the respective year, or until new price lists are published. The latest version of the price list will always be provided on our homepage. Offers older than 3 months at that point expire and must be replaced with new offers and prices.

6. Time of Delivery and Delay

We state the terms of delivery when accepting the order. The delivery date is non-binding and has mere guideline value - especially with regard to customised products. The terms for delay in delivery are defined by legal regulations. In any case, a written notice issued by the purchaser is necessary for them to take effect.

7. Force Majeure (Act of God)

(1) SORG is not to be held responsible for the following delays of delivery. This also applies if these causes occur with respect to legal representatives, auxiliary persons, or deliverers of SORG: Circumstances of force majeure as well as other extraordinary events that are unpredictable and unavoidable for, and not caused by, SORG, and that only occur after ordering or reserving, and that SORG could not have known about. Moreover, this applies in case of strikes, fire, floods, labour disputes, business disruptions, altered official authorization and legal situation, and regulatory actions which are not due to operational risks.

(2) In the cases of paragraph 1, SORG is eligible to delay delivery/performance for the time of hindrance as well as an appropriate start-up time. If SORG thus causes unacceptable complications for the purchaser, both SORG and the purchaser are eligible to withdraw from the contract. Circumstances that only lead to a temporal and hence acceptable delay of delivery and performance are excluded from this right. The legal rights of the client remain unaffected.

8. Dispatch

We generally dispatch uncovered by insurance and at the recipient's risk. We transfer the risk of coincidental loss or deterioration of the goods as well as delay on to the client at the moment of passing the goods on to the forwarder, bearer, or any other person/institute responsible for delivery. SORG will make any effort to respect the client's wishes in terms of path and kind of delivery. Any costs caused by this (including agreed carriage free delivery) are to be covered by the client. In the case of carriage free delivery conducted by SORG, the recipient is required to put forward any carriage costs for a refund. If the client wishes the dispatch to be delayed, any risk of loss or deterioration of the goods is carried by the recipient from the first day of readiness for dispatch. The goods dispatched are only insured upon special demand and at the cost of the recipient.

9. Damage through Delivery

Upon delivery, the goods need to be checked for obvious damage in the presence of the bearer. Any damage is to be documented in a written form and co-signed by the bearer. This protocol is to be forwarded to us immediately. Delayed reclamations, or reclamations not signed by the bearer, cannot be taken into account.

10. Warranted Features, Receipt, and Technical Alterations

Delivered objects, even with minor damage, are to be accepted by the client, even if §433 paragraph 1 BGB is not fulfilled. Partial deliveries are permissible. Features only count as warranted if explicitly designated as such. A warranty of condition can only be asserted explicitly and in a written form. SORG reserves the right for technical alterations, especially for solutions of equal or higher value.

11. Warranty for Defects

(1) SORG warrants for any defects of delivered new goods for 12 months and for 6 months in case they are used.

(2) The purchaser's claim for defects presuppose that he has attended his obligation to give notice of defects on the legal grounds for his reasons of inquiry (§§ 377, 381 HGB). If defects are found during the inspection or at a later point, we are to be notified in writing without delay. The notice counts as not delayed if issued within two weeks. Posting the notice on time suffices for the keeping of the term. Independently from this obligation to inspect and give notice, the purchaser

is to report obvious defects (including wrong and short delivery) within two weeks upon delivery (again, posting the notice on time suffices). If the purchaser misses the proper inspection and/or notice of defects, we do not warrant for the reported defects. If the delivered good is defective, we may choose to conduct supplementary performance either by repairing the defect (subsequent improvement) or by delivering flawless goods (compensation delivery). Our right to refuse the chosen method of supplementary performance on the respective legal grounds remains untouched.

(3) Our liability for defects expires when alteration or maintenance works are done by the client or a third-person-party without our prior written permission. Consequences of excessive strain, negligent or incorrect handling, and violent damage are excluded from the warranty for defects.

12. Further Liability

(1) With respect to compensation - regardless of the legal cause - SORG is only liable in case of malice and act of gross negligence. In case of slight negligence, SORG is only liable for damage of life, body, health, and for damage caused by the negligence of an essential contractual obligation (an obligation whose fulfilment make the proper realisation of the contract possible in the first place and in whose fulfillment the contract partner regularly trusts and can trust). In this case, however, our liability does not exceed the covering of predictable, typically occurring damage.

(2) A free right to termination on the part of the purchaser (acc. to § 651, 649 BGB in particular) is precluded. Otherwise, the usual prerequisites and legal consequences apply.

13. Costs of Supplementary Performance

Costs of supplementary performance cannot be charged on SORG's account.

14. Voluntary Withdrawal of Goods

SORG is not obliged to take back any delivered end products or parts thereof. If SORG voluntarily decides otherwise in individual cases (especially for therapeutically altered requirements or deaths), SORG refunds a maximum of 75% of the delivery costs for unused parts whose delivery does not date back more than three months. There is no legal obligation concerning withdrawal in this respect. Deliveries which date back more than three months as well as sewed parts and customised products are not returnable. A copy of the delivery note or the bill serves as proof of age of delivery.

15. Reservation of Ownership

Goods delivered by SORG remain the property of SORG until any obligations from the parties' business contract on the part of the purchaser have been redeemed. This also applies if SORG has adapted individual or all claims into a running account which has been balanced and acknowledged. The purchaser has the right to dispose of the goods in the proper course of business. The purchaser hereby yields all claims to SORG which arise from the resale against the purchaser or third parties. The purchaser is authorised to withdraw these claims even upon conveyance. SORG's right to withdraw the claims remains untouched. However, SORG is obliged not to withdraw the claims as long as the purchaser complies with his duty of payment and any other duties. SORG has the right to demand that the purchaser makes known the yielded claims and their debtors, that he provides all information necessary for conveyance, and that he hands in all associated documents. As long and insofar the reservation of ownership is intact, the purchaser must not transfer any goods for securing or bailment without SORG's permission. The purchaser may process or alter the goods for the benefit of SORG exclusively. If processed with other goods which do not belong to SORG, SORG obtains co-ownership of these new goods in relation to the invoice value to the cost price of the other processed goods. If a third party interferes with SORG's ownership, the purchaser is to notify SORG immediately. The purchaser must not make any agreements with other purchasers which may exclude or limit SORG's rights. In particular, the purchaser must not make any agreements which destroy or limit the advance assignments to SORG. If the estimated value of the existing guarantees exceeds the claims to be ensured by more than 20%, SORG is insofar obliged to release by request of the purchaser.

16. Copyright Protection

If SORG conveys any images, drawings, indications of weight or measurements, technical documentations, or other product descriptions and documents (including electronic ones), the respective indications only apply if explicitly stated that they do. SORG reserves ownership and copyright of all these documents. They may only be made available to third parties upon SORG's explicit permission.

17. Place of Fulfilment, Place of Jurisdiction, and Severability Clause

(1) The law of the Federal Republic of Germany applies for these Terms and Conditions and all legal relations between us and our business partners. All international and supranational (contractual) legal systems, the UN Convention on Contracts for the International Sale of Goods in particular, are hereby excluded. Prerequisites and effects of the reservation of ownership acc. to no. 15 are subject to the right of the respective storage location of the good if the choice of law made in favour of the German law is illegitimate or ineffective. The only place of jurisdiction (also on an international basis) for any disputes arising directly or indirectly from the contractual relationship is, according to German Commercial Code, our office in Oberhausen-Rheinhausen, Germany. However, we also have the right to file a suit concerning the general jurisdiction of the purchaser.

(2) If any clause in these Terms of Conditions should turn out to be ineffective, this does not affect the effectiveness of all other clauses.

Technical alterations and misprints reserved. As of: March 2012

SORG Rollstuhltechnik GmbH + Co. KG
Benzstr. 3-5, 68794 Oberhausen-Rheinhausen
Phone +49 7254 / 9279-0
Fax +49 7254 / 9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de