



Mio

All prices valid until March 31st, 2016



German Aid Index N° 18.99.02.1012
base price 2.935,- €

Very lightweight activity wheelchair with fixed camber (adjustment of seat position via seat support frame), growable without additional parts in seat width (2 cm), seat depth (min. 4 cm) and back height (5 cm), adjustable back angle (80°-100°), especially suitable for very small and/or weak children from an age of 12-15 months on, rigid aluminium frame with V-shaped abduction for maximized leg space; seat plate, integrated side guards, standard-, profile- or lightweight wheels, caster wheels with aluminium fork, wheel cover; weight cap. max. 50kg



Quotation

Order

User/ID number <small>(Please fill in with block letters)</small>	Delivery address/company stamp	Billing address <input type="checkbox"/> Same as delivery address
First and surname	Contact person	
Health insurance company	Date/Signature	

Frame measures				cf. example on p.4
Seat width 10..	Seat depth 11..	Back height 12..	Seat height front in cm	Lower leg length
+ 2 cm extension each <input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 	+ 4 cm extension each <input type="checkbox"/> 18 <input type="checkbox"/> 20 <input type="checkbox"/> 22 <input type="checkbox"/> 24 <input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 	+ 2.5/5 cm extension each <input type="checkbox"/> 17.5 <input type="checkbox"/> 20 <input type="checkbox"/> 22.5 <input type="checkbox"/> 25 <input type="checkbox"/> 27.5 <input type="checkbox"/> 30 <input type="checkbox"/> 32.5 <input type="checkbox"/> 35 	At wheel size 20" <input type="checkbox"/> 34 <input type="checkbox"/> 35.5 <input type="checkbox"/> 37 <input type="checkbox"/> 38.5 At wheel size 22" <input type="checkbox"/> 36 <input type="checkbox"/> 37.5 <input type="checkbox"/> 39 <input type="checkbox"/> 40.5 At wheel size 24" <input type="checkbox"/> 38.5 <input type="checkbox"/> 40 <input type="checkbox"/> 41.5 <input type="checkbox"/> 43 cf. table on p.11	1. Real lower leg length of the user (LLL): _____ cm 2. Cushion thickness (CT) _____ cm

Frame versions				Retro-Frame	Taurus-Frame		
Retro-Frame N° 597301 recommended for LLL 15 cm-30 cm* <input type="checkbox"/> Strong abduction casters on one line with rear wheels N° 597305 0,- €		<input type="checkbox"/> Slight abduction casters narrower than rear wheels N° 597306 0,- €		Taurus-Frame N° 597304 recommended for LLL 20 cm-37 cm* <input type="checkbox"/> Strong abduction casters on one line with rear wheels N° 597305 0,- €		<input type="checkbox"/> Slight abduction casters narrower than rear wheels N° 597306 0,- €	

*For other configurations please contact us!

Colours		
Finish alternatives <input type="checkbox"/> Shiny <input checked="" type="checkbox"/> 0,- € <input type="checkbox"/> Matt <small>(not possible with special colours!)</small> N° 1561 59,- €	Moderate metallic effect (except for black) <input type="checkbox"/> Zinc Yellow (02) <input type="checkbox"/> Chrome Yellow (06) <input type="checkbox"/> Pure Orange (21) <input type="checkbox"/> Crimson (04) <input type="checkbox"/> Pastel Blue (20) <input type="checkbox"/> Dark Blue (16) <input type="checkbox"/> Brilliant Blue (08) <input type="checkbox"/> Dark Green (15) <input type="checkbox"/> Cream White (17) <input type="checkbox"/> Marrakech Brown (29) <input type="checkbox"/> Girly Pink (19) <input type="checkbox"/> Black (not metallic) (31)	Special colours Strong metallic effect: <input type="checkbox"/> Silver Metallic (36) <input type="checkbox"/> Anthracite Metallic (22) Dormant colours: <input type="checkbox"/> Fire Red Dormant (45) <input type="checkbox"/> Night Blue Dormant (47) AC 59,-€ <input type="checkbox"/> Violet Dormant (50) <input type="checkbox"/> Apple Green Dormant (18) Coarse structured surface: <input type="checkbox"/> Coarse Black (27) <input type="checkbox"/> Ultramarine Blue (37)



important information	Carbon elements		
1. Carbon elements selected on this page replace the corresponding configurations and prices on the following pages 2. Carbon elements are not crash tested and therefore not approved for the use as a seat in a passenger vehicle!	Single Carbon components: Seat plate, curved back plate, activity side guards and foot plate		
	Firm seat plate made of lightweight and highly stable carbon <input type="checkbox"/> no seat inclination <input type="checkbox"/> slight seat inclination <input type="checkbox"/> high seat inclination CPD 395,- €	Curved back plate with curve depth of 16-25 mm, made of lightweight and highly stable carbon, growable curve depth depends on the selected seat width <input type="checkbox"/> Model 1, BH + 2 cm <input type="checkbox"/> Model 3, BH + 5 cm CPD 535,- €	<input type="checkbox"/> Activity side guard made of lightweight and highly stable carbon CPD 645,- €
	<input type="checkbox"/> Foot plate/leg support Model 1 made of lightweight and highly stable carbon Model 2 can not be selected CPD 435,- €		





Abbreviations

piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration





seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/downloads

Curved back plate	
Model 1	Model 3
	
Straight upper edge, 2 cm higher than back height	Curved upper edge, 5 cm higher than back height

Back extension		Tarta [®] Back system	
Extended	Retracted	Adaptation holder	Example for Tarta [®] back rest
			
Back extended	Retracted back extension (back view)		<p>Tarta[®] is an ergonomic back rest that offers best solutions in terms of adaptability. With the SORG adaptation holder you can adapt a Tarta[®] back rest easily.</p> <p>Order information for Tarta[®] back systems at www.tartadesign.it/en/distributor/</p>

Seat and back cushions				
Standard cushion	Anatomical cushion	Cushion without cover	Breathable cover black	Breathable cover red
				
Breathable cover green	Breathable cover grey	Breathable cover orange	Breathable cover yellow	Breathable cover blue
				

Push handles			
Extendable		Single-hand push handle	Bow handle
Short handle (5 cm)	Long handle (11 cm)	Foldable	Adjustable in angle and foldable
			

Seat system		Back system		
Alu seat plate	Curved back plate Model 1	Curved back plate Model 3	Back angle	Stabilizer bar
<input checked="" type="checkbox"/> Incl. seat support frame, adjustable in height, depth and inclination Required configuration: <input type="checkbox"/> no seat inclination <input type="checkbox"/> slight seat inclination <input type="checkbox"/> high seat inclination	Curved back plate made of aluminium, BH + 2 cm; <input type="checkbox"/> 16-25 mm curve depth, growable! <input type="checkbox"/> 50 mm curve depth, attention: non-growable! <i>curve depth depends on the selected seat width</i>	Curved back plate made of aluminium, BH + 5 cm; <input type="checkbox"/> 16-25 mm curve depth, growable! <input type="checkbox"/> 50 mm curve depth, attention: non-growable! <i>curve depth depends on the selected seat width</i>	<input type="checkbox"/> Adjustable (80°-100°) Standard configuration: 90° Desired back angle: <input type="checkbox"/> ____°	<input type="checkbox"/> Stabilizer bar for an even higher stability of the back Required for head rest
N° 1903 0,- €	N° 6973..01/..03 0,- €	N° 6973..02/..04 170,- €	N° 697300 0,- €	N° 6410 80,- €

Back extension	Restrictions in combination with curved back plate		Back system
<input type="checkbox"/> Back extension for curved back plate, retractable; with detachable pad for head, weight reduction in comparison to a head rest approx. 1000 g From SW 26 cm, only with curved back plate, not possible with head rest (N° 6860..) and foil for curved back plate (N° 2527), not suitable as a head rest for the transport in a passenger vehicle	Curved back plate Model 1: • from BH 35 cm	Curved back plate Model 3: • from BH 30 cm	Tarta® back rest <input type="checkbox"/> Adaptation holder for dynamic back system of the Tarta®-company. Only in combination with stabilizer bar N° 6405 Order information for Tarta® back systems at www.tartade-sign.it/en/distributori/
N° 686069 285,- €			N° 611703 80,- €

Seat cushions (all covers with zippers and changeable)				
	Standard cushion	Anatomical cushion	Cover design	Incontinence cover
<input type="checkbox"/> No seat cushion (please tick if no cushion is required)	Synthetic foam for firm and comfortable seating <input type="checkbox"/> 3 cm (..03) <input type="checkbox"/> 5 cm (..05)	<input type="checkbox"/> Anatomically formed, with slight abduction, changeable cover, thickness of cushion measured at slightest point: front 5 cm, back 3 cm	Betex <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27)	<input type="checkbox"/> For standard cushion as chosen on the left
Additional covers for cushions as chosen on the right <input type="checkbox"/> 1 cover (..01) <input type="checkbox"/> 2 covers (..02)	Relax cushion for medium-soft seating <input type="checkbox"/> 3 cm (..03) <input type="checkbox"/> 5 cm (..05)	Customized product	<input type="checkbox"/> Seat cushion as chosen, without cover	<input type="checkbox"/> For anatomical cushion as chosen on the left
N° 82.. 72,- €/St	N° 81.. 125,- €	N° 891002 CPD 449,- €	N° 998001 ./ 30,- €	N° 86.. 74,- €
				N° 891004 135,- €

Back cushions (all covers with zippers and changeable)			
	Standard cushion	Anat. back cushion	Cover design
<input type="checkbox"/> No back cushion (please tick if no cushion is required)	<input type="checkbox"/> Medium-soft cushion foam plastic, 3 cm, with zipper, breathable cover (see options on the right)	Anatomically formed, incl. changeable cover (see options on the right) Cavity <input type="checkbox"/> 3 cm (..04) <input type="checkbox"/> 5 cm (..06)	Betex <input type="checkbox"/> black (20) <input type="checkbox"/> blue (21) <input type="checkbox"/> red (22) <input type="checkbox"/> grey (23) <input type="checkbox"/> green (24) <input type="checkbox"/> yellow (25) <input type="checkbox"/> orange (27)
Additional covers for cushions as chosen on the right <input type="checkbox"/> 1 cover (..01) <input type="checkbox"/> 2 covers (..02)		Only in combination with curved back plate Customized product	N° 8517../8911.. <input type="checkbox"/> Back cushion as chosen, without cover
N° 85.. 75,- €/St	N° 8517 125,- €	N° 8911.. CPD 249,- €	N° 998501 ./ 30,- €


Push handles			side guard
Standard	Single-hand push handle	Bow handle	Standard
<input type="checkbox"/> Push handles extendable by 22 cm	<input type="checkbox"/> Single-hand push handle, cranked, extendable by 22 cm, foldable and adjustable in angle by steel joint Also in combination with a head rest!	<input type="checkbox"/> Extendable by 22 cm, adducted, 205° adjustable in angle and foldable, synthetic joint	<input checked="" type="checkbox"/> Component of synthetic wheel cover and alu side guard
N° 6524 220,- €/P	N° 6606 270,- €	N° 6534 380,- €	N° 5023 0,- €/P

Abbreviations

piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration




seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD






Measuring the lower leg length

Manufacturer data	User data	Retailer data	
Our data for the possible lower leg length are: The maximum or rather minimal possible distance between the top edge of the seat to the top edge of the foot plate MEASURED VERTICALLY (90°) .	You are measuring at the user: The distance between the hollow of the knee to the floor (=LLL) , measured at a vertical leg position of 90°	When ordering, please indicate TWO measures: <ul style="list-style-type: none"> • 1. the real LLL of the user AND • 2. the thickness of the cushion used by you 	

Example

Our data	Your data	We are assembling
In the order form, we are indicating e.g.: „possible distance from top edge seat to top edge foot plate at internal mounting of leg support = min. 3.5 up to max. 30 cm“.	The real lower leg length of the user amounts e.g.: „LLL = 31 cm“ ; The thickness of the cushion used by you amounts e.g.: „CT = 5 cm“.	Using your data, our technicians are calculating a distance of 26 cm between the top edge of the seat to the top edge of the foot plate. Therefore, the foot plate will be mounted to the position of 26 cm, measured vertically . <i>At a cushion thickness of only 3 cm, our technicians would mount the foot plate to a distance of 28 cm from the top edge of the seat to the top edge of the footplate instead.</i>

Leg support with foot plate		Brakes
Model 1	Model 2	Bowden cable brake
		

Wheels			Double handrim	
Standard wheel	Profile wheel	Lightweight wheel	Distance tight (only 9 mm)	Distance normal (Standard)
				

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/downloads

Leg support with foot plate		Leg support options		
Model 1	Model 2	Locking device	Heel edge	Heel cups
<input type="checkbox"/> one piece, foot rest approx. 3 cm broader than SW; adjustable in height, depth and angle	<input type="checkbox"/> Retractable, central installation, foot plate approx. 3 cm broader than SW; hinged backwards, adjustable in height, depth and angle Only with LLL 19 cm or higher	<input type="checkbox"/> Locking for leg support Model 2 (N° 402503)	<input type="checkbox"/> For foot plate Not possible when combining leg support Model 2 (N° 402503) with SW 18/20 cm	Heel cups made of aluminium, self-installation <input type="checkbox"/> Size 1 (..01) (7x11.5 cm) <input type="checkbox"/> Size 2 (..02) (9x12.5 cm)
N° 402501 0,- €	N° 402503 200,- €	N° 4009 60,- €	N° 402505/401904 56,- €	N° 4020.. 52,- €/P

Brakes	
Bowden cable brake	Drum brake
<input type="checkbox"/> Bowden cable brake, integrated in activity side guards, with ball knob	<input type="checkbox"/> for standard-, profile- or lightweight wheels (N° 21..30/31), incl. braking lever for attendant if Bowden cable brake for the user is additionally required please tick also Article N° 3532 only at a wheel camber of 11° (N° 201516)
N° 3532 0,- €	N° 220036 310,- €

Wheel size and wheel camber	
Wheel size	Wheel camber
Size in inches <input type="checkbox"/> 18" (only for lightweight-wheels with standard hub, only up to seat depth 22) <input type="checkbox"/> 20" <input type="checkbox"/> 22" <input type="checkbox"/> 24"	Wheel camber, firmly welded <input type="checkbox"/> 9° (not with drum brake wheels) 0,- € Assembly set camber 7°/11°, preinstalled for <input type="checkbox"/> 7° <input type="checkbox"/> 11°
0,- €	N° 201516 60,- €





Wheels				
Standard wheel	Profile wheel	Lightweight wheel with standard hub	Lightweight wheel with drum brake hub	Double handrim
<input type="checkbox"/> All-round wheel Additional weight of approx. 900g/wheel compared to lightweight wheels	<input type="checkbox"/> Unity of handrim and rim, reduces the risk of finger injuries Additional weight of approx. 800g/wheel compared to lightweight wheels	<input type="checkbox"/> with standard hub Very lightweight, incl. aluminium handrim Weight reduction of approx. 900g/pair compared to standard wheels Not with solid tyres	<input type="checkbox"/> with drum brake hub , incl. black aluminium handrim Only in combination with N° 220036 (AC 310,- €) and only at a camber of 11°! Weight reduction up to 1,1 kg/pair compared to drum brake wheels Package price for lightweight wheels incl. drum brakes 310,- €/pair Not with solid tyres!	with standard hub and double handrim, Only up to 9° camber Mounting <input type="checkbox"/> left <input type="checkbox"/> right N° 2614 915,- € with drum brake hub and double handrim Only up to 9° camber Mounting <input type="checkbox"/> left <input type="checkbox"/> right N° 2615 1.049,- € <input type="checkbox"/> Handrim for opposite site N° 261435 139,- € Distance of handrims <input type="checkbox"/> standard 18mm (...11) <input type="checkbox"/> tight 9mm (...12))
N° 21..30 0,- €	N° 21..31 0,- €	N° 21..77 0,- €/P	N° 21..82 0,- €/P	N° 26.. 0,- €

Abbreviations





piece - pcs
 pair - P
 net price - NP
 additional charge - AC
 lower leg length - LLL
 cf. - configuration

seat width - SW
 seat depth - SD
 back height - BH
 customized product discount - CPD





Tyres

Schwalbe Right Run	Pneumatic Standard	Solid tyres Standard	Schwalbe Marathon Plus
			





Mounting of handrims For standard wheels please indicate the desired kind of mounting!

Standard tight	Standard wide	High tight	High wide
			

Handrim options

Silicone cover	Ergo rubber inlay	Maygrepp handrim	The Surge LT handrim
			

Caster wheels



Standard PU	Standard solid rubber	Design PU	Design solid rubber
			

Caster forks

Standard Aluminium	Design Aluminium
	

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/downloads

Tyres			
Standard	Standard	Design	Performance
Pneumatic: <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (grey/black) (...13)	Solid: <input type="checkbox"/> Standard tyres 1" (grey) (...11) Not for lightweight wheels	Pneumatic: <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (blue/black) (...14) <input type="checkbox"/> Schwalbe <i>Right Run</i> 1" (red/black) (...15) Only for 24" wheels	Pneumatic: <input type="checkbox"/> Schwalbe <i>Marathon Plus</i> , black, pneumatic flat free tyres 1" Only for 22" and 24" wheels
N° 20.. 0,- €	N° 23.. 0,- €	N° 20.. 24,- €/P	N° 20..12 65,- €/P

Handrims		Handrim options		
Mounting Standard wheel	The Surge LT handrim	Silicone	Ergo rubber inlay	Maxgrepp handrims
<input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> standard <input type="checkbox"/> high 20" only with mounting „high“ (in stainless steel) Material: <input type="checkbox"/> Stainless steel (30..01) <input type="checkbox"/> Aluminium (30..75)	<input type="checkbox"/> all-in-one oval handrim with a Gription strip that improves traction on every push Only for 24" wheels	Detachable silicone cover, black (soft surface) <input type="checkbox"/> for standard wheel (20-24) <input type="checkbox"/> for profile wheel (...02) <input type="checkbox"/> for lightweight wheel (...05)	<input type="checkbox"/> Rubber inlay, 13 mm wide, only for profile wheels 	<input type="checkbox"/> Allows pushing with the heel of hands (soft surface), only for standard and lightweight wheels 
0,- €	N° 342405 392,- €/P	N° 32.. 140,- €/P	N° 32..01 198,- €/P	N° 34.. 338,- €/P
Mounting Lightweight wheel	Design handrims	PVC		
<input type="checkbox"/> tight <input type="checkbox"/> wide <input type="checkbox"/> standard <input type="checkbox"/> high Material: Alu, silver anodized. combination standard/high not possible with lightweight wheel drum brake	<input type="checkbox"/> Aluminium handrims coated in frame colour	<input type="checkbox"/> Handrim coated with black PVC, (<i>Tetra Grip</i>) Not for profile wheels!		
N° 30...75 0,- €	N° 303000 NP 39,- €/P	N° 33.. 298,- €/P		

Spoke covers	Design Decors (Net prices are not discountable)				
Transparent	Please specify the desired model of the corresponding manufacturer:				
<input type="checkbox"/> transparent (...00)	<input type="checkbox"/> www.blueprince.de :	<input type="checkbox"/> www.Rehafachhandel-Heinrich.de :	<input type="checkbox"/> www.wheelchairgadgets.com :	<input type="checkbox"/> Optional: child's name on spoke cover:	
N° 25.. 158,- €/P				Only for Design Decor	
<input type="checkbox"/> blue (...53) <input type="checkbox"/> red (...52) <input type="checkbox"/> yellow (...51)					
N° 25.. 174,- €/P	N° 25..25 NP 198,- €	N° 25..26 NP 160,- €	N° 25..27 NP 140,- €		

<input type="checkbox"/> Foil for curved back plate with the corresponding design as chosen on the left Only with curved back plate
N° 2527 NP 98,- €/pcs

Caster wheels			
Standard PU	Standard solid rubber	Design PU	Design solid rubber
Polyurethane, grey: <input type="checkbox"/> 4" (2812) <input type="checkbox"/> 5" (2805)	Solid rubber, grey: <input type="checkbox"/> 4" (2804) <input type="checkbox"/> 5" (2809)	Polyurethane, transparent, mit LEDs: <input type="checkbox"/> 4" (2820) <input type="checkbox"/> 5" (2834)	Solid rubber, black, with aluminium rim <input type="checkbox"/> 4" (2835) <input type="checkbox"/> 5" (2836)
0,- €	0,- €	0,- €	0,- €

Caster forks	
Standard Aluminium	Design Aluminium
<input type="checkbox"/> Aluminium fork, black anodized	<input type="checkbox"/> Aluminium fork coated in frame colour
N° 2826 0,- €	N° 2829 NP 29,- €/P

Abbreviations







piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD

Frame options

Anti tipper	Outdoor Front End	Water bottle
		

Head rests *Measures in mm*


Model 1	Model 3	Model 5
		
Model 2	Model 4	Model 6
		
shell-shaped	curved	x-shaped


Abduction wedges

Belt systems

Mounting	Sizes S, M and L	Hip belt Standard	Hip belt	Butterfly vest
				

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/downloads

Frame options				
Anti tipper	Outdoor Front End	Splash guard	Step tube	water bottle
Swing-away installation Mounting <input type="checkbox"/> left <input type="checkbox"/> right <input type="checkbox"/> pair (with 20" wheel from SW20)	<input type="checkbox"/> Outdoor Front End, facilitates significantly active and passive driving on soft or rough surfaces, incl. mounting aid Not possible with abduction wedge or therapy table	<input type="checkbox"/> Splash guard for Outdoor Front End, made of plastic 	Mounting <input type="checkbox"/> right <input type="checkbox"/> left (not in combination with Anti tipper on both sides)	<input type="checkbox"/> Water bottle 750ml, light PET-bottle, incl. holder
N° 7213 145,- €/pcs	N° 599517/18 CPD 388,- €	N° 59951212 CPD 41,- €	N° 7406 44,- €/pcs	N° 790101 NP 16,- €

Frame options	
Retaining eyelets	
Retaining eyelets for front frame during the transport in a passenger vehicle <input type="checkbox"/> for Taurus frame (..01) <input type="checkbox"/> for Retro frame (..02)	
Additionally you need an extended hip belt as well as suitable retractors from specialized trade. In this case, no additional eyelets are required at the rear frame.	
N° 585073..	140,- €




Positioning aids		
Head rests	Abduction wedges	
<input type="checkbox"/> Model 1, (..21) shell-shaped small <input type="checkbox"/> Model 2, (..22) shell-shaped large <input type="checkbox"/> Model 3, (..23) curved small <input type="checkbox"/> Model 4, (..24) curved large <input type="checkbox"/> Model 5, (..25) x-shaped small <input type="checkbox"/> Model 6, (..26) x-shaped large Only with stabilizer bar N° 6410	Bar holder for head rest at stabilizer bar <input type="checkbox"/> Square-cut 15x15 (..04) <input type="checkbox"/> Round profile (..06)	Incl. holder and pad <input type="checkbox"/> Size S (..52) 94 x 65 x 90 mm (L x W x H) <input type="checkbox"/> Size M (..53) 110 x 82 x 95 mm (L x W x H) <input type="checkbox"/> Size L (..54) 125 x 90 x 100 mm (L x W x H) Not possible in combination with therapy table or Outdoor Front End N° 599517/18
N° 6860.. 270,- €	N° 6860.. 55,- €	N° 19.. 186,- €



Belt systems (for self-installation)		
Hip Belt Standard	Hip belt	Butterfly vest
With velcro and lock, Abdominal girth: <input type="checkbox"/> Length 1: 85 - 110 cm <input type="checkbox"/> Length 2: 110 - 140 cm	<input type="checkbox"/> Safety- and positioning belt with buckle and clip collars	4-point strap system with mounting set, Size: <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M
N° 7800 104,- €	N° 7805 158,- €	N° 7810 278,- €

Abbreviations

piece - pcs
 pair - P
 net price - NP
 additional charge - AC
 lower leg length - LLL
 cf. - configuration

seat width - SW
 seat depth - SD
 back height - BH
 customized product discount - CPD


Lateral support by Stealth		Holder	
Swing-away laterals, small, up to max 35kg		Square-cut	Round profile
<p>Size 1, incl. linkage, adjustable holder</p> 	<p>Pad, incl. removable cover black (only for holder size 1) 16.5x4.5 cm (..04) 10x7 cm (..05) 10x9 cm (..06)</p>		

Therapy tables	
Acrylic glass	Design (example)
	

To see the latest versions of our order forms, please visit www.sorgrollstuhltechnik.de/downloads

Lateral support by Stealth		Therapy table	
Swing-away laterals, small, up to max 35kg		Acrylic glass	Design
Adjustable holder, Size 1, incl. linkage (without pad) <input type="checkbox"/> for left side (...01) <input type="checkbox"/> for right side (...02)	Pad, incl. removable cover black (only for holder of size 1) 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/> 16.5x4.5 cm (...04) <input type="checkbox"/> <input type="checkbox"/> 10x7cm (...05) <input type="checkbox"/> <input type="checkbox"/> 10x9 cm (...06)	Central installation, plugged under seat plate, adjustable in height and distance <input type="checkbox"/> Size 0 (...10) (39 cm width, recommended for SW 18-24) <input type="checkbox"/> Size 1 (...11) (46 cm width, recommended for SB 26-30) Not in combination with abduction wedge or Outdoor Front End	<input type="checkbox"/> Number of design for plexiglas therapy table according to wheelchairgadgets.com
	N° 6857.. SR 50,- €/pcs.		
	Additional extension of joint (3.8 cm) for small pads 1 pcs. 2 pcs. <input type="checkbox"/> <input type="checkbox"/>		
N° 6857.. SR 210,- €/pcs.	N° 685703 SR 70,- €/pcs.	N° 9209.. 315,- €	N° 920099 CPD 89,- €

Electric drives and systems		
Recommendations	AAT systems	Alber systems
1. For all electric aids we recommend casters of 5". 2. Please regard the respective mounting specifications given on the homepages indicated on the right	Please get in touch with the manufacturer to clarify mounting options More information on www.aat-online.de	Please get in touch with the manufacturer to clarify mounting options More information on www.alber.de



Seat heights

All specifications measured **WITHOUT** cushions!

All specifications $\pm 5\%$

Wheel combination	Seat height front measured WITHOUT CUSHION from seat edge to floor at horizontal seat			
	deepest			highest
20" x 4" (=B2)	35 cm	36.5 cm	38 cm	39.5 cm
20" x 5" (=B1)	35 cm	36.5 cm	38 cm	39.5 cm
22" x 4" (=B2)	37 cm	38.5 cm	40 cm	41.5 cm
22" x 5" (=B1)	37 cm	38,5 cm	40 cm	41.5 cm
24" x 4" (=B2)	39.5 cm	41 cm	42.5 cm	44 cm
24" x 5" (=B1)	39.5 cm	41 cm	42.5 cm	44 cm

Abbreviations

piece - pcs
pair - P
net price - NP
additional charge - AC
lower leg length - LLL
cf. - configuration

seat width - SW
seat depth - SD
back height - BH
customized product discount - CPD

Terms and Conditions

1. Preface and Scope

(1) Our terms and conditions apply exclusively. Any deviating, opposing, or complementing terms and conditions on the part of the business partner do not form integral part of contract unless explicitly approved of by us. There are no exceptions to the consent requirement, which also applies in cases where we conduct deliveries without restrictions while aware of the business partner's terms and conditions.

(2) Agreements made in the individual case with the purchaser (including side-agreements, supplements, and alterations) always take priority over these terms and conditions. A contract or our confirmation - both in written form - are authoritative for the content of such arrangements.

(3) Any legally relevant declarations and notifications the purchaser submits to us after conclusion of the contract (e.g. setting of deadlines, notice of defects, declarations of rescission or abatement) require the written form to be valid.

(4) Any information on the application of legal regulations serves the mere purpose of clarification. All regulations are legally binding without any such clarifications unless explicitly altered or excluded in these terms and conditions.

2. Prices

All prices are ex works, excluding insurance and packaging. The prices are net prices; the value-added tax is stated and charged separately according to the legally binding rate at the time of invoicing. The prices valid on the day of delivery are binding unless explicitly arranged otherwise.

3. Conclusion of Contract

SORG's offers are invitatio ad offerendum (invitations to treat). Ordering goods counts as an obligatory offer of contract on the part of the purchaser. Unless the order suggests otherwise, we have the right to accept this contract offer within two weeks time after reception. The acceptance of an offer of contract is effected by the confirmation of the order.

4. Terms of Payment

(1) Provided that no other agreements exist, payment is to be made by paying in advance - 50% at placing of order, 50% pre-delivery of goods. The purchaser bears any costs arising from transactions or discounting.

(2) If a 30-day payment deadline is exceeded, a delay rate of 8% on top of the respective base rate of the European Central Bank falls due without the need for prior notices. Beyond that, the purchaser is charged 3,- € for any reminder sent. We reserve the right to make use of the commercial due rate according to § 353 HGB. A higher damage for delay may be enforced via a suitable verification.

5. Offers and Validity

All current price lists are generally valid until March 31 of the respective year, or until new price lists are published. The latest version of the price list will always be provided on our homepage. Offers older than 3 months at that point expire and must be replaced with new offers and prices.

6. Time of Delivery and Delay

We state the terms of delivery when accepting the order. The delivery date is non-binding and has mere guideline value - especially with regard to customised products. The terms for delay in delivery are defined by legal regulations. In any case, a writing notice issued by the purchaser is necessary for them to take effect.

7. Force Majeure (Act of God)

(1) SORG is not to be held responsible for the following delays of delivery. This also applies if these causes occur with respect to legal representatives, auxiliary persons, or deliverers of SORG: Circumstances of force majeure as well as other extraordinary events that are unpredictable and unavoidable for, and not caused by, SORG, and that only occur after ordering or reserving, and that SORG could not have known about. Moreover, this applies in case of strikes, fire, floods, labour disputes, business disruptions, altered magisterial approbation and legal situation, and magisterial orders which are not due to operational risks.

(2) In the cases of paragraph 1, SORG is eligible to delay delivery/performance for the time of hindrance as well as an appropriate start-up time. If SORG thus causes unacceptable complications for the purchaser, both SORG and the purchaser are eligible to withdraw from the contract. Circumstances that only lead to a temporal and hence acceptable delay of delivery and performance are excluded from this right. The legal rights of the client remain unaffected.

8. Dispatch

We generally dispatch uncovered by insurance and at the recipient's risk. We transfer the risk of accidental loss or deterioration of the goods as well as delay on to the client at the moment of passing the goods on to the forwarder, bearer, or any other person/institute responsible for delivery. SORG will make any effort to respect the client's wishes in terms of path and kind of delivery. Any costs caused by this (including agreed carriage free delivery) are to be covered by the client. In the case of carriage free delivery conducted by SORG, the recipient is required to put forward any carriage costs for a refund. If the client wishes the dispatch to be delayed, any risk of loss or deterioration of the goods is carried by the recipient from the first day of readiness for dispatch. The goods dispatched are only insured upon special demand and at the cost of the recipient.

9. Damage through Delivery/Angelegene Gegenstände sind, auch wenn sie unwesentliche Mängel Upon delivery, the goods need to be checked for obvious damage in the presence of the bearer. Any damage is to be documented in a written form and co-signed by the bearer. This protocol is to be forwarded to us immediately. Delayed reclamations, or reclamations not signed by the bearer, cannot be taken into account.

10. Warranted Features, Receipt, and Technical Alterations

Delivered objects, even with minor damage, are to be accepted by the client, even if §433, paragraph 1 BGB is not fulfilled. Partial deliveries are permissible. Features only count as warranted if explicitly designated as such. A warranty of condition can only be asserted explicitly and in a written form. SORG reserves the right for technical alterations, especially for solutions of equal or higher value.

11. Warranty for Defects

(1) SORG warrants for any defects of delivered new goods for 12 months and for 6 months in case they are used.

(2) The purchaser's claim for defects presuppose that he has attended his obligation to give notice of defects on the legal grounds for his reasons of inquiry (§§ 377, 381 HGB). If defects are found during the inspection or at a later point, we are to be notified in writing without delay. The notice counts as not delayed if issued within two weeks. Posting the notice on time suffices for the keeping of the term. Independently from this obligation to inspect and give notice, the purchaser

is to report obvious defects (including wrong and short delivery) within two weeks upon delivery (again, posting the notice on time suffices). If the purchaser misses the proper inspection and/or notice of defects, we do not warrant for the reported defects. If the delivered good is detected, we may choose to conduct supplementary performance either by repairing the defect (subsequent improvement) or by delivering flawless goods (compensation delivery). Our right to refuse the chosen method of supplementary performance on the respective legal grounds remains untouched.

(3) Our liability for defects expires when alteration or maintenance works are done by the client or a third-person-party without our prior written permission. Consequences of excessive strain, negligent or incorrect handling, and violent damage are excluded from the warranty for defects.

12. Further Liability

(1) With respect to compensation - regardless of the legal cause - SORG is only liable in case of malice and act of gross negligence. In case of slight negligence, SORG is only liable for damage of life, body, health, and for damage caused by the negligence of an essential contractual obligation (an obligation whose fulfilment make the proper realisation of the contract possible in the first place and in whose fulfilment the contract partner regularly trusts and can trust). In this case, however, our liability does not exceed the covering of predictable, typically occurring damage.

(2) A free right to termination on the part of the purchaser (acc. to § 651, 649 BGB in particular) is precluded. Otherwise, the usual prerequisites and legal consequences apply.

13. Costs of Supplementary Performance

Costs of supplementary performance cannot be charged on SORG's account.

14. Voluntary Withdrawal of Goods

SORG is not obliged to take back any delivered end products or parts thereof. If SORG voluntarily decides otherwise in individual cases (especially for therapeutically altered requirements or deaths), SORG refunds a maximum of 75% of the delivery costs for unused parts whose delivery does not date back more than three months. There is no legal obligation concerning withdrawal in this respect. Deliveries which date back more than three months as well as sewed parts and customised products are not returnable. A copy of the delivery note or the bill serves as proof of age of delivery.

15. Reservation of Ownership

Goods delivered by SORG remain the property of SORG until any obligations from the parties' business contract on the part of the purchaser have been redeemed. This also applies if SORG has adapted individual or all claims into a running account which has been balanced and acknowledged. The purchaser has the right to dispose of the goods in the proper course of business. The purchaser hereby yields all claims to SORG which arise from the resale against the purchaser or third parties. The purchaser is authorised to withdraw these claims even upon conveyance. SORG's right to withdraw the claims remains untouched. However, SORG is obliged not to withdraw the claims as long as the purchaser complies with his duty of payment and any other duties. SORG has the right to demand that the purchaser makes known the yielded claims and their debtors, that he provides all information necessary for conveyance, and that he hands in all associated documents. As long and insofar the reservation of ownership is intact, the purchaser must not transfer any goods for securing or bailment without SORG's permission. The purchaser may process or alter the goods for the benefit of SORG exclusively. If processed with other goods which do not belong to SORG, SORG obtains co-ownership of these new goods in relation to the invoice value to the cost price of the other processed goods. If a third party interferes with SORG's ownership, the purchaser is to notify SORG immediately. The purchaser must not make any agreements with other purchasers which may exclude or limit SORG's rights. In particular, the purchaser must not make any agreements which destroy or limit the advance assignments to SORG. If the estimated value of the existing guarantees exceeds the claims to be ensured by more than 20%, SORG is insofar obliged to release by request of the purchaser.

16. Copyright Protection

If SORG conveys any images, drawings, indications of weight or measurements, technical documentations, or other product descriptions and documents (including electronic ones), the respective indications only apply if explicitly stated that they do. SORG reserves ownership and copyright of all these documents. They may only be made available to third parties upon SORG's explicit permission.

17. Place of Fulfilment, Place of Jurisdiction, and Severability Clause

(1) The law of the Federal Republic of Germany applies for these Terms and Conditions and all legal relations between us and our business partners. All international and supranational (contractual) legal systems, the UN Convention on Contracts for the International Sale of Goods in particular, are hereby excluded. Prerequisites and effects of the reservation of ownership acc. to no. 15 are subject to the right of the respective storage location of the good if the choice of law made in favour of the German law is illegitimate or ineffective. The only place of jurisdiction (also on an international basis) for any disputes arising directly or indirectly from the contractual relationship is, according to German Commercial Code, our office in Oberhausen-Rheinhausen, Germany. However, we also have the right to file a suit concerning the general jurisdiction of the purchaser.

(2) If any clause in these Terms of Conditions should turn out to be ineffective, this does not affect the effectiveness of all other clauses.

Technical alterations and misprints reserved. As of: March 2012

SORG Rollstuhltechnik GmbH + Co. KG
Benzstr. 3-5, 68794 Oberhausen-Rheinhausen
Phone +49 7254 / 9279-0
Fax +49 7254 / 9279-10
info@sorgrollstuhltechnik.de, www.sorgrollstuhltechnik.de