

Momentum Healthcare
Unit G Sark Business Park
Purcellsinch Industrial Estate
Kilkenny
R95 HK81
Email: info@momentumhc.ie
Tel: 056 7712394

Ride® Java® Decaf Back Order Form

Therapist Name & Address

Phone _____
Email _____

Delivery Address

Phone _____
Fax _____

Client Details

1. Ride Java Decaf Back for Pediatrics (E2615)

NOTE: The Ride Java Decaf back support includes one pair of pelvic wedges and one pair of Flexa-just™ stays, and utilizes the Ride FlexLoc® hardware for wheelchair attachment. Select either fixed non-removable attachment (-FM) or quick-release attachment (-QR).

Ride Java Decaf Back Width	Ride Java Decaf Back Height	Part Number FM = Fixed non-removable attachment QR = Quick-Release attachment	Fits Wheelchair Width	Retail Price Complete	Quantity	Total
10"	10" Regular	JB-1010D-FM	10-15"			
10"	10" Regular	JB-1010D-QR	10-15"			
10"	13" Tall	JB-1013DT-FM	10-15"			
10"	13" Tall	JB-1013DT-QR	10-15"			
12"	12" Regular	JB-1212D-FM	10-15"			
12"	12" Regular	JB-1212D-QR	10-15"			
12"	15" Tall	JB-1215DT-FM	10-15"			
12"	15" Tall	JB-1215DT-QR	10-15"			
13"	12" Regular	JB-1312D-FM	10-15"			
13"	12" Regular	JB-1312D-QR	10-15"			
13"	15" Tall	JB-1315DT-FM	10-15"			
13"	15" Tall	JB-1315DT-QR	10-15"			
14"	12" Regular	JB-1412D-FM**	10-15"			
14"	12" Regular	JB-1412D-QR**	10-15"			
14"	15" Tall	JB-1415DT-FM**	10-15"			
14"	15" Tall	JB-1415DT-QR**	10-15"			


2. Java Decaf Growth Kit

Item	Part Number	Retail Price
☐ Growth Kit The Java Decaf growth kit includes a new shell, foam and a cover. New mounting hardware is not required. Decaf hardware can be reused with any size Decaf shell. **NOTE: 14" x 12" Decaf Backs can be grown to a maximum size of 14" x 15". Java Decaf Backs sized 14" x 15" can not be grown. (Select a Java Back for sizes larger than 14" x 15".)	JB-GK _____ Specify shell width and height.	_____

TOTAL _____

3. Available Java Decaf Accessories

Item	Part Number	Retail Price	Quantity	Total	
FIXED lateral trunk support (each)					
Fits 10" Java Decaf Back width					
Flat Pad					
☐ 3 x 5"	JB-L001	}			
☐ 4 x 6"	JB-L002				
☐ 5 x 6"	JB-L003				
Curved Pad					
☐ 3 x 5"	JB-L004	}			
☐ 4 x 6"	JB-L005				
☐ 5 x 6"	JB-L006				
Fits 12 - 14" Java Decaf Back width					
Flat Pad					
☐ 3 x 5"	JB-L007	}			
☐ 4 x 6"	JB-L008				
☐ 5 x 6"	JB-L009				
Curved Pad					
☐ 3 x 5"	JB-L010	}			
☐ 4 x 6"	JB-L011				
☐ 5 x 6"	JB-L012				
SWING-AWAY lateral trunk support (each)					
Fits 10" Java Decaf Back width					
Flat Pad					
☐ 3 x 5"	☐ JB-L019	☐ JB-L020	}		
☐ 4 x 6"	☐ JB-L021	☐ JB-L022			
☐ 5 x 6"	☐ JB-L023	☐ JB-L024			
Curved Pad					
☐ 3 x 5"	☐ JB-L025	☐ JB-L026	}		
☐ 4 x 6"	☐ JB-L027	☐ JB-L028			
☐ 5 x 6"	☐ JB-L029	☐ JB-L030			
Fits 12 - 14" Java Decaf Back width					
Flat Pad					
☐ 3 x 5"	☐ JB-L031	☐ JB-L032	}		
☐ 4 x 6"	☐ JB-L033	☐ JB-L034			
☐ 5 x 6"	☐ JB-L035	☐ JB-L036			
Curved Pad					
☐ 3 x 5"	☐ JB-L037	☐ JB-L038	}		
☐ 4 x 6"	☐ JB-L039	☐ JB-L040			
☐ 5 x 6"	☐ JB-L041	☐ JB-L042			



**Fixed Lateral
Trunk Support**



Flat Pad



Curved Pad



**Swing-Away
(Left)
Lateral Trunk
Support**



**Swing-Away
(Right)
Lateral Trunk
Support**

TOTAL _____

Available Java Decaf Accessories (continued)

Item	Part Number	Retail Price	Quantity	Total
☐ Additional Flexa-just™ stays (pair)	JB-FAS			
☐ Universal headrest mounting plate (fits tall only)	JB-UHMP			
☐ Extra outer cover: specify width, height (reg/tall)	CJB-____ (__)			
☐ Additional pelvic wedges, Decaf sizes (pair)	JB-PW			
☐ Quickie® fold-down push handle adaptor	6000-391			
Ride Privacy Flap				
☐ EXTRA SMALL (fits Java Decaf Back widths 10-11")	JB-PFXS			
☐ SMALL (fits Java Decaf Back widths 12-14")	JB-PFS			

TOTAL this page _____

+ TOTAL from page 1 & 2 _____

TOTAL _____

Return Policy

Ride Java Decaf Backs may be returned if they are in their original, sealed, Ride plastic bag.
All returns are subject to a 10% restocking fee.


www.ridedesigns.com

Patents: www.ridedesigns.com/patents
© 2016, Ride Designs. 090-086-D

Momentum Healthcare

Unit G Sark Business Park
Purcellsinch Industrial Estate
Kilkenny
R95 HK81
Email: info@momentumhc.ie
Tel: 056 7712394