


# SMART<sup>S</sup>

2.370



Suitable for passenger transport.  
Tested according to ISO 7176-19  
(max. client weight 136 kg)





Folding system optimised to reduce size



Operating requires very little force



Individually adjustable chassis



Unique side guard with height-adjustable armrests that can be operated with one hand

## New Active Line

### **COST EFFECTIVENESS**

- maximum part compatibility
- minimal wear and tear; repairs rarely necessary thanks to the integral construction of the frame and the quality of the components
- rapid, long-term supply of spare parts thanks to extensive network of specialist retailers

### **THERAPEUTIC VALUE**

- stabilising and mobilising of users with neurological conditions possible thanks to optimal smoothness, good support when sitting and light weight
- chair can be easily wheeled right up to everyday objects thanks to the straight design of the front section and the swing-away, removable leg rests
- folding mechanism for independent loading into vehicle
- can be adjusted for various functions for the user, e.g. by retrofitting an electric drive
- comprehensive range of equipment for long-term users

### **FIELD OF USE**

- for permanent and long-term care
- very well suited for various conditions, also for severely disabled people
- for users with the ability to stand and walk independently to some degree (transfer via the stand)
- for neurological conditions

ORDER

QUOTATION

CUSTOM-MADE VERSION

**Please fax your completed order form to: +49 (0) 5733 922 9311 Customer service: +49 (0) 5733 922 0**

Invoice address/customer no:

---

Delivery address:

---

Consignment/remarks:

**MEYRA**



*Suitable for passenger transport.  
Tested according to ISO 7176-19  
(max. client weight 136 kg)*

## SMART<sup>S</sup> 2.370

All prices exclude VAT at the statutory rate. Valid from 01.01.2018 to 31.12.2018.  
Our general terms and conditions apply, which can be found on [www.meyra.de/en/gtc](http://www.meyra.de/en/gtc).



### Technical data

Seat width	320	340	360	380	400	420	440	460	480	500	520
Width when ready for use	500	520	540	560	580	600	620	640	660	680	700
Folded width	280 with 0° wheel camber or 330 with 3° wheel camber										
Seat depth	380 / 400 / 420 / 440 / 460 / 480 / 500										
Seat height front/rear	400 to 540 and 370 to 530										
Overall height	seat height at the back + back height										
Back height	variable from 250 to 500 (+ 25 mm)										
Armrest height	approx. 170–245										
Length with footrests	880–1,030 (depending on the frame length, wheel size and position of the axle)										

Dimensions in mm, weight in kg, wheels in inches, size tolerance ± 10 mm

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

## Technical data

User weight	150
Chair weight	from 10.5
Permitted total weight	from 160.5
Transport weight	6.5
	560 (22")
Rear wheel	600 (24")
	635 (25")
	660 (26")

## 00 Frame design (frame length)

	CODE	DESCRIPTION	SD IN MM	TL IN MM
<input type="checkbox"/>	351	Short frame	380–420	880–950
<input type="checkbox"/>	352	Medium frame	440–460	920–990
<input type="checkbox"/>	353	Long frame	480–500	960–1,030

View the various seat depths and choose yours in category 02.

## 01 Seat width (SW)

	CODE	DESCRIPTION
<input type="checkbox"/>	32	SW 320 mm
<input type="checkbox"/>	34	SW 340 mm
<input type="checkbox"/>	36	SW 360 mm
<input type="checkbox"/>	38	SW 380 mm
<input type="checkbox"/>	40	SW 400 mm
<input type="checkbox"/>	342	SW 420 mm
<input type="checkbox"/>	344	SW 440 mm
<input type="checkbox"/>	46	SW 460 mm
<input type="checkbox"/>	48	SW 480 mm
<input type="checkbox"/>	350	SW 500 mm
<input type="checkbox"/>	952	SW 520 mm

## 02 Seat depth (SD) seat belt can be tightened

	CODE	DESCRIPTION	FRAME CODE
<input type="checkbox"/>	368	SD 380 mm including utensil bag under the seat belt	351
<input type="checkbox"/>	615	SD 400 mm including utensil bag under the seat belt	351
<input type="checkbox"/>	784	SD 420 mm including utensil bag under the seat belt	351
<input type="checkbox"/>	618	SD 440 mm including utensil bag under the seat belt	352
<input type="checkbox"/>	619	SD 460 mm including utensil bag under the seat belt	352
<input type="checkbox"/>	787	SD 480 mm including utensil bag under the seat belt	353
<input type="checkbox"/>	792	SD 500 mm including utensil bag under the seat belt	353

Please tick your choice in the boxes

**Standard version:** In case you do not make another selection we will generally deliver the standard version.

### 03 Front seat height (FSH) combined with castor (without seat cushion)

Horizontal columns = seat heights in mm Vertical rows = Ø castor sizes in mm

Please select your desired seat height by choosing a possible combination of seat height and wheel size.  
The maximum seat height difference allowed between the front and back seat height is 90 mm.

FSH	CODE 645 with pneu- matic tyres	CODE 161 puncture-re- sistant	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540
Ø 100			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ø 125				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ø 142					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ø 180	<input type="checkbox"/>	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

When FSH is selected, a standard castor is automatically configured. You also have the option of selecting Xtrends castor wheels from the following table.

#### Xtrends castor wheels

	CODE	ARTICLE	DESCRIPTION	RIM	TYRES	Ø X W
<input type="checkbox"/>	689	1068963	Lightwheel (pair)	Plastic	Solid rubber Transparent / coloured	100 x 23 mm
<input type="checkbox"/>	689	1072385	Castor (pair)	Aluminium silver	Solid rubber	100 x 32 mm
<input type="checkbox"/>	689	1072386	Castor (pair)	Aluminium silver	Solid rubber	125 x 32 mm
<input type="checkbox"/>	689	Frog legs castors (pair)				
		<input type="checkbox"/>	silver 1081340			
		<input type="checkbox"/>	black 1081341			
<input type="checkbox"/>	689	<input type="checkbox"/>	orange 1081342		Solid rubber	100 x 32 mm
		<input type="checkbox"/>	red 1081343			
		<input type="checkbox"/>	blue 1081344			
<input type="checkbox"/>	689	Frog legs castors (pair)				
		<input type="checkbox"/>	silver 1081345			
		<input type="checkbox"/>	black 1081346			
		<input type="checkbox"/>	orange 1081347			
		<input type="checkbox"/>	red 1081348		Solid rubber	125 x 32 mm
		<input type="checkbox"/>	blue 1081349			

### 04 Seat cushion

	CODE	DESCRIPTION	
<input type="checkbox"/>	560	Seat cushion	30 mm
<input type="checkbox"/>	561	Seat cushion	60 mm
<input type="checkbox"/>	562	Velcro strip on seat belt	

Please choose your desired colour in category 16: seat and back strap colours.

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

## 05 Rear seat height (RSH) combined with rear wheel (without seat cushion)

Horizontal columns = seat heights in mm Vertical rows = Ø rear wheel

Please select your desired seat height by choosing a possible combination of seat height and wheel size.

The maximum seat height difference allowed between the front and back seat height is 90 mm. 25"/26", see Xtrends rear wheels.

CODE 351 frame short (Possible seat heights bei 3°-wheel camber CODE 447 just in combination with pressure break CODE 706)

	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530
Ø 22 x 1"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						
Ø 24 x 1"			<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
Ø 24 x 1 3/8"				<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Ø 25 x 1"					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ø 26 x 1"						<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### Horizontal rear wheel position (centre of gravity adjustment)

POSITION	ACTIVE			MEDIUM		PASSIVE	
Position	1**	2**	3	4	5	6	7
Distance* in mm	<input type="checkbox"/> 100	<input type="checkbox"/> 90	<input type="checkbox"/> 80	<input type="checkbox"/> 70	<input type="checkbox"/> 60	<input type="checkbox"/> 50	<input type="checkbox"/> 40

\* Measuring method: middle of back tube to middle of axle

\*\* Just in combination with frame short CODE 351 not mountable

## 06 Rear wheels in combination with seat height

CODE	DESCRIPTION	Ø	Ø
<input type="checkbox"/> 651	Standard wheel including quick-release axle (pair)	22"	24"
<input type="checkbox"/> 848	SILVERDESIGN with radial spokes and large flange hub including quick-release axle (pair)	24"	-
<input type="checkbox"/> 695	Active wheel with radial spokes, large flange hub and hollow rim (jumbo rim) in black (pair) Recommended for user weights of 100 kg and over or for dynamic handling Not in combination with polyurethane tyres CODE 902	24"	-
<input type="checkbox"/> 752	"Light" wheel including Schwalbe RightRun Light tyres and black aluminium hand rim, only in combination with 0° wheel camber CODE 423 (pair) Recommended for user weight up to 90 kg.	22"	24"

Please select your hand rim in category 08 and tyres in category 09 for CODES 651 and 695.

If required, please select Xtrends rear wheels including hand rims and tyres instead of rear wheels CODES 651, 695 or 752.

Please tick your choice in the boxes

**Standard version:** In case you do not make another selection we will generally deliver the standard version.

### Xtrends rear wheels

CODE	ARTICLE	DESCRIPTION	Ø			
<input type="checkbox"/>	688	<input type="checkbox"/> blue <input type="checkbox"/> red <input type="checkbox"/> gold	1081354 1081356 1081355	New active wheel with radial spokes, Schwalbe ONE tyres, hub, rim and hand rims in various colours 24 x 1"		
	<input type="checkbox"/>	688	<input type="checkbox"/> black <input type="checkbox"/> metallic blue <input type="checkbox"/> metallic red <input type="checkbox"/> white <input type="checkbox"/> metallic orange		1081357 1081358 1081359 1081360 1081361	Lightweight magnesium wheel, radial spokes, large flange hub and painted hollow rim, Schwalbe ONE tyres and black aluminium hand rim 24 x 1"
		688	1068705		Six star including 8 bar high-pressure tyres and aluminium hand ring (pair)	
688		1068707	CROSS wheel including aluminium rim and rugged studded tyres and stainless steel hand rim (pair)	24 x 1.75"		
688		1073641	Twelve-spoke Spinerger wheel in black including Schwalbe Marathon Plus Evolution and tetra hand rim (pair) White and orange spokes are available on request	24 x 1"		
688	1073640	Twelve-spoke Spinerger wheel in black including Schwalbe Marathon Plus Evolution and stainless steel hand rim (pair) White and orange spokes are available on request	24 x 1"			
688	1068713	Black Light including Schwalbe Marathon Plus Evolution and aluminium hand rim (pair)	24 x 1"			
<input type="checkbox"/>	688	<input type="checkbox"/> 1075478 25 x 1" <input type="checkbox"/> 1075479 26 x 1"	Active wheel with radial spokes, large flange hub, hollow rim (jumbo rim) in black, including Schwalbe Marathon Plus Evolution and stainless steel hand rim (pair). Recommended for user weights of 100 kg and over or for dynamic handling.	25" 26"		

We ship these trendy wheels in pairs. Different equipment for the Xtrends wheels available on request

### Drive wheel options

#### Locking system for tetraplegic users

CODE	DESCRIPTION
<input type="checkbox"/> 697	Unlocking mechanism for tetraplegic users makes it easier to remove the rear wheels Only in combination with rear wheels CODE 848 and 695, recommended in combination with 3° wheel camber CODE 447

### Wheel camber

<input type="checkbox"/> 423	0° wheel camber (adjustable track and wheel camber can be adjusted after the user is in position)
<input type="checkbox"/> 447	3° wheel camber (adjustable track and wheel camber can be adjusted after the user is in position) Connection with drum brake CODE 706 limited seat height variance

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

### 07 Hand rims and hand rim options (cannot be combined with Xtrends wheels)

CODE	DESCRIPTION	Ø	Ø
<input type="checkbox"/> 445	Titanium, with six holders, only in combination with active wheel CODE 695	-	24"
<input type="checkbox"/> 493	Stainless steel, highly polished	-	24"
<input type="checkbox"/> 494	Aluminium, not in combination with active wheel CODE 695	22"	24"
<input type="checkbox"/> 168	Optigrip special hand rims for tetraplegic users	-	24"
<input type="checkbox"/> 166	Silicone hand rim cover, smooth, black, not in combination with active wheel CODE 695	22"	24"
<input type="checkbox"/> 692	Hand rim gap 15 mm	22"	24"
<input type="checkbox"/> 693	Hand rim gap 25 mm	22"	24"
<input type="checkbox"/> 849	Curve L, black anodised aluminium, ergonomic grip profile, 31 mm high, only in combination with active wheel CODE 695 and Spinergy wheel Article no. 1073641, 1073640		
<input type="checkbox"/> 850	Curve Grip L, anti-slip coating, aluminium, suitable for tetraplegic users, ergonomic grip profile, 31 mm high, only in combination with active wheel CODE 695 and Spinergy wheel Article no. 1073641, 1073640		
<input type="checkbox"/> 853	Curve GEKKO, black anodised aluminium with replaceable rubber lip, ergonomic grip profile, 31 mm high, only in combination with active wheel CODE 695 and Spinergy wheel Article no. 1073641, 1073640		
<input type="checkbox"/> 871	<b>Dual hand rims</b> for seat widths up to 480 mm Only in combination with polyurethane tyres CODE 902 Not in combination with drum brakes CODE 706	24"	

Total width of hand rim gap: see enclosed information.

### 08 Tyres (cannot be combined with Xtrends wheels)

CODE	DESCRIPTION	Ø	Ø	Ø	Ø
<input type="checkbox"/> 496	8 bar pneumatic tyres	22 x 1"		24 x 1"	
<input type="checkbox"/> 486	4 bar pneumatic tyres		22 x 13/8"		24 x 13/8"
<input type="checkbox"/> 902	Polyurethane tyres, puncture-resistant, not in combination with active wheel CODE 695	22 x 1"		24 x 1"	
<input type="checkbox"/> 897	Schwalbe Marathon Plus Evolution tyres, puncture-resistant, 8 bar	22 x 1"		24 x 1"	
<input type="checkbox"/> 363	Schwalbe ONE tyres, no profile, puncture-resistant, 8 bar	22 x 1"		24 x 1"	

See category 05, seat height in combination with rear wheel.

### 09 Brakes

CODE	DESCRIPTION
<input type="checkbox"/> 305	Pressure brake for driver
<input type="checkbox"/> 681	Foldable, securely mounted brake lever extension
<input type="checkbox"/> 305/706	Drum brake for accompanying person Only in combination with push handles CODE 412 and CODE 502 We recommend acquiring the wheel cover CODE 98.
<input type="checkbox"/> 650/60	Single-handed pressure brake, left-handed (including brake lever, long, foldable)
<input type="checkbox"/> 650/74	Single-handed pressure brake, right-handed (including brake lever, long, foldable)



Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

## 10 Back strap height (BH)

CODE	BH	DESCRIPTION
<input type="checkbox"/> 620	250 mm	Back strap, can be adjusted using Velcro® strips (+ 25 mm) after the user is in position
<input type="checkbox"/> 626	300 mm	Back strap, can be adjusted using Velcro® strips (+ 25 mm) after the user is in position
<input type="checkbox"/> 631	350 mm	Back strap, can be adjusted using Velcro® strips (+ 25 mm) after the user is in position
<input type="checkbox"/> 632	400 mm	Back strap, can be adjusted using Velcro® strips (+ 25 mm) after the user is in position
<input type="checkbox"/> 633	450 mm	Back strap, can be adjusted using Velcro® strips (+ 25 mm) after the user is in position
<input type="checkbox"/> 637	500 mm	Back strap, can be adjusted using Velcro® strips (+ 25 mm) after the user is in position

## 11 Backrest (90° to seat as standard)

CODE	DESCRIPTION
<input type="checkbox"/> 410	Back with short push handle
<input type="checkbox"/> 412	Back with long push handle
<input type="checkbox"/> 140	Push handle integrated into the back tube, progressive height adjustment up to 100 mm
<input type="checkbox"/> 141	Push handles, swing-away, only in combination with back without lumbar curve CODE 621
<input type="checkbox"/> 502	Back with push handle, mounted on the back tube, progressive height adjustment up to 150 mm, not in combination with push handle CODE 140/141, not in combination with stabilisation bracket CODE 238

### Backrest options

CODE	DESCRIPTION
<input type="checkbox"/> 29	Back is angle-adjustable from the seat, +/- 15° in 5° increments, can be adjusted after the user is in position for BH 250–300 mm only in combination with push handle CODE 411 / 502. Not in combination with lumbar with curve CODE 622
<input type="checkbox"/> 621	Back without lumbar curve
<input type="checkbox"/> 622	Back with lumbar curve
<input type="checkbox"/> 814	Horizontal push bar, stabilises back in the case of heavier loads, not available with push handles CODE 141. Recommended for SB 460 and up.
<input type="checkbox"/> 913	Headrest, progressive height adjustment up to 300 mm, only in combination with push bar CODE 814

Please tick your choice in the boxes

Standard version: In case you do not make another selection we will generally deliver the standard version.

## 12 Side guards and armrests

Please note the functional features indicated.

1 = securely screwed 2 = swing-up 3 = removable 4 = lockable 5 = armrest height adjustable 6 = with wheel cover

CODE	DESCRIPTION	1	2	3	4	5	6
<input type="checkbox"/> 100	Aluminium side guard in frame colour with cold weather liner	●					●
<input type="checkbox"/> 81	Side guard, short armrests, height-adjustable and can be operated with one hand. Available from HSH 440 mm		●	●	●	●	
<input type="checkbox"/> 84	Side guard, long armrests, height-adjustable and can be operated with one hand. Available from HSH 440 mm		●	●	●	●	
<input type="checkbox"/> 302	"Light" aluminium side guard in frame colour. Available from HSH 430 mm	●					
<input type="checkbox"/> 748	Aluminium side guard in frame colour with cold weather liner Including height-adjustable armrest (screwed in place)	●				●	●
<input type="checkbox"/> 783	Carbon side guard	●					●
<input type="checkbox"/> 98	Aluminium side guard in frame colour with cold weather liner and 50 mm wheel cover						

## 13 Leg rests and footrests

CODE	DESCRIPTION	DEPTH	LLL
<input type="checkbox"/> 92 / 798	Leg rests can be removed, swung away and folded up, including separate plastic footrests that can be folded up and height- and angle-adjusted	150 mm	400–490
<input type="checkbox"/> 93	Standard upper part of leg rests can be removed and swung away, 70° front frame angle		
<input type="checkbox"/> 925	Operating assistance for locking mechanism for users with impaired hand functionality, only in combination with compact upper part of leg rests CODE 293		
<input type="checkbox"/> 94	Without leg rests and footrests		
<input type="checkbox"/> 3532	Shortened lower leg length. Only in connection with upper part of leg rest CODE 293 not in combination with medium frame CODE 352 and long frame CODE 353		270–360
<input type="checkbox"/> 293	Compact upper part of leg rest can be removed and swung away, 78° front frame angle		

### Footrests

<input type="checkbox"/> 311	One-piece aluminium footrest in frame colour, fold-up, height- and angle-adjustable	100 mm	390–480
<input type="checkbox"/> 315	One-piece aluminium footrest in frame colour, fold-up, height- and angle-adjustable not in combination with 7" castor CODE 645	150 mm	390–480
<input type="checkbox"/> 808	Individual aluminium footrests in frame colour, fold-up, depth- and angle-adjustable	150 mm	400–490

Please tick your choice in the boxes

**Standard version:** In case you do not make another selection we will generally deliver the standard version.

### Footrest accessories

CODE	DESCRIPTION
<input type="checkbox"/> 359	Individual calf strap

**Required lower leg length in mm (measured without seat cushion)**  
Factory lower leg length adjustment of 390–490 mm available depending on coding.

### 14 Frame colours

CODE	DESCRIPTION	CODE	DESCRIPTION
<input type="checkbox"/> 130	Titanium grey	<input type="checkbox"/> 224	Blue metallic
<input type="checkbox"/> 180	Lemon reflective	<input type="checkbox"/> 227	Red metallic
<input type="checkbox"/> 183	Silver metallic	<input type="checkbox"/> 230	Burgundy red
<input type="checkbox"/> 186	Magic blue	<input type="checkbox"/> 4023	Signal white
<input type="checkbox"/> 188	Black star	<input type="checkbox"/> 4922	Green metallic
<input type="checkbox"/> 193	Yellow	<input type="checkbox"/> 4923	Orange metallic
<input type="checkbox"/> 206	Matt black	<input type="checkbox"/> 4912	Cross yellow
<input type="checkbox"/> 216	Deep black	<input type="checkbox"/> 4913	Cross orange

Further frame colours can be selected on request at extra cost. See the colour chart in the catalogue introduction.

### 15 Back strap colours (seat belt only available in black)

<input type="checkbox"/> 235	Trevira black
<input type="checkbox"/> 292	Mesh, breathable, black
<input type="checkbox"/> 296	Mesh, breathable, red

### 16 Wheelchair accessories Hand and spoke guard

CODE	DESCRIPTION
<input type="checkbox"/> 489	transparent

### Anti-tip wheels

<input type="checkbox"/> 691	Anti-tip wheels, one pair, swing-away (recommended). Not in combination with step bar CODE 309
<input type="checkbox"/> 712	One anti-tip wheel, swing-away, mounted left
<input type="checkbox"/> 713	One anti-tip wheel, swing-away, mounted right

Please tick your choice in the boxes

**Standard version:** In case you do not make another selection we will generally deliver the standard version.

### Other accessories

<input type="checkbox"/>	309	Step bars (one pair)
<input type="checkbox"/>	4930	One step bar, mounted on <b>left</b> , not in combination with the anti-tip wheels CODE 691/712 and shunting castors CODE 746
<input type="checkbox"/>	4931	One step bar, mounted on <b>right</b> , not in combination with the anti-tip wheels CODE 691/713 and shunting castors CODE 746
<input type="checkbox"/>	746	One pair of shunting castors, e.g. for tight spaces or on planes Not in combination with step bar CODE 309 or anti-tip wheels CODE 691/712/713 for HSH 420 mm and up
<input type="checkbox"/>	929	Therapy table made of plastic, transparent, seat width adjustable from 380 to 480 mm Only in combination with aluminium side guards CODE 84
<input type="checkbox"/>	930	Therapy table <b>for independent users</b> , made of plastic, transparent, can be slotted on to defined seat widths, only in combination with side guards CODE 84
<input type="checkbox"/>	833	Safety belt with lock
<input type="checkbox"/>	970	Crutch holder in combination with step bar
<input type="checkbox"/>	819	Passive lighting
<input type="checkbox"/>	205542100	Hand compressor
<input type="checkbox"/>	951	Accessory net

### Xtrends accessories

CODE	DESCRIPTION
<input type="checkbox"/>	261519300 X-TREME backpack
<input type="checkbox"/>	261519600 "BLACK WHEEL CASE", fits max. 2 x 24" wheels and/or 1 x 25" or 26" wheel
<input type="checkbox"/>	1074231 "MEYRA ACTIVE" wheel case, fits max. 3 x 28" wheels
<input type="checkbox"/>	206964600 3M spoke reflectors

### Order remarks:

Date:	Signature:
-------	------------



Article 1072385



Article 1072386




Article 1081342




CODE 651




CODE 695




CODE 752



Article 1068705




Article 1068707



Article 1073640



Article 1068713



Article 1075478



Article 1075479



Article 1081358




Article 1081359




CODE 849



CODE 850



CODE 853



CODE 305



CODE 410



CODE 141



CODE 814



CODE 100



CODE 81



CODE 84




CODE 302



CODE 748



CODE 98



CODE 92/798




CODE 93



CODE 293



CODE 925



CODE 312



CODE 315



CODE 808

**05** Determining horizontal rear wheel position (centre of gravity adjustment)

DRIVER TYPE	ACTIVE			INTERMEDIATE		PASSIVE	
Position	1**	2**	3	4	5	6	7
Distance* in mm	100	90	80	70	60	50	40

\* Measuring method: front edge of the rear tube up to the middle of the axle in mm

\*\* Cannot be mounted in combination with short frame CODE 351

**07** Total width in mm with 15 mm hand rim gap

SEAT WIDTH	320	340	360	380	400	420	440	460	480	500	520
with 0° wheel camber (mm)	500	520	540	560	580	600	620	640	660	680	700
with 3° wheel camber (mm)	550	570	590	610	630	650	670	690	710	730	750
Folded size at 0° Wheel camber	280										
Folded size at 3° Wheel camber	330										

## 1. GENERAL – SCOPE

**1.1.** The following General Terms and Conditions of Delivery and Trade (GTC) for MEYRA GmbH shall apply to all contracts concluded with customers of the company. They shall also apply to all future transactions with the customer, even in the absence of a separate new agreement.

**1.2.** The customer shall accept that the General Terms and Conditions of MEYRA GmbH are binding on the present contract and also on all future contracts. Terms and conditions of the customer or third party shall not apply. MEYRA GmbH shall not be subject to such terms and conditions, even if they are not expressly excluded in individual cases.

**1.3.** These General Terms and Conditions shall only apply if the customer is an entrepreneur (s. 14 of the German Civil Code), a legal entity under public law or a separate fund under public law.

## 2. OFFER, CONCLUSION OF CONTRACT

**2.1.** Offers from MEYRA GmbH are subject to confirmation and non-binding unless expressly designated as binding.

**2.2.** MEYRA GmbH may accept orders or commissions from the customer within 14 days of receipt with an offer confirmation in text form.

**2.3.** The contract shall be concluded by means of the offer confirmation in text form; this shall also apply to any changes or additions to the orders.

**2.4.** We retain our rights of ownership and copyright with respect to all documents delivered to the customer in association with placing of the order. These documents may not be disclosed to third parties without our express written consent. Should we not accept the customer's offer within the period stipulated in section 2.2, these documents are to be returned to us without delay.

## 3. PRICES

**3.1.** Prices are calculated exclusively in euros. All prices are net prices. Value added tax at the respective statutory rate is to be paid in addition.

**3.2.** Unless otherwise stated to the contrary in writing, our prices are ex works, excluding packing and shipping. The costs of packing and shipping shall be invoiced separately.

**3.3.** Insofar as list prices are used as a basis, the price list valid at the time the order is placed shall apply. Price changes shall be permitted if there is a gap of more than four months between conclusion of the contract and the agreed delivery date. Should salaries or material costs increase in the period up to completion, we shall be entitled to increase the price appropriately in accordance with the cost increases. The customer shall be entitled to withdraw from the contract only if the price increase significantly exceeds the increase in the general cost of living between the time of the order and of delivery.

**3.4.** In follow-up orders, MEYRA GmbH shall not be held to the prices in a previous contract.

**3.5.** Should the order value fall below a limit of € 150.00 net goods value, a minimum-order surcharge of € 9.50 including freight component shall be levied.

## 4. SHIPMENT, PASSING OF RISK

**4.1.** The place of delivery shall be the registered premises of MEYRA GmbH insofar as nothing has been expressly agreed to the contrary.

**4.2.** If the goods are shipped to the customer at this location, the risk of accidental loss or accidental deterioration of the goods shall transfer to the customer as soon as the goods (including partial deliveries) have been handed over to the charge of the third party responsible for shipping. This shall apply irrespective of whether the goods are shipped from the place of performance or who bears the freight costs.

**4.3.** Should claims for transport damage or losses be asserted against MEYRA GmbH, the customer must note the damage on the shipping documents or, in the event of losses, create a record without delay which is to be shown to us within one week.

**4.4.** Insurance against transport damage shall only be taken out at the express request and expense of the customer.

**4.5.** In the event of delayed handover or shipping for which the customer is responsible, the risk shall pass to the customer upon notification of the shipment's readiness for shipping.

**4.6.** Should there be no special instructions from the customer, the choice of transport route and means of transport shall be made by MEYRA GmbH without warranty and liability for the cheapest and fastest shipping method.

## 5. DATE OF DELIVERY / SCOPE OF DELIVERY

**5.1.** Proposed delivery periods shall be understood to be probable delivery dates, unless a particular date has been expressly established in writing.

**5.2.** If the parties have agreed a delivery period, this shall commence from the date of the order confirmation. The delivery period shall be deemed to have been observed if, prior to its expiration, the goods have left the plant or their readiness for shipping has been communicated.

**5.3.** Compliance with agreed delivery and performance dates requires the timely receipt of all documentation to be provided by the customer as well as the timely provision of all necessary information and the fulfilment of all other obligations by the customer. Should these conditions not be fulfilled in good time, the periods shall be extended appropriately.

**5.4.** MEYRA GmbH shall not be liable for delays in delivery due to force majeure or other events which, at the time the contract was concluded, were unforeseeable (e.g. strike, operational breakdown, delayed internal supply, transport delay, unfavourable weather, etc.) for which it is not responsible. The delivery period shall be extended for the duration of the obstacle to performance for which MEYRA GmbH is not responsible, plus a reasonable recovery period.

**5.5.** Should the resulting delay exceed a period of six weeks, both parties shall have the right to withdraw from the contract with regard to the scope of performance.

**5.6.** MEYRA GmbH shall be entitled to make partial deliveries provided that the partial delivery can be used by the customer within the scope of the contractual provision, the delivery of the remaining goods is guaranteed and the customer does not incur any additional costs as a result.

## 6. PAYMENT

**6.1.** Invoice amounts shall be paid in full within 30 days of receipt of the invoice into one of the bank accounts stipulated by us. However, where the invoice is not for the delivery of spare parts or repairs, the customer shall be entitled to a discount of 2% if payment is made within eight days of receipt of the invoice.

**6.2.** Cheques and bills shall only be accepted with express agreement. Acceptance is conditional on performance. Invoice corrections via cheques and bills are subject to payment. Values are taken on the day on which we finally have the proceeds at our disposal.

**6.3.** Should the customer fail to make the payment on the due date, any outstanding amounts shall be subject to interest at 8% above the respective base rate per annum. We reserve the right to enforce higher damages due to a delay in payment.

**6.4.** Should the customer default on payment, then all other receivables arising from the same legal

relationship shall immediately become payable without the need for a separate communication.

**6.5.** The customer shall only be entitled to offset in the event that its counterclaims have been legally established or are undisputed. The customer shall only be entitled to exercise a right of retention insofar as its counterclaim is based on the same contractual relationship.

**6.6.** MEYRA GmbH shall be entitled to assign its claims from deliveries and services.

## 7. RETENTION OF TITLE

**7.1.** The goods supplied by MEYRA GmbH shall remain the property of MEYRA GmbH until full payment of all present and future claims against the customer.

**7.2.** The customer may sell the reserved goods in the ordinary course of business. It is not entitled to make other disposals, in particular chattel mortgages and pledges. The claims of the customer arising from the resale of the reserved goods (including other receivables such as insurance claims or tort claims for loss or damage) shall be assigned to MEYRA GmbH by way of security. MEYRA GmbH shall accept the assignment. The customer shall be entitled to collect the assigned claim as long as it fulfils its payment obligations. In the event that it defaults on payment, we shall be entitled to revoke the collection authorisation.

**7.3.** Should the reserved goods be processed by the customer, it is hereby agreed that the processing shall take place in the name of and at the cost of MEYRA GmbH as the manufacturer and that it shall immediately acquire ownership or – if the processing is carried out using or in connection with materials from several owners or the value of the processed item is greater than the value of the delivered goods – co-ownership (fractional ownership) of the newly created item in the ratio of the value of the delivered goods to the value of the newly created item. Should MEYRA GmbH lose its ownership through consolidation or commingling or if, in the case of processing, it is not the owner of the delivered goods, the customer shall transfer to MEYRA GmbH in advance an appropriate co-ownership share in the new item equivalent to the proportionate value of the delivered item. MEYRA GmbH shall hereby accept the offer. The delivery shall be replaced by a gratuitous deposit.

**7.4.** The customer shall be obliged to notify us immediately of access by third parties to the goods delivered under retention of title and to provide us with the information and hand over the documentation required to enforce our rights. At the same time, the customer is to inform the third party without being asked of MEYRA GmbH's ownership. Any costs incurred from this shall be borne by the customer.

**7.5.** MEYRA GmbH shall be obliged to release the securities due to it at the request of the customer insofar as they exceed the value of the secured claims by more than 20%. The selection of the securities to be released is incumbent upon MEYRA GmbH.

**7.6.** In the event of a bankruptcy petition relating to the customer, we shall now prohibit the resale or processing of our reserved goods and shall revoke our collection authorisation with respect to the claims assigned to us.

**7.7.** In the event of delayed payment by the customer, we shall be entitled to demand the immediate return of the reserved goods.

## 8. WARRANTY / LIABILITY

**8.1.** The customer must inspect the delivered goods immediately upon delivery. Insofar as it relates to obvious defects or defects that would have been found during a thorough inspection, the customer

must notify us in writing of any complaints within one week of receipt of delivery. After expiry of this period, any liability for such defects is excluded. In the event of concealed defects, warranty claims shall only be valid if we are notified in writing within one week of discovery.

**8.2.** In cases of defective delivery, we shall have the right to choose to repair the defective item or to replace the defective item with a new delivery. The customer is obliged to provide us the defective product delivered free for inspection and repair. Should the repair or replacement delivery be unsuccessful, should they not be undertaken with a reasonable period or should we refuse to undertake them, the customer may withdraw from the contract or reduce the purchase price. A deadline shall not be required in those cases where it is not required by law.

**8.3.** The warranty shall be void if the customer modifies the delivery item without our consent or it is changed by a third party and it therefore becomes impossible or unreasonably difficult to rectify the defect. However, in each case, the customer must bear the additional costs resulting from the rectification of the defect.

**8.4.** The above regulations shall not affect any warranty that we assume on the part of the first user of the rehabilitation equipment.

**8.5.** Excluded from the warranty is the function-related wear of all items, modules, batteries and spare parts supplied by us as well as the inappropriate or improper storage, use or handling of the products.

**8.6.** Further claims by the customer, in particular for damages instead of performance and for reparation of any direct or indirect damage – including incidental or consequential damages, irrespective of the legal grounds – shall be excluded. This shall not be the case if MEYRA GmbH has concealed a legal or material defect maliciously or the damage is due to intent or gross negligence on the part of MEYRA GmbH, its legal representatives or vicarious agents or to any negligent breach of essential contractual obligations. Essential contractual obligations are understood to be those where their fulfilment enables the proper execution of the contract and on compliance with which the contracting parties regularly rely or may rely. In the case of damage to property and assets due to negligence, the liability of MEYRA GmbH shall however be restricted to an amount foreseeable in a typical contract. Furthermore, personal injury or damage to health caused by a breach of duty on the part of MEYRA GmbH, its legal representatives or vicarious agents are not excluded.

**8.7.** Liability under the *Produkthaftungsgesetz* [German Product Liability Act] is unaffected.

## 9. STATUTE OF LIMITATIONS

Claims by the customer relating to defects shall have a limitation period of two years from handover / delivery of the goods to the customer. With respect to replacement items and repairs, the limitation period shall be one year from handover / delivery of the goods to the customer. Excluded from this are claims for damages due to endangerment of life, personal injury or health and / or claims arising out of damages caused by gross negligence or intent on the part of MEYRA GmbH or its vicarious agents. In such instances, the statutory limitation periods shall apply.

## 9.1. REPLACEMENT PRODUCT SERVICE

Independent of the warranty, MEYRA GmbH offers customers the opportunity to exchange a defective product for a refurbished product. The following provisions shall apply to the products offered as replacements:

- Replacement products are refurbished and technically in order.
- The defective product must be returned free of charge to MEYRA GmbH within 15 working days.

The returned item shall become our property.

- Should the defective product not be returned, we shall invoice the customer for the replacement item at 95% of the sales price for a new product.
- The returned item must correspond to the replacement product in model and design. The product must also be reusable and may only show wear and tear commensurate with normal use.
- MEYRA GmbH shall determine whether the returned item fulfils the requirements specified above. Should these requirements not be fulfilled, we shall also issue the customer with an invoice for the amount specified above for the replacement product delivered less the residual value of the returned item.

## 10. PRODUCT SAFETY GUARANTEE

### 10.1. PRODUCT RECALL

If, due to defects in the goods delivered or to existing legal stipulations, it becomes necessary to have a product recalled, then the Client is obliged to cooperate in implementing such product recall in order to ensure that it can be conducted efficiently. In the event of a product recall, the Client is in particular obliged to inform MEYRA GmbH regarding the whereabouts of the delivery items in the delivery chain (from the Client to end consumer). To this end, the Client must continually document, using appropriate documentation methods, the progress of the goods and provide MEYRA GmbH with such documentation upon request. If the Client supplies the goods to resellers, then it must impose upon such resellers, via contractual provisions, the foregoing duties of cooperation intended to ensure the efficient implementation of a product recall.

**10.2.** The Client is obliged to have end customers instructed with regard to the handling and use of the delivered products and to have such instruction carried out by trained specialists. If the Client supplies the goods to resellers, then it must impose upon such resellers, via contractual provisions, the foregoing training obligations pertaining to the handling and use of the delivered goods.

### 11. LIABILITY FOR DESIGN CHANGES

It is important to note that more stringent legal provisions shall apply in the case of custom orders. Design changes to MEYRA GmbH products by the customer or a third party contracted by the customer shall only be permitted if they are in line with the safety requirements and our management has declared its consent in writing in advance. To this end, if requested, a modified model and design drawings are to be made available to us. Should design changes be undertaken without the prior written consent of our management and damage due to the changes is caused to a third party for which we are liable in the external relationship, the customer shall be required to release us in the internal relationship from claims by the third party.

## 12A. RETURN OF FINISHED PRODUCTS AND MODULES

Goods returned without an accompanying delivery note or invoice copy shall not be accepted. Credit equivalent to 80 % of the net value of the goods shall be granted for goods returned in their original packaging and in mint condition. Excluded from return are items delivered more than three months ago, custom orders, sanitary items, filled batteries and products with a net value of less than € 100.00. Also excluded are custom-made wheelchairs (e.g.: wheelchairs for children or adaptive wheelchairs). The transport risk shall be borne by the sender.

## 12B. ORDER CANCELLATIONS FOR FINISHED PRODUCTS

**12B.1.** Order cancellations without the prior agreement of MEYRA GmbH shall not be permitted.

**12B.2.** Cancellations shall be made in writing.

**12B.3.** Should an agreement be reached regarding the cancellation of finished products which are ready for delivery, the following shall apply:

- Rehabilitation products shall be credited in full.

In principle, orders for custom wheelchairs and sports wheelchairs cannot be cancelled.

- In the event of the cancellation of an order for adaptive wheelchairs, 20% of the net value shall be retained to cover costs.

The cancellation fee for electric wheelchairs and scooters is 5%. The cancellation fee for standard and lightweight wheelchairs is 10%.

## 12C. COLLECTION / DISPOSAL

Our prices do not include the costs for collection and disposal of complete old equipment from users other than private households. On request, and against reimbursement of the costs incurred, we are able to organise the collection and recycling / disposal of such equipment, provided it was purchased from us. Returns without the prior agreement of MEYRA GmbH are not possible.

## 13. USE OF PERSONAL DATA

We shall be entitled to save and process internally any personal data of the customer falling within the scope of the statutory provisions, in particular the *Bundesdatenschutzgesetz* [German Data Protection Act].

## 14. JURISDICTION, APPLICABLE LAW, SEVERABILITY CLAUSE

**14.1.** Unless expressly agreed to the contrary, the place of performance shall be the premises of MEYRA GmbH in Kalletal-Kalldorf.

**14.2.** The jurisdiction for all disputes arising out of the contractual relationship shall be determined by our headquarters in Kalletal-Kalldorf. We shall also be entitled to take action against the customer within its jurisdiction.

**14.3.** The law of the Federal Republic of Germany shall apply excluding the UN Convention on Contracts for the International Sale of Goods.

**14.4.** Should individual provisions of these General Terms and Conditions be wholly or partially void or ineffective, the validity of the remaining provisions shall remain unaffected.